



# Ground Equipment Reset Playbook



December 5, 2011

Version 20111205

## Sample Reset Playbook Data Sheet

### 1 A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

#### TAMCN = A8032: SECURITY EQP. SPEECH TACT. HALF-DUP. W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family consists of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice and data encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Public Telephone and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☒ MEE ☐ Top 50 TAMCN

#### REQUIREMENTS

	Total	OEF
AAO (FY12) (B)	2,802	51
AAO (FY17)	2,786	
O/H (C)	974	51
Shortfall/Excess (D)	-1,828	0

*Influences R2 Distribution*

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
275	291	206	141	270	1,401	194	0	24	0	
275	283	206	141	270	1,393	194	0	24	0	
178	179	121	0	216	114	0	91	22	2	
-97	-112	-85	-141	-54	-1,287	-194	91	-2	2	

### 2 Reset Strategy & Plan (Product Group: 12)

(A) NSN	O/H	Procure	Depot	Field	(B) No Reset	Disposal	Obsolete?	ELMP?	(C) Warranty?	SOW?	UUNS?	(D) Forecasted Categories		
5810004490154	51	0%	75%	25%	0%	0%	No	Yes	No	No	No	CAT I	CAT II	CAT III
												51	0	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

### 3 R2 Distribution Plan

#### LTI Disposition Information (A)

if Serviceable then MEF  
if Non-Serviceable then MEF  
if Condemned / Code H then MCLC

#### (B) Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### (C) Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC  
D: Non-Sensitive; M/S - M/S LD to SC or D2D

#### Forecasted Reset Strategy for Distribution

(D) MCLC (FWD)	MCLC	MEF	DRMO	PROCURE
0%	0%	100%	0%	0%

(E) CUFT 0 0 0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Description of Playbook Contents:

#### 1. **Strategic View of Equipment:** Provides general information on the equipment

- A. Identifies whether the TAMCN is listed on MARES/MEE/ MEF Top 50
- B. Requirements Data is from TFSMS.
- C. O/H Data from SASSY.
- D. Shortfall/Excess is calculated as the difference between the O/H and AAO's. This shows the relative health of the enterprise for this item.

#### 2. **Reset Strategy & Plan:** Provides information on reset strategies and forecasted categories for Equipment in OEF. Items A through C are collected from MCSC. The forecasted categories were calculated from the information provided.

- A. If there are multiple variants of a specific TAMCN in OEF, they are broken out by NSN along with their quantities. The cumulative quantity of the O/H at the NSN level matches with the total O/H from SASSY Sept 2011 TAMCN data.
- B. Reset strategies broken down by NSN. These strategies represent best estimates of the level of repair necessary to reset the equipment.
- C. Identifies additional attributes of the item.
- D. Forecasted categories were calculated using: (1) the reset strategies to estimate the condition of the equipment when it returns to CONUS and (2) the forecasted final distribution information that was provided by MCLC. In this example we can see that two pieces of equipment are selected to fill shortfalls at I MEF but are predicted to require depot level maintenance, and therefore they will become CAT II.
- E. General information pertaining to reset of the item.

#### 3. **Operational View of the R2 Distribution Plan:**

- A. LTI Disposition Information should be used to determine disposition instructions once a condition assessment of the item is performed. It is possible that once performed, the LTI will suggest a disposition that is different from the forecasted categories due to estimation error in the reset strategies.
- B&C. Lift criteria and transportation information that shows options for lift out of theater.
- D. Forecasted final distribution provided by MCLC from the Equipment Sourcing Tool (EST).
- E. Shows the footprint of the item.
- F. Shows constraints for this piece of equipment during transport to CONUS. If the Item has associated TAMCNs, the user is instructed to go to the appendix, where more specific information will be displayed.

# A0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0003: DAY/NIGHT IMAGER, V2 (IMAGER 2)

The Alarm Set, Anti-intrusion is a hand emplaced, passive thermal infrared electro-optical imaging sensor.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	557	181
AAO (FY17)	557	
O/H	468	174
Shortfall/Excess	-89	-7

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
153	153	102	0	102	47	0	0	0	0	
153	153	102	0	102	47	0	0	0	0	
122	109	58	0	0	5	0	0	0	0	
-31	-44	-44	0	-102	-42	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015218616	174	30%	0%	70%	0%	0%	No	No	Yes	No	No	119	3	52

**Notes:** The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# A0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0007: MULTI-BAND MANPACK RECIEVER (ROVER III)

The ROVER displays digital images of threats received from the UAV/RAVEN (Unmanned Aerial Vehicle).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	71	30
Shortfall/Excess	71	30

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
3	13	2	7	7	5	0	4	0	0	
3	13	2	7	7	5	0	4	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015313493	17	0%	0%	0%	0%	100%	Yes	Yes	No	No	Yes	0	17	0
5895015624190	13	0%	0%	0%	0%	100%	Yes	Yes	No	No	Yes	0	13	0

**Notes:** DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:


B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input checked="" type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0009: CONVERTER, MODEM

The Converter, Modem, CV-3591(P)/U provides high quality secure voice and data transmission capability for tactical and strategic military users.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	371	12
AAO (FY17)	521	
O/H	355	12
Shortfall/Excess	-16	0

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
77	77	45	0	56	48	68	0	0	0	
124	124	101	0	56	48	68	0	0	0	
52	30	34	0	32	38	0	157	0	0	
-25	-47	-11	0	-24	-10	-68	157	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895012509557	12	0%	0%	100%	0%	0%	No	Yes	No	No	No	12	0	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0013: THEATER BATTLE MANAGEMENT CORE SYSTEM (TBMCS)

TBMCS is comprised of a host system located in the Tactical Air Command Center with remotes located throughout the MAGTF.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	14	1
AAO (FY17)	14	
O/H	7	1
Shortfall/Excess	-7	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1	1	1	0	1	8	2	0	0	0	
1	1	1	0	1	8	2	0	0	0	
1	1	1	0	1	2	0	0	0	0	
0	0	0	0	0	-6	-2	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015346283	1	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	1

**Notes:** Send to MCLC and WIR for transport to Idaho Falls - attempt to salvage whatever possible. Harddrives are sensitive - need to be destroyed/removed

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0015: WORKSTATION, CAPABILITY, VIDEO EXPLOITATION

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	227	18
AAO (FY17)	217	
O/H	99	16
Shortfall/Excess	-128	-2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
51	46	18	91	11	1	9	0	0	0	
51	43	18	84	11	1	9	0	0	0	
27	28	9	17	2	0	0	0	0	0	
-24	-18	-9	-74	-9	-1	-9	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836090004317	16	70%	0%	30%	0%	0%	No	No	No	Yes	No	5	0	11

**Notes:** This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0016: SENSOR, COUNTER FIRE, GROUND

The GCFS is a ground acoustic sensor capable of detecting the source of incoming fires quickly and accurately.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	12	0
AAO (FY17)	12	
O/H	10	0
Shortfall/Excess	-2	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
2	2	2	0	0	1	4	1	0	0	
2	2	2	0	0	1	4	1	0	0	
2	2	1	0	0	0	0	5	0	0	
0	0	-1	0	0	-1	-4	4	0	0	

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1290999580742	0	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	0	0

**Notes:** Associated with HMMVs. Item will be sent to Commercial Depot. LRU's can be washed but need to be air dried.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	253	1.5

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# A0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0019: TROPO/SATELLITE SPT RADIO

The Tropo/Satellite Support Radio (TSSR), AN/GRC-239, is a full duplex LOS microwave radio designed for quick deployable military applications. The TSSR is used with almost all existing TRI-TAC equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	224	9
AAO (FY17)	218	
O/H	295	11
Shortfall/Excess	71	2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
51	51	26	0	8	14	74	0	0	0	
47	47	28	0	8	14	74	0	0	0	
66	64	31	0	29	19	0	75	0	0	
15	13	5	0	21	5	-74	75	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820013788778	11	0%	50%	50%	0%	0%	No	Yes	No	Yes	Yes	0	11	0

**Notes:** This item is an UUNs - Use until exhausted. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0021: COMM DATA LINK SYTEM (CDLS)

The AN/TYQ-101A is a modular suite of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) computer and communications equipment that is mounted in a Light Weight Multipurpose Shelter (LMS), mounted on a Heavy Variant-High Mobility Multipurpose Wheeled Vehicle (H-HMMWV). The AN/TYQ-101A is an automated interface system, which provide ground and correlated air situation display using information received from multiple intelligence, (Deployable Common Ground Station, etc.) and operation (E-3A, E-2C, Air Operations Center, Control and Reporting Center, etc.) sources.



Representative Picture

**TFSMS (Sept 2011)** ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	10	1
AAO (FY17)	10	
O/H	6	1
Shortfall/Excess	-4	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	2	0	2	0	2	0	0	0	
2	2	2	0	2	0	2	0	0	0	
2	1	1	0	1	0	0	0	0	0	
0	-1	-1	0	-1	0	-2	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015128683	1	0%	50%	50%	0%	0%	No	No	No	Yes	No	1	0	0

**Notes:** DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4.4

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input checked="" type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input checked="" type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0025: COMMUNICATIONS PLATFORM, AIR DEFENSE (ADCP)

The AN/MSQ-124 is composed of radio and computer equipment housed in a Lightweight Multipurpose Shelter, mounted on a heavy High Mobility Multipurpose Wheeled Vehicle. The AN/MSQ-124 is powered by a towed generator. The AN/MSQ-124 receives Tactical Ballistic Missile (TBM) data from the AN/TPS-59(V)3 radar and performs a TBM Reporting Responsibility function on the TADIL-J network. The AN/MSQ-124 also distributes Air Breathing Threat data to Short Range Air Defense units. The AN/MSQ-124 possesses an organic voice communications capability via radios and telephones.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	16	2
AAO (FY17)	16	
O/H	16	2
Shortfall/Excess	0	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	2	0	3	3	2	0	0	0	
3	3	2	0	3	3	2	0	0	0	
2	2	2	0	3	5	0	0	0	0	
-1	-1	0	0	0	2	-2	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1430014079647	2	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	2	0	0

**Notes:** DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	221	0	6.1

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☒ **Associated TAMCNs (See Appendix)**

☒ **Sensitive Associated TAMCNs (see Appendix)**

# A0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0026: RADIAC SET

The AN/PDR-77 RADIAC Set is a set of portable radiation detection equipment used for detecting Alpha, Beta/Gamma, and X-ray radiation.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	641	0
AAO (FY17)	616	
O/H	111	10
Shortfall/Excess	-530	10

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
226	244	140	10	6	15	0	0	0	0	
224	218	143	10	6	15	0	0	0	0	
0	51	0	0	0	35	0	15	0	0	
-226	-193	-140	-10	-6	20	0	15	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665013476100	10	0%	100%	0%	0%	0%	No	No	No	No	Yes	0	10	0

**Notes:** Needs to come back to LOGCOM to LTI and calibration

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0028: BIOMETRICS AUTOMATED TOOLKIT (BAT-CLIENT)

This is the Biometric Automated Toolset (BAT). BAT collects fingerprints, iris scans, facial photos and biographical information of persons of interest into a searchable data base.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	501	342
AAO (FY17)	501	
O/H	520	470
Shortfall/Excess	19	128

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	98	403	0	0	0
0	0	0	0	0	98	403	0	0	0
3	0	0	0	0	44	0	3	0	0
3	0	0	0	0	-54	-403	3	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895070001280	424	40%	0%	0%	60%	0%	No	No	No	No	Yes	0	254	170
9999015314667	46	0%	0%	0%	100%	0%	No	No	No	No	Yes	0	46	0

**Notes:** This is the UUNs for the IDS program. Items will be sent to MCLC until there is a requirement registered in TFSMS. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**



# A0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0030: COMMAND SYSTEM,TACT

is a Mine Resistant Ambush Protected (MRAP) Cougar-based, on-the-move, beyond line-of-sight, command and control (C2) system.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	2	2
Shortfall/Excess	2	2

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015799992	2	0%	0%	0%	100%	0%	No	No	No	No	Yes	0	2	0

**Notes:** Nothing beyond standard procedures. Currently there are three (3) M2C2 systems fielded to OEF in support of UUNS to fulfill capability gaps. M2C2 is a theater asset. System consist of one (1) A0030, four (4) A0386, thirteen (13) A0324 and one (1) Tactical Entry Point (TEP). Systems 2 & 3 fielded TEP A0325. System 1 fielded TEP \*\*\*\*

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☒ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0042: DIGITAL STILL CAMERA SUITE, ADVANCED

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	156	15
AAO (FY17)	159	
O/H	58	19
Shortfall/Excess	-98	4

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
16	16	7	77	18	12	10	0	0	0	
15	12	6	86	18	12	10	0	0	0	
6	10	6	6	10	1	0	0	0	0	
-10	-6	-1	-71	-8	-11	-10	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720090004308	19	30%	0%	70%	0%	0%	No	No	No	No	No	13	0	6

**Notes:** This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0043: POSITION LOCATION INDICATOR (MTX)

This is an MTX, DoD Blue Force Tracking (BFT) System that gives commanders the ability to track and receive position location information from dismounted teams and vehicles equipped with the devices. This system employs the COBRA architecture by coordinating with national system managers and war fighting units to collect, process, and disseminate operational BFT data.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	529	0
AAO (FY17)	678	
O/H	102	32
Shortfall/Excess	-427	32

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	406	0	0	123	0	0	0
0	0	0	555	0	0	123	0	0	0
0	0	0	53	0	0	0	17	0	0
0	0	0	-353	0	0	-123	17	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015322062	32	0%	0%	0%	100%	0%	No	No	No	No	Yes	0	32	0

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0045: POWER MODULE

The power electronic module provides the physical containment for several power components, usually Power semiconductor devices. The power module provides an easy way to cool the devices and to connect them to the outer circuit.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	28	0
AAO (FY17)	28	
O/H	7	1
Shortfall/Excess	-21	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	28	0	0	0
0	0	0	0	0	0	28	0	0	0
0	0	0	0	0	0	0	6	0	0
0	0	0	0	0	0	-28	6	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130015322591	1	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	1

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Disposal Plan is to be developed and published in the near term. Item exit date has expired and will not be extended.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

**TAMCN = A0057: ANTENNA MAST KIT**



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	
AAO (FY17)	0	
O/H	10	4
Shortfall/Excess	10	

**Influences R2  
Distribution**



## REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	2	0	0	4	0	0	0	0	0
0	2	0	0	4	0	0	0	0	0

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5985011812593	4	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	4

**Notes:**

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	24	0	0.3

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%



# A0059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0059: DIGITAL TERRIAN ANALYSIS MAPPING SYSTEMS LIGHT

The DTAMS-L is an Intel-based portable system that runs the Windows XP Professional operating system. Its role is to augment the DTAMS configuration. The deployable workstation provides geospatial intelligence analysis capabilities for small unit operations in a defined area of interest. The DTAMS-L hosts an internal 120GB hard drive and an external drive yielding approximately 2TB of available on-line storage. Each DTAMS-L is supplied with an additional internal and external HDD to be used for classified processing. Backup and archival storage is available through the use of a FDD and a DVD +/- R/RW.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	56	5
AAO (FY17)	58	
O/H	67	7
Shortfall/Excess	11	2

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	12	10	10	3	8	2	0	0	0	
12	13	10	10	3	8	2	0	0	0	
1	15	7	9	28	0	0	0	0	0	
-10	3	-3	-1	25	-8	-2	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675090004321	7	25%	25%	25%	25%	0%	No	No	No	No	Yes	5	0	2

**Notes:** This system is on schedule to be refreshed 100% in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment. No longer procurable.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0060: AN/TSQ-179B V2 Joint Services Work Station

JSTARS CGS-type capability without High Mobility Multi-Purpose Wheeled Vehicle and organic communications equipment. Same H/W and S/W architecture. Supports all CGS sensor interfaces and CGS communications links. Transportable in Integrated Transit Cases



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	8	1
AAO (FY17)	8	
O/H	3	1
Shortfall/Excess	-5	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
2	2	2	0	0	2	0	0	0	0
2	2	2	0	0	2	0	0	0	0
0	1	1	0	0	0	0	0	0	0
-2	-1	-1	0	0	-2	0	0	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865090004327	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** DO NOT POWER WASH THE TRANSIT CASES. The transit cases contain sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1935	0.5

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0061: TACT ELEVATED ANTENNA MAST SYS (TEAMS)

The Tactical Elevated Antenna Mast System (TEAMS) is an independent antenna mast system designed to support various LOS antenna systems. TEAMS has the ability to be towed by a HMMWV on a trailer or transported on top of a HMMWV (M998, M1123, M1165) using an installed roof rack assembly.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	647	118
AAO (FY17)	630	
O/H	552	90
Shortfall/Excess	-95	-28

**Influences R2  
Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
155	152	101	0	112	26	38	0	63	0	
150	138	103	0	112	26	38	0	63	0	
92	120	77	0	64	28	0	81	0	0	
-63	-32	-24	0	-48	2	-38	81	-63	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5985015494609	35	30%	0%	70%	0%	0%	No	No	No	No	No	25	0	10
5985015678104	55	30%	0%	70%	0%	0%	No	No	No	No	No	39	0	16

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	1.6

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
--

<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
---

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0067: HIGH FREQUENCY VEHICLE SYSTEM

The AN/MRC-148 provides 150 watts PEP/average in the HF portion of the frequency range and 60 watts PEP/average for the VHF portion of the frequency range in a mobile configuration.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,279	4
AAO (FY17)	1,217	
O/H	1,006	9
Shortfall/Excess	-273	5

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
286	273	165	0	191	47	137	0	180	0	
277	237	148	0	191	47	137	0	180	0	
214	251	150	0	149	51	0	18	164	0	
-72	-22	-15	0	-42	4	-137	18	-16	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015336762	9	0%	0%	100%	0%	0%	No	Yes	Yes	No	No	9	0	0

**Notes:** Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting. Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS rep will be contacted.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	114	0	5

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0068: RADIO SET, TACTICAL LONG HAUL DIGITAL LINK-11, AN/GRC-256

The AN/GRC-256 Radio Set consists of a Digital HF/SSB Transceiver (RT-9000) and a Solid State 500 Watt Linear Power Amplifier (LPA-9500). Both the RT and the LPA with selected EPROMS make them Marine Corps unique items. The RT-9000 is capable of providing communications from 1.6 to 29.99999 MHz transmit and 100 kHz to 29.99999 MHz receive.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	26	1
AAO (FY17)	26	
O/H	14	1
Shortfall/Excess	-12	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPNP
4	4	4	0	4	10	0	0	0	0
4	4	4	0	4	10	0	0	0	0
2	1	2	0	1	7	0	0	0	0
-2	-3	-2	0	-3	-3	0	0	0	0

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015340006	1	0%	50%	50%	0%	0%	No	Yes	No	No	No	1	0	0

**Notes:** Owning unit will remove SSRI, UURI, radios, and crypto equipment and coordinate with program office and item manager for item to be sent through IROAN/SLEP and rebuild at depot. Any missing or damaged SSRI, UURI, radios, and crypto will be repaired/replaced through organic or depot maintenance cycle as appropriate. DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
---	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
--

<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
--

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# A0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0069: RADIO SET

The AN/VRC-111 Dual Vehicle Adapter (DVA) consists of two MBITR radios, two MBITR Vehicle Adapters, and a standard SINCGARS interface tray. The MBITR provides troops with multiband secure communications. The vehicle adapter provides 20 watts of RF power amplification across the full 30-512



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	279	0
AAO (FY17)	278	
O/H	382	45
Shortfall/Excess	103	45

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	235	0	44	0	0	0	0	
0	0	0	234	0	44	0	0	0	0	
3	9	0	161	0	43	0	121	0	0	
3	9	0	-74	0	-1	0	121	0	0	

Representative Picture

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015360983	43	0%	0%	100%	0%	0%	No	No	No	No	No	0	43	0
6625013124134	2	25%	25%	50%	0%	0%	No	No	No	No	No	0	2	0

**Notes:** Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☒ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0079: TCWS

TCWS provides an expedient capability based on modern technologies including server virtualization, storage arrays and storage networks, portal/asynchronous and synchronous collaboration, systems management, replication, backup and restoration, and Enterprise Services Management features.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	83	11
AAO (FY17)	83	
O/H	30	9
Shortfall/Excess	-53	-2

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
24	24	21	0	10	4	0	0	0	0	
24	24	21	0	10	4	0	0	0	0	
2	1	13	0	2	3	0	0	0	0	
-22	-23	-8	0	-8	-1	0	0	0	0	

## Reset Strategy & Plan (Product Group: 10)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7035015385759	9	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	9	0	0

**Notes:** This TAMCN should be sent to the MEFs to fill any home station shortfalls. MEFs should use the A0079 until 2nd Qtr FY12 when the replacement TAMCN, A0342 is fielded. A0079 is warranteed. If warranty expires and no longer supportable, owning commands will request local disposal.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	1

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0081: RADIAC SET

The AN/UDR-13 RADIAC Set is a portable radiation detector used for detecting neutron/gamma radiation dose and gamma dose rate. The set is a miniaturized radiacmeter that can be carried in a Marine's pocket.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	10,242	2
AAO (FY17)	9,648	
O/H	285	45
Shortfall/Excess	-9,957	43

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
3,242	3,191	1,325	100	2,361	23	0	0	0	0	
3,188	2,710	1,265	101	2,361	23	0	0	0	0	
0	190	0	0	0	20	0	30	0	0	
-3,242	-3,001	-1,325	-100	-2,361	-3	0	30	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665014071237	45	0%	100%	0%	0%	0%	No	No	No	No	No	0	45	0

**Notes:** Needs to come back to LOGCOM to LTI and calibrate.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A0082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0082: PORTABLE AUTONOMOUS REPORTS COLLECTION SYSTEM

The Portable Autonomous Reports Collection System (PARCS), 2000R is a stand-alone test tool, which allows radar technical personnel to collect, analyze, and play back radar data. PARCS supports Marine Air Control Squadron Radar and Tactical Data Systems.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	16	2
AAO (FY17)	16	
O/H	21	4
Shortfall/Excess	5	2

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
2	2	1	0	2	6	3	0	0	0	
2	2	1	0	2	6	3	0	0	0	
2	3	2	0	3	7	0	0	0	0	
0	1	1	0	1	1	-3	0	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014118466	4	0%	0%	25%	75%	0%	No	No	No	No	No	0	4	0

**Notes:** No wash down. Unit normally remains in environmentally controlled shelter. Item is Test Equipment/Computer Kit. Potentially sensitive information on the hard drive.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0086: SHOP EQUIPMENT,CONT

Contact maintenance vehicle for the Avenger System.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1	1
Shortfall/Excess	1	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940013982615	1	0%	0%	0%	100%	0%	No	No	No	No	No	0	1	0

**Notes:** It was basically a mobile workshop (HMMWV with a Gitchner Shelter) to repair mechanical and electronic components of the Avenger system. This system was taken out of the OpFors years ago. The TAMCN needs to be archived and done away with. Problem is that the net asset posture shows 2 - one at II MEF and one in the War Reserve. This has to go away before TFSMS will let it be archived. By rights of anti-air weapons, the GBAD folks would own this. I suggest we turn it over to the TFSMS support contracts that work for AC LCL and let them get rid of it for us.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	3.7

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input checked="" type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0090: TRANSPORTABLE GROUND RECEIVE SUITE, ENHANCED

GBS provides the capability to quickly disseminate large amounts of information to Marine Air Ground Task Forces.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	115	19
AAO (FY17)	105	
O/H	86	21
Shortfall/Excess	-29	2

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
21	22	18	28	14	12	0	0	0	0	
19	19	18	23	14	12	0	0	0	0	
16	11	12	15	7	4	0	0	0	0	
-5	-11	-6	-13	-7	-8	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015306497	21	0%	0%	100%	0%	0%	No	Yes	No	No	No	21	0	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All four cases should be shipped as a set/complete end item. There are 3 computers per GBS. So, receiving unit may be required to purchase 3 new Hard Drives at a cost of \$593.36 per hard drive. MILAIR is the preferred form of shipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	0.3

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# A0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0091: VIDEO SCOUT REMOTE VIDEO EXPLOITATION UNIT

Video Scout is a man-portable Remote Video Exploitation Terminal for use by Tactical Air Control Parties (TACP). System provides a video terminal capability which is self-contained recording capability and has an on-board receiver and antenna group.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	316	128
AAO (FY17)	308	
O/H	374	124
Shortfall/Excess	58	-4

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
47	46	34	48	59	32	0	50	0	0	
46	40	33	48	59	32	0	50	0	0	
45	77	12	60	26	30	0	0	0	0	
-2	31	-22	12	-33	-2	0	-50	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015674768	37	0%	0%	0%	100%	0%	No	No	Yes	Yes	Yes	24	13	0
5998015853681	87	0%	0%	0%	100%	0%	No	No	Yes	Yes	Yes	0	87	0

**Notes:** Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capability, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	0.3

☒ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☒ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0096: RADIO, HP IED JAMMING SYSTEM (CHAMELEON) (CREW II)

The Transmitting Set, Countermeasures is a complete electronic set for the propagation of radio frequency energy specifically designed to be utilized for countermeasures. It also adds a Force Protection capability to specifically counter radio controlled IEDs.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	12,198	0
AAO (FY17)	12,198	
O/H	39	25
Shortfall/Excess	-12,159	25

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPNP
0	0	0	0	0	14	12,184	0	0	0
0	0	0	0	0	14	12,184	0	0	0
0	0	0	0	0	14	0	0	0	0
0	0	0	0	0	0	-12,184	0	0	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015534770	23	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	23
5865015557913	2	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	2
599801DTQC044	0	0%	0%	0%	100%	0%	Yes	No	No	No	No	0	0	0

**Notes:** Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# A0097 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0097: RADIO SET, DUAL VEHICLE ADAPTER, 50-WATT (DVA)

The Radio Set, AN/VRC-110, consist of 2 Vehicle Adapter Units with 2 AN/PRC-152 handheld Radios. The system provides encrypted Line of Sight communication with both fixed and Frequency Hopping Mode.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	7,697	379
AAO (FY17)	7,180	
O/H	5,861	503
Shortfall/Excess	-1,836	124

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES							MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
2,062	2,010	1,081	210	1,549	785	0	0	0	0	
1,950	1,617	981	274	1,549	809	0	0	0	0	
1,496	1,429	804	98	536	400	0	0	595	0	
-566	-581	-277	-112	-1,013	-385	0	0	595	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015659999	503	25%	0%	75%	0%	0%	No	No	Yes	No	No	377	0	126

**Notes:** Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0104: RADIO SET, AOR 8200 MKII B

The AR8200 is a hand portable receiver with 3GHz coverage. It has a frequency range of 530 kHz - 3000 Mhz.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	130
AAO (FY17)	0	
O/H	212	144
Shortfall/Excess	212	14

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	68	0	0	0	0	0	0	0	0
0	68	0	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015084395	144	0%	0%	0%	100%	0%	No	No	No	No	No	0	144	0

**Notes:** Pending SYSCOM input.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0116 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0116: SURVEY INSTRUMENT, AZIMUTH

IPADS is a HMMWV-mounted precision survey system. It is a replacement for the presently fielded AN/USQ-70 Position Azimuth Determination System.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	67	0
AAO (FY17)	63	
O/H	52	5
Shortfall/Excess	-15	5

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
16	16	9	0	10	3	0	5	6	2
16	12	9	0	10	3	0	5	6	2
9	12	8	0	11	0	0	0	6	1
-7	-4	-1	0	1	-3	0	-5	0	-1

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675015154610	5	0%	0%	0%	100%	0%	No	No	No	No	No	0	5	0

**Notes:** No direct water contact on electrical components

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	3

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☒ Sensitive Associated TAMCNs (see Appendix)


### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0117: MAINTENANCE KIT,ELE

The MK-3804 is a maintenance kit used for troubleshooting the AN/MRC-142C



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	1
AAO (FY17)	0	
O/H	2	1
Shortfall/Excess	2	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	1	0	0	0	0	
0	0	0	0	0	1	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015698814	1	0%	100%	0%	0%	0%	No	No	No	No	No	0	1	0

**Notes:** Ultimately this item goes through MCLC and the inventory manager back to SPAWAR, Charleston. AAO's need to be established. Use no water. Clean radios and components in accordance with technical manuals.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# A0118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0118: RADIO SET, INTEGRATED INTRA-SQUAD

The Integrated Intra Squad Radio is a Personal Pole Radio set designed to be used for Intra Squad and Inter Squad Communications.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	49,819	7342
AAO (FY17)	45,935	
O/H	49,108	7499
Shortfall/Excess	-711	157

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
15,431	14,819	5,773	0	11,517	2,193	86	0	0	0	
15,038	11,886	5,215	0	11,517	2,193	86	0	0	0	
12,144	9,013	4,275	0	10,198	2099	0	3,880	0	0	
-3,287	-5,806	-1,498	0	-1,319	-94	-86	3,880	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015450334	6067	0%	0%	0%	100%	0%	No	Yes	No	No	No	6067	0	0
5820015456349	1044	0%	0%	0%	100%	0%	No	Yes	No	No	No	1044	0	0
5820015456358	303	0%	0%	0%	100%	0%	No	Yes	No	No	No	303	0	0
5820015487056	85	0%	0%	0%	100%	0%	No	Yes	No	No	No	85	0	0

**Notes:** Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☒ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0121 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0121: MICRO UNMANNED AERIAL VEHICLE (MUAV)

The Battlefield Air Targeting Micro Aerial Vehicle (WASP) is a hand-launched reconnaissance and surveillance tool. The Wasp Air Vehicle transmits live airborne video images and location information to a Ground Control Station (GCS). This capability enables operators to navigate, search for targets, recognize terrain, and record all information for analysis.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	190	79
AAO (FY17)	205	
O/H	107	82
Shortfall/Excess	-83	3

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	55	0	0	135	0	0	0	
0	0	0	70	0	0	135	0	0	0	
0	12	0	13	0	0	0	0	0	0	
0	12	0	-42	0	0	-135	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1550015610012	82	0%	0%	100%	0%	0%	Yes	No	No	No	Yes	0	82	0

**Notes:** Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capability, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0122 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0122: SATELLITE COMMUNICATION SYSTEM

(27 JULY 11) Phoenix is an ECV mounted (M1152 with integrated armor package), multi-channel, quad-band tactical satellite terminal with a multi-band capability in the SHF range, incorporating a military Ka-Band capability to operate over commercial and military SHF satellites.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	34	0
AAO (FY17)	36	
O/H	31	2
Shortfall/Excess	-3	2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	10	7	1	3	3	0	0	0	0	
10	10	7	3	3	3	0	0	0	0	
8	9	6	0	3	3	0	0	0	0	
-2	-1	-1	-1	0	0	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015427716	0	0%	0%	0%	100%	0%	No	Yes	No	No	No	0	0	0
5895015625632	2	0%	50%	50%	0%	0%	No	Yes	No	No	No	2	0	0

**Notes:** Priority item for LTI in theater before leaving. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Use care when maneuvering system to not damage the reflector panel. It is made out of carbon fiber and very delicate. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed \$100,000.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0124 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0124: REMOTE SUBSCRIBER ACCESS MODULE

The Transition Switch Module (TSM) will provide a flexible Unit Level Switch capability that bridges legacy Tri-Tac switches with current commercial technology to provide Marine maneuver elements with more robust voice/data switching, data transport and bandwidth management capabilities. The TSM consists of three transit cased, functional suites; voice switching, remote subscriber access and multiplexing.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	927	69
AAO (FY17)	880	
O/H	793	65
Shortfall/Excess	-134	-4

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
234	236	155	0	125	111	0	0	66	0	
223	210	145	0	125	111	0	0	66	0	
166	184	135	0	131	112	0	0	0	0	
-68	-52	-20	0	6	1	0	0	-66	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015439861	65	0%	0%	100%	0%	0%	No	No	Yes	No	No	65	0	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	82	0.1

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# A0125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0125: DEPLOYABLE END OFFICE SUITE

The Transition Switch Module will provide a flexible Unit Level Switch capability that bridges legacy Tri-Tac switches with current commercial technology to provide Marine maneuver elements with more robust voice/data switching, data transport and bandwidth management capabilities.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	267	27
AAO (FY17)	255	
O/H	207	30
Shortfall/Excess	-60	3

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
63	63	43	0	34	40	0	0	24	0	
58	57	42	0	34	40	0	0	24	0	
32	42	36	0	34	33	0	0	0	0	
-31	-21	-7	0	0	-7	0	0	-24	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015439738	30	0%	0%	100%	0%	0%	No	No	No	No	No	30	0	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0.5

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# A0126 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0126: MULTI-BAND RADIO, VEHICLE MOUNTED

The Multi-Band Vehicle Radio, AN/VRC-103 (V)2 covers the entire 30 to 512 MHz frequency range while offering embedded COMSEC, SATCOM, and ECCM capabilities.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,892	0
AAO (FY17)	2,788	
O/H	1,455	280
Shortfall/Excess	-1,437	280

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
751	728	354	295	487	143	55	4	75	0	
736	608	333	347	487	143	55	4	75	0	
128	249	336	140	118	93	0	7	104	0	
-623	-479	-18	-155	-369	-50	-55	3	29	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015377562	56	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	56	0	0
5820015659629	224	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	224	0	0

**Notes:** Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	



# A0129 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0129: TACTICAL HANDHELD RADIO (THHR)

The AN/PRC-152 provides multi-band, multi-mode operation enabling a wide variety of applications such as ground-to-ground, ground-to-air, and tactical satellite communications. This communication includes both voice and data for the purpose of command and control on the battlefield.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	7,128	3566
AAO (FY17)	6,654	
O/H	8,706	3628
Shortfall/Excess	1,578	62

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1,921	1,921	547	0	1,422	1,317	0	0	0	0	
1,921	1,447	547	0	1,422	1,317	0	0	0	0	
1,580	857	698	0	888	1055	0	0	0	0	
-341	-1,064	151	0	-534	-262	0	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015549530	0	10%	0%	90%	0%	0%	No	No	Yes	No	No	0	0	0
5820015660746	3628	10%	0%	90%	0%	0%	No	No	Yes	No	No	1405	1860	363

**Notes:** AAO for this item is expected to increase

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0130: WIRELESS POINT-TO-POINT LINK (WPPL-D)

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	2
AAO (FY17)	0	
O/H	9	2
Shortfall/Excess	9	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	5	2	0	0	0	0	0	0	0	
0	5	2	0	0	0	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015704775	2	50%	0%	50%	0%	0%	No	No	No	No	Yes	0	1	1

**Notes:** Ship all assets to owning unit. Unit, with coordination from program office and item manager, will place unit in for maintenance. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0132 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0132: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The TSM provides a flexible unit level switch that replaces legacy TRI-TAC switches (SB-3614, SB-3865, AN/TTC-42) with more robust voice/data switching, data transport, and bandwidth management capabilities.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	153	11
AAO (FY17)	146	
O/H	125	14
Shortfall/Excess	-28	3

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
39	39	25	0	19	28	0	0	3	0	
36	35	25	0	19	28	0	0	3	0	
21	24	24	0	19	23	0	0	0	0	
-18	-15	-1	0	0	-5	0	0	-3	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015439865	14	0%	0%	100%	0%	0%	No	No	No	No	No	14	0	0

**Notes:** Crypto gear should stay with PEI. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.4

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0134: WIRELESS POINT TO P

LSWAN (Ku VSAT) is a small, lightweight, hand-portable, low cost satellite terminal that provides NIPRNET/SIPRNET capability. The Ku VSAT can be quickly set up to tie into the existing commercial Ku infrastructure as an alternate source of transmission for high bandwidth intensive capabilities. LSWAN is an integrated COTS solution. The major functional groups of the LSWAN package are: Ku VSAT antenna, power amplifier, modem, routers, and KG-175s. The Ku VSAT terminal and baseband equipment are packaged in HMMWV transportable transit cases.

**TFSMS (Sept 2011)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

*Representative Picture*

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	12	3
Shortfall/Excess	12	3

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	3	5	0	1	0	0	0	0	0
0	3	5	0	1	0	0	0	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015437811	0	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	0
5820015437816	3	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	3
5895015449175	0	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	0

**Notes:** Crypto must be removed before being disposed in theater. Follow in accordance to the Disposal Plan reference DP 11348.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
--	--

<input type="checkbox"/> <b>Multi-Modal</b>
---

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

<input checked="" type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>

# A0136 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0136: NETWORK MANAGEMENT

Provides FDMA capability to VSAT terminals & additional modem links (up to 12) for users.

<b>TFSMS (Sept 2011)</b> <input type="checkbox"/> MARES <input type="checkbox"/> MEE <input type="checkbox"/> Top 50 TAMCN			<b>REQUIREMENTS</b> <span style="float: right; font-style: italic;">Representative Picture</span>									
			OPERATING FORCES						MCLC			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
AAO (FY12)	9	0	3	3	1	0	1	1	0	0	0	0
AAO (FY17)	9		3	3	1	0	1	1	0	0	0	0
O/H	3	0	1	0	1	0	0	1	0	0	0	0
Shortfall/Excess	-6	0	-2	-3	0	0	-1	0	0	0	0	0

**Influences R2 Distribution**

## Reset Strategy & Plan (Product Group: 12)

												Forecasted Categories		
NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015677085	0	0%	0%	0%	100%	0%	No	No	Yes	No	Yes	0	0	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0138 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0138: TACTICAL EXPLOITATION GROUP REMOTE WORKSTATION (TEG-RWS)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	184	11
AAO (FY17)	184	
O/H	69	14
Shortfall/Excess	-115	3

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
54	48	45	1	4	32	0	0	0	0	
55	48	45	0	4	32	0	0	0	0	
23	19	11	1	0	1	0	0	0	0	
-31	-29	-34	0	-4	-31	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090004453	14	0%	0%	100%	0%	0%	No	No	No	No	No	14	0	0

**Notes:** Depot maintenance will be done at SPAWAR. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# A0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0139: RADIO SET, AN/TRC-209

The AN/TRC-209 is the HF/VHF transit case transceiver system using the AN/PRC-150(C). It provides high output power (150 watts in HF, 60 watts in VHF) in a series of transportable cases allowing for use in various situations. Key features include: shock mounting of all components; separate HF and VHF antenna outputs; and DC power filtering for supply noise and voltage spike suppression.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	792	88
AAO (FY17)	757	
O/H	733	102
Shortfall/Excess	-59	14

**Influences R2 Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
152	161	94	49	99	87	37	50	63	0	
147	142	88	44	99	87	37	50	63	0	
111	153	101	53	73	66	0	17	57	0	
-41	-8	7	4	-26	-21	-37	-33	-6	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015419208	102	0%	50%	50%	0%	0%	No	No	Yes	No	No	49	53	0

**Notes:** Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A0142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0142: SUPPORT WIDE AREA NETWORK (GSWAN/SWAN C)

GSWAN provides remote teams access into the tactical network (NIPRNET, SIPRNET, and DSN) via beyond line-of-sight SATCOM Capability.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	31	0
AAO (FY17)	31	
O/H	4	4
Shortfall/Excess	-27	4

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
13	13	0	0	0	5	0	0	0	0	
13	13	0	0	0	5	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
-13	-13	0	0	0	-5	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015427735	4	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	4

**Notes:** Disassociate the CCI equipment and identify as used with SWAN, then dispose of the item in theater. If mission capable, then DRMO in theater IAW Disposal Plan 11137. AAO needs to be zeroed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0147 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0147: TACTICAL INTEROPERABLE GROUND DATA LINK-II (TIGDL-II)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	6	1
AAO (FY17)	6	
O/H	1	1
Shortfall/Excess	-5	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
2	2	1	0	0	1	0	0	0	0	
2	2	1	0	0	1	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
-2	-2	-1	0	0	-1	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810090004482	1	0%	50%	50%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	97	0	2.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0149: ANTENNA, COMMUNICATIONS, TRAILER MOUNTED

The AS-4429D/TSC is a rugged, high-performance Multi-Band antenna subsystem that provides field commanders with a high mobility antenna capable of efficient TACSAT resource utilization. The AS-4429D/TSC can be used with the LMST, AN/TSC-85, and AN/TSC-93.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	25	4
AAO (FY17)	25	
O/H	18	5
Shortfall/Excess	-7	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
9	9	6	0	1	0	0	0	0	0	
9	9	6	0	1	0	0	0	0	0	
6	2	2	0	1	2	0	0	0	0	
-3	-7	-4	0	0	2	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5985015410767	5	0%	75%	25%	0%	0%	No	Yes	No	No	No	3	2	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ensure embarkation specialist utilizes the Technical manual for proper tie down procedures. Any cargo straps place over the main reflector will cause damage rendering the system non-mission capable. Do not move with stabilizing wheel in position. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed \$100,000.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1333	2.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0152: DIGITAL STILL CAMERA SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	536	0
AAO (FY17)	518	
O/H	88	26
Shortfall/Excess	-448	26

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
84	84	48	123	102	23	72	0	0	0	
75	63	39	144	102	23	72	0	0	0	
6	4	0	8	44	0	0	0	0	0	
-78	-80	-48	-115	-58	-23	-72	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720015868004	26	0%	0%	70%	0%	30%	No	No	No	No	No	18	0	8

**Notes:** This TAMCN is currently in its refresh cycle, therefore if any are returned non mission capable, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0153 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0153: RADIO SET (AN/MRC-142C)

The AN/MRC-142C is a vehicular-mounted integrated High Capacity Line-Of-Sight (HCLOS) radio system providing two-way secure voice and data transmission in the band I and band III+ frequency bands.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	447	52
AAO (FY17)	427	
O/H	335	54
Shortfall/Excess	-112	2

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
93	93	56	0	61	60	21	0	63	0	
85	81	56	0	61	60	21	0	63	0	
45	64	31	0	42	68	0	0	31	0	
-48	-29	-25	0	-19	8	-21	0	-32	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015456691	54	0%	100%	0%	0%	0%	No	No	No	No	No	0	54	0

**Notes:** Will come back through MCLC and go to SPAWAR. Use no water. Clean radios and components in accordance with technical manuals.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	118	0	4.3

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
--

<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
--

# A0156 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0156: GYROCAM VOSS II

OIF UUNS, mounted on rear of MRAP Cougar variant (6x6, 4x4).



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	105	140
AAO (FY17)	105	
O/H	149	143
Shortfall/Excess	44	3

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	105	0	0	0
0	0	0	0	0	0	105	0	0	0
0	6	0	0	0	0	0	0	0	0
0	6	0	0	0	0	-105	0	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015450098	49	0%	0%	0%	100%	0%	Yes	No	No	No	Yes	0	49	0
5895015647999	94	0%	0%	0%	100%	0%	No	No	No	No	No	0	94	0

Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%



# A0168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0168: HANDHELD INTERAGENCY IDENTITY DETECTION EQUIP (HIIDE)

HIIDE is the world's first hand-held biometric identification device that can enroll, identify or verify subjects using any of the three primary biometrics: iris, finger, face.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	348	87
AAO (FY17)	348	
O/H	161	113
Shortfall/Excess	-187	26

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	76	272	0	0	0
0	0	0	0	0	76	272	0	0	0
0	0	0	0	0	48	0	0	0	0
0	0	0	0	0	-28	-272	0	0	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015453002	2	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	2
5895090004458	111	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	111

**Notes:** This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A0169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0169: AN/TPQ-48 COUNTER MORTAR RADAR (LCMR)

The LCMR is a two-man portable mortar locating radar. It provides continuous 360 degree surveillance and locates mortar firing positions by detecting and backtracking the projectile trajectory to the weapon position.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	46	15
AAO (FY17)	46	
O/H	37	27
Shortfall/Excess	-9	12

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
10	10	10	0	5	3	6	2	0	0	
10	10	10	0	5	3	6	2	0	0	
4	3	3	0	0	0	0	0	0	0	
-6	-7	-7	0	-5	-3	-6	-2	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5840015418783	27	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	27	0

**Notes:** Assets should be sent to MCLB Albany for inventory and op check prior to entering a planned system refresh at SRCTec. The LCMR is an electronic piece of equipment and should not be washed. It can be cleaned by hand, by trained personnel.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2.8

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A0172 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0172: POWER SUPPLY, UNINTERRUPTIBLE (DDSR-PM)

The current TDN Family of Systems (FoS) consists of Gateways (TDN GW), Data Distribution Systems (TDN DDS/DDS-R/DDS-M), and Information Assurance Boundary (IAB). Together these systems provide the backbone data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	263	201
AAO (FY17)	229	
O/H	496	189
Shortfall/Excess	233	-12

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
83	83	46	0	29	22	0	0	0	0	
66	66	46	0	29	22	0	0	0	0	
32	51	48	0	84	92	0	0	0	0	
-51	-32	2	0	55	70	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130015460023	189	25%	0%	75%	0%	0%	No	No	No	No	No	83	59	47
6130015652835	0	25%	0%	75%	0%	0%	No	No	No	No	No	0	0	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1BBatteries do not constitute failure, replace upon receipt at new unit.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0.1

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# A0173 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0173: SECURITY DATA SYSTEM (DDSR-CSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	477	50
AAO (FY17)	491	
O/H	291	55
Shortfall/Excess	-186	5

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
144	144	90	0	80	19	0	0	0	0	
155	138	99	0	80	19	0	0	0	0	
75	78	38	0	21	24	0	0	0	0	
-69	-66	-52	0	-59	5	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810015460020	55	25%	0%	75%	0%	0%	No	No	No	No	No	41	0	14
5810015681184	0	25%	0%	75%	0%	0%	No	No	No	No	No	0	0	0

**Notes:** The TAMCN for DDS-R (NSN 5810-01-546-0020) should be a consolidation of assets to obtain maximum complete PMs. This should be completed at ELMACOs or MCLC Fwd. Transport complete CSMs to fill any home station shortfalls and DRMO in theater remaining PMs. Will be flown in it's entirety back to MEF. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0174 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0174: SWITCHING SET COMMUNICATION (DDSR-LSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	477	58
AAO (FY17)	491	
O/H	302	59
Shortfall/Excess	-175	1

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
144	144	90	0	80	19	0	0	0	0	
155	138	99	0	80	19	0	0	0	0	
74	80	44	0	21	24	0	0	0	0	
-70	-64	-46	0	-59	5	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015460016	37	25%	0%	75%	0%	0%	No	No	No	No	No	28	0	9
5895015682669	22	25%	0%	75%	0%	0%	No	No	No	No	No	17	0	5

**Notes:** The TAMCN for DDS-R (NSN 5895-01-546-0016) should be a consolidation of assets to obtain maximum complete LSMs. This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# A0175 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0175: COMPUTER DIGITAL DATA TRANSFER (DDSR-CM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	477	46
AAO (FY17)	509	
O/H	278	44
Shortfall/Excess	-199	-2

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
144	144	90	0	80	19	0	0	0	0	
161	144	105	0	80	19	0	0	0	0	
74	78	40	0	18	24	0	0	0	0	
-70	-66	-50	0	-62	5	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015466466	44	25%	0%	75%	0%	0%	No	No	No	No	No	33	0	11

**Notes:** SIPRNET Harddrives are handled in course with classified storage and transport. Transport back unit in possession. All SIPR HDs must be removed from the CM laptop PCs and consolidated in an appropriate secure storage container for MIL-AIR transport from OEF to CONUS with the using unit. NO SIPRs HDs will be vehicle transported through Pakistan for surface nor air shipment for commercial cargo carriers. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Batteries (Qty 2) do not constitute failure, replace upon receipt at new unit.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0176: SWITCHING GROUP, DIGITAL (DDSR-LEM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,546	182
AAO (FY17)	1,523	
O/H	1,174	195
Shortfall/Excess	-372	13

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
456	456	312	0	272	50	0	0	0	0	
469	424	308	0	272	50	0	0	0	0	
302	325	172	0	84	96	0	0	0	0	
-154	-131	-140	0	-188	46	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015460013	194	0%	0%	100%	0%	0%	No	No	No	No	No	194	0	0
5895015725551	1	25%	0%	75%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** The TAMCN for DDS-R (NSN 5895-01-546-0013) should be a consolidation of assets to obtain maximum complete LEMs. This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Batteries do not constitute failure, replace upon receipt at new unit.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# A0177 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0177: COMPUTER SYSTEM DIGITAL (DDSR-ACM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	477	48
AAO (FY17)	491	
O/H	292	48
Shortfall/Excess	-185	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
144	144	90	0	80	19	0	0	0	0	
155	138	99	0	80	19	0	0	0	0	
74	81	45	0	21	23	0	0	0	0	
-70	-63	-45	0	-59	4	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015460027	48	25%	0%	75%	0%	0%	No	No	No	No	No	36	0	12
7010015681206	0	25%	0%	75%	0%	0%	No	No	No	No	No	0	0	0

**Notes:** The TAMCN for DDS-R (NSN 7010-01-546-0027) should be a consolidation of assets to obtain maximum complete LEMs. This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0180: AN/TYQ-145 BEYOND LINE OF SIGHT GATEWAY

JRE is an implementation of beyond line of sight transmission for TADIL-J. The current system is a stand-alone COTS/NDI configured with a JTIDS radio.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	22	2
AAO (FY17)	22	
O/H	10	2
Shortfall/Excess	-12	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
4	4	4	0	4	6	0	0	0	0
4	4	4	0	4	6	0	0	0	0
1	0	1	0	2	4	0	0	0	0
-3	-4	-3	0	-2	-2	0	0	0	0

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015476773	2	0%	25%	75%	0%	0%	No	No	No	No	No	2	0	0

**Notes:** Return to owning unit but take out of service until maintenance is completed. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☒ **Associated TAMCNs (See Appendix)**

☒ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0182 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0182: RECORDER-REPRODUCER

The Tactical ONEROOF system is a family of applications that allows for automated collection, storage, retrieval and playback of digital voice signals.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	56	4
AAO (FY17)	50	
O/H	36	5
Shortfall/Excess	-20	1

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
11	11	10	18	0	2	4	0	0	0	
11	11	10	12	0	2	4	0	0	0	
10	11	6	4	0	0	0	0	0	0	
-1	0	-4	-14	0	-2	-4	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5835090004505	5	0%	33%	33%	34%	0%	No	No	No	No	No	5	0	0

**Notes:** This item will be retired next year, but still needs to be maintained until replacement is fielded. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0194 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0194: PERSISTENT SURVEILLANCE SYSTEM (G-BOSS) (80' TOWER)

A self-erecting, trailer-mounted tower serves as the base of the G-BOSS. It is designed to provide a stable, elevated platform for the sensor suite and communication devices. Cameras are mounted on a self erecting, telescoping tower. Other associated equipment includes capability for video capture, storage, transmission, and power generation.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	177	112
AAO (FY17)	177	
O/H	100	97
Shortfall/Excess	-77	-15

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	2	172	3	0	0
0	0	0	0	0	2	172	3	0	0
0	1	0	0	0	2	0	0	0	0
0	1	0	0	0	0	-172	-3	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650070001274	49	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	49	0
6650090004488	32	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	32	0
6650090006502	16	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	16	0

**Notes:** Systems will be shipped to NSWC Crane, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Should be shipped with B0077. Prior to wash down system should be in stowed and/or shipping configuration with all connector caps installed. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions. There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquisition Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0195: INTELLIGENCE OPERATIONS SERVER (V3)

The IAS FoS program consists of a three-tiered approach to Intelligence Operations. The first tier, the MEF IAS, consists of M1152A1B2 with M101 trailer, BASE-X 305 tent, and containerized stacked server suite, designed to support intelligence operations .



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	62	3
AAO (FY17)	78	
O/H	4	3
Shortfall/Excess	-58	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
14	14	11	0	8	15	0	0	0	0	
15	14	11	15	8	15	0	0	0	0	
0	1	0	0	0	0	0	0	0	0	
-14	-13	-11	0	-8	-15	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015762585	3	0%	0%	0%	100%	0%	No	No	No	No	No	3	0	0

**Notes:** If it requires maintenance, it goes to MCLC for DRMO. Eventually will be replaced. No maintenance will be performed. Water may damage system electronics.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0197 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0197: DATA STORAGE MODULE (DDSR-DSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	477	49
AAO (FY17)	481	
O/H	290	50
Shortfall/Excess	-187	1

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
144	144	92	0	80	17	0	0	0	0	
151	135	98	0	80	17	0	0	0	0	
72	79	40	0	21	28	0	0	0	0	
-72	-65	-52	0	-59	11	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015494303	28	25%	0%	75%	0%	0%	No	No	No	No	No	21	0	7
5895015653698	22	25%	0%	75%	0%	0%	No	No	No	No	No	17	0	5

**Notes:** The TAMCN for DDS-R (NSN 5895-01-549-4303), should be a consolidation of assets to obtain maximum complete DSMs. This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0.1

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0234 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0234: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V1 DISH)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	168	24
AAO (FY17)	162	
O/H	111	27
Shortfall/Excess	-57	3

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
42	41	21	0	26	38	0	0	0	0	
42	36	20	0	26	38	0	0	0	0	
27	26	12	0	8	11	0	0	0	0	
-15	-15	-9	0	-18	-27	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015504868	27	0%	100%	0%	0%	0%	No	No	Yes	No	Yes	0	27	0

**Notes:** This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)



# A0238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0238: MAINTENANCE KIT,ELECTRONIC EQUIP (SWAN-D V3 RF SPARES)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	6	9
AAO (FY17)	6	
O/H	30	8
Shortfall/Excess	24	-1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
2	2	2	0	0	0	0	0	0	0
2	2	2	0	0	0	0	0	0	0
7	2	3	0	4	6	0	0	0	0
5	0	1	0	4	6	0	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015515306	8	0%	0%	0%	100%	0%	No	No	Yes	No	Yes	0	8	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ship with SWAN D V3 to MCLC Alb for resale to Army.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A0239 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0239: MAINTENANCE KIT,ELECTRONIC EQUIP (SWAN-D V1/V2 RF SPARES)

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	35	16
AAO (FY17)	41	
O/H	68	22
Shortfall/Excess	33	6

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
14	14	7	0	0	0	0	0	0	0
17	17	7	0	0	0	0	0	0	0
5	12	14	0	11	4	0	0	0	0
-9	-2	7	0	11	4	0	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015514019	22	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	0	22	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. This TAMCN is a spares kit that will be disassembled and placed into the MEF RIPs.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0240 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0240: MAINTENANCE KIT,ELECTRONIC EQUIPMENT

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	23	20
AAO (FY17)	23	
O/H	55	21
Shortfall/Excess	32	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
9	9	5	0	0	0	0	0	0	0
9	9	5	0	0	0	0	0	0	0
5	7	11	0	10	1	0	0	0	0
-4	-2	6	0	10	1	0	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015513812	21	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	0	21	0
5895015686670	0	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	0	0	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. This TAMCN is a spares kit that will be disassembled and placed into the MEF RIPs.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A0241 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0241: SATELLITE COMMUNICATION SUBSYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	62	0
AAO (FY17)	62	
O/H	45	2
Shortfall/Excess	-17	2

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
15	13	8	0	9	17	0	0	0	0	
15	13	8	0	9	17	0	0	0	0	
12	11	6	0	4	10	0	0	0	0	
-3	-2	-2	0	-5	-7	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015513530	2	0%	0%	0%	100%	0%	No	No	Yes	No	Yes	0	2	0

**Notes:** This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0242 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0242: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V3 DISH)

The SWAN is an integrated COTS solution utilizing Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-The-Pause (OTP) communications asset that can be set up in 30 minutes or less. SWAN fills a void of Beyond-Line-Of-sight (BLOS).



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	60	12
AAO (FY17)	59	
O/H	27	11
Shortfall/Excess	-33	-1

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
15	15	12	0	10	8	0	0	0	0	
15	14	12	0	10	8	0	0	0	0	
6	2	4	0	4	0	0	0	0	0	
-9	-13	-8	0	-6	-8	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015514320	10	0%	0%	0%	100%	0%	No	No	Yes	No	Yes	0	10	0
5895015805073	1						No					0	1	0

**Notes:** This TAMCN NSN 5895-01-551-4320 should be transported to MCLC Alb. with SWAN D V3 PEI. This TAMCN should be sent to MCLC. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. TAMCN NSN 5895-01-551-4320 will be sold back to the Army.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A0243 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0243: NETWORK MANAGEMENT SYSTEM (SWAN-D)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	282	34
AAO (FY17)	237	
O/H	151	31
Shortfall/Excess	-131	-3

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
72	69	40	0	45	56	0	0	0	0	
53	44	39	0	45	56	0	0	0	0	
37	26	22	0	13	22	0	0	0	0	
-35	-43	-18	0	-32	-34	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015513590	26	0%	0%	0%	100%	0%	No	No	Yes	No	Yes	0	26	0
5895015686944	5	0%	0%	0%	0%	100%	No	No	Yes	No	Yes	0	0	5

**Notes:** This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A0244 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0244: NETWORK MANAGEMENT SYSTEM (SWAN-D MRT)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	59	3
AAO (FY17)	55	
O/H	46	3
Shortfall/Excess	-13	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
11	11	9	0	7	21	0	0	0	0
9	9	9	0	7	21	0	0	0	0
8	7	10	0	5	13	0	0	0	0
-3	-4	1	0	-2	-8	0	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015513833	3	0%	0%	0%	100%	0%	No	No	Yes	No	Yes	0	3	0

**Notes:** This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# A0245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0245: SATELITE COMM SUB SYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	1
AAO (FY17)	0	
O/H	2	2
Shortfall/Excess	2	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015596098	2	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	2

**Notes:** Crypto will be kept and utilized. Crypto must have a NAVMC 1018 Tag with PEI Serial #, PEI Unit Shipped To, PEI Condition Code. DP11137 PCN 13158950100. This TAMCN is in the process of Disposal.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0246 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0246: AN/USC-67 SWE-DISH FA150 MIL FLY-AWAY

The AN/USC-67 (FA-150 Hub) NSN: 2840-01-587-7961, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. The AN/USC-67 serves as the Hub in a Hub-Spoke architecture and components include a 1.5m antenna and baseband network equipment. The AN/USC-67 is C, Ku, and X band capable.



AN/USC-67 FA-150  
(Hub)

Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	11	4
AAO (FY17)	11	
O/H	6	4
Shortfall/Excess	-5	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
4	4	3	0	0	0	0	0	0	0	0
4	4	3	0	0	0	0	0	0	0	0
0	0	2	0	0	0	0	0	0	0	0
-4	-4	-1	0	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2840015877956	4	0%	0%	0%	100%	0%	No	No	Yes	Yes	Yes	4	0	0

**Notes:** Obsolete item, but will maintain in order to bridge capability gap. Must dispose of in CONUS because of sensitivity. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, and coordinate shipment with MARCORSYSCOM for maintenance. Please direct inquiries about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems. ATTN: SCI Comms Project Officer

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0247 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0247: AN/USC-68 SWE-DISH IPT MIL SUITCASE (VSAT SPOKE)

The AN/USC-68 (IPT Suite) NSN: 2840-01-587-7956, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. It consists of a suitcase satellite communication solution and a suitcase secure networking solution. The AN/USC-68 serves as a Spoke in a Hub-Spoke architecture and components include a .9m auto-acquiring antenna and baseband network equipment. The AN/USC-68 is only Ku band capable.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF	OPERATING FORCES								MCLC			
			I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN		
AAO (FY12)	41	17	16	16	9	0	0	0	0	0	0	0	0	0
AAO (FY17)	41		16	16	9	0	0	0	0	0	0	0	0	0
O/H	35	17	8	0	9	0	0	1	0	0	0	0	0	0
Shortfall/Excess	-6	0	-8	-16	0	0	0	1	0	0	0	0	0	0

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2840015877961	17	0%	0%	0%	0%	100%	No	No	No	No	Yes	0	17	0

**Notes:** Equipment is obsolete

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A0254 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0254: COMBAT OPS CENTER, SET III (UOC)

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	93	10
AAO (FY17)	92	
O/H	79	11
Shortfall/Excess	-14	1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
20	20	14	3	9	15	12	0	0	0	
20	19	14	3	9	15	12	0	0	0	
19	19	13	3	7	7	0	0	0	0	
-1	-1	-1	0	-2	-8	-12	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015204341	11	0%	0%	100%	0%	0%	No	No	No	No	No	0	11	0

**Notes:** The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	9.4

☒ **Sensitive** ☒ **CCI**

☐ **Multi-Modal**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☒ **Associated TAMCNs (See Appendix)**

☒ **Sensitive Associated TAMCNs (see Appendix)**

# A0255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0255: COMBAT OPS CENTER, SET IV (UOC)

The COC is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems. It is predominantly a COTS IT integration.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	194	17
AAO (FY17)	190	
O/H	177	19
Shortfall/Excess	-17	2

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
46	42	23	10	30	28	15	0	0	0	
47	37	20	13	30	28	15	0	0	0	
47	34	21	3	26	24	3	0	0	0	
1	-8	-2	-7	-4	-4	-12	0	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015204360	19	0%	0%	100%	0%	0%	No	No	No	No	No	0	19	0

**Notes:** The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input type="checkbox"/> Multi-Modal
--------------------------------------

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
--

<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
--

# A0261 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0261: BIOMETRICS AUTOMATED TOOLSET (BAT-SERVER

The Biometrics System consists of three tiers: the BAT-Client, the BAT-Server and the HIIDE. The BAT-Client will collect and store biometric information, to include fingerprints, iris scans and facial images, and will be able to “match” personnel whose bi



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	20	8
AAO (FY17)	20	
O/H	11	11
Shortfall/Excess	-9	3

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	20	0	0	0
0	0	0	0	0	0	20	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	-20	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7021090004486	11	0%	0%	50%	50%	0%	Yes	No	No	No	Yes	0	11	0

**Notes:** This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0266 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0266: RADIO SET, VEH, AN/VRC-104 (UHF/VHF)

AN/PRC 104 Radio Set.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	742	17
AAO (FY17)	715	
O/H	223	20
Shortfall/Excess	-519	3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
213	204	127	69	103	15	11	0	0	0	
209	168	121	88	103	15	11	0	0	0	
17	27	68	43	36	12	0	0	0	0	
-196	-177	-59	-26	-67	-3	-11	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015681631	17	0%	0%	100%	0%	0%	No	No	Yes	No	No	17	0	0
5820015694438	3	0%	0%	100%	0%	0%	No	No	Yes	No	No	3	0	0

**Notes:** Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)



# A0271 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0271: COMBAT OPERATIONS CENTER

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	20	5
AAO (FY17)	20	
O/H	18	7
Shortfall/Excess	-2	2

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	4	4	1	3	0	4	0	0	0	
4	4	4	1	3	0	4	0	0	0	
2	4	4	0	1	0	0	0	0	0	
-2	0	0	-1	-2	0	-4	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015573118	7	0%	0%	100%	0%	0%	No	No	No	No	No	2	5	0

**Notes:** The COC(V)2 configuration includes many weather-resistant transit cases and the Operations Trailer (OT). The OT is an M1102 trailer with a rack supporting many COTS IT servers, routers, switches, etc. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment; recommend using ISO containers to ship the COC(V)2.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	46

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A0272 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0272: RADIO REMOTE CONTROL UNIT RC 111

The RF-5800R-RC111 Remote Control System with High Speed Interface provides full remote control capability for the Falcon II family of manpack radios.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	2,945	515
AAO (FY17)	3,034	
O/H	3,025	578
Shortfall/Excess	80	63

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
754	789	428	44	476	154	0	300	0	0	
848	771	460	25	476	154	0	300	0	0	
748	575	388	114	525	95	0	2	0	0	
-6	-214	-40	70	49	-59	0	-298	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015196016	37	0%	0%	0%	100%	0%	No		No	No	No	37	0	0
5820015709290	539	0%	0%	100%	0%	0%	No	No	No	No	No	223	316	0
5895015627515	2	0%	50%	50%	0%	0%	No	No	No	No	No	0	2	0

**Notes:** Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0273 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0273: RADIO SET, VRC-110, 20 WATT (AN/PRC152)

The Radio Set, AN/VRC-110, consists of 2 Vehicle Adapter Units with 2 AN/PRC-152 handheld Radios. The system provides encrypted Line of Sight communications with both fixed and Frequency Hopping Modes.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	2,111	77
Shortfall/Excess	2,111	77

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
334	366	248	0	342	144	0	84	516	0	
334	366	248	0	342	144	0	84	516	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015578450	77	0%	100%	0%	0%	0%	No	Yes	Yes	No	No	0	39	38

**Notes:** TAMCN is being upgraded to A0097.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0278 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0278: WIRELESS POINT-TO POINT LINK (WPPL-D)

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	60
AAO (FY17)	15	
O/H	161	69
Shortfall/Excess	146	9

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	15	0	0	0	0	
0	0	0	0	0	15	0	0	0	0	
26	36	10	0	4	16	0	0	0	0	
26	36	10	0	4	1	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015631703	56	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	0	56	0
5820015836833	13	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	0	13	0

**Notes:** Item must be put through maintenance before placing into service at owning unit. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0282: TEAM PORTABLE COLLECTION SYS (TPCS)

The TPCS-MPC will be a mission configurable, multi-platform SIGINT collection system incorporating plug-and-play technologies that provides the Marine Air Ground Task Force commander with a modular and saleable carry-on/carry-off equipment capability for operations onboard non-dedicated air, ground, and waterborne platforms.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	76	10
AAO (FY17)	76	
O/H	55	10
Shortfall/Excess	-21	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
22	22	16	0	0	10	6	0	0	0	
22	22	16	0	0	10	6	0	0	0	
14	21	10	0	0	0	0	0	0	0	
-8	-1	-6	0	0	-10	-6	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5825015293279	10	0%	0%	100%	0%	0%	No	No	No	No	No	10	0	0

**Notes:** Owning unit will perform inventory and detailed maintenance for return to full mission capable. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Follow preventive maintenance procedures as listed in O&M TM 11109A-OI.PG-12/PMM123 has situational awareness for this system. Please direct inquiries about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems, ATTN: TPCS-MPC Project Officer, 2200 Lester Street, Quantico, VA 22134-6050.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:


B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0286 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0286: CERBERUS LONG RANGE (GBOSS LITE)

The G-BOSS Lite is an integrated system, based on the Cerberus trailer-mounted surveillance system, and employs multiple detection and assessment technologies, all self-contained on a single mobile platform. G-BOSS Lite uses the Star SAFIRE IIIIFP with laser pointer and range finder; and the MSTAR radar as its primary image sensors.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	49	26
AAO (FY17)	49	
O/H	41	40
Shortfall/Excess	-8	14

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	49	0	0	0
0	0	0	0	0	0	49	0	0	0
0	1	0	0	0	0	0	0	0	0
0	1	0	0	0	0	-49	0	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5840015874722	40	0%	100%	0%	0%	0%	No	Yes	Yes	No	Yes	0	40	0

**Notes:** Systems will be shipped to NSW Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSW Crane is currently serving the the supply chain manager for G-BOSS fielded system. Prior to wash down system should be in stowed and/or shipping configuration. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions. There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS Acquisition Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# A0288 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0288: CERBERUS MANPACK SYSTEM (CERBERUS LITE)

The Cerberus Lite is a man-portable, tripod-mounted surveillance system developed by PM NVESD for use in austere environments, or where ground transportation is unavailable or undesirable. The Cerberus Lite uses a FLIR Recon III and Advanced Radar Surveillance System (ARSS) as its primary image sensors. Use of the Miniature Intrusion Detection Systems (MIDS) unattended ground sensors is optional.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	51	27
AAO (FY17)	51	
O/H	38	37
Shortfall/Excess	-13	10

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	51	0	0	0
0	0	0	0	0	0	51	0	0	0
0	1	0	0	0	0	0	0	0	0
0	1	0	0	0	0	-51	0	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895011328799	2	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	2	0
6350090006681	35	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	35	0

**Notes:** Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions. There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS Acquisition Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# A0291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0291: CVRJ @ 1:2 VEH RATIO (RPLCS A0096 / A0137)

CVRJ is designed to respond to the full range of RCIED threats that have been encountered by our Warfighters and has demonstrated superior performance against the RCIED threats in both OIF and OEF. A primary strength of the system design is that it incorporates a proven adaptability to changes in the threat environment largely independent of specific threat signal attributes. It has a wide receive and transmit frequency coverage and handles multiple threats simultaneously.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	9,899	0
AAO (FY17)	9,899	
O/H	214	119
Shortfall/Excess	-9,685	119

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	145	9,754	0	0	0	
0	0	0	0	0	145	9,754	0	0	0	
0	0	0	0	0	95	0	0	0	0	
0	0	0	0	0	-50	-9,754	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015534738	119	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	119	0

**Notes:** Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A0298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0298: OPTICAL READER, DATA ENTRY

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,042	0
AAO (FY17)	3,753	
O/H	1,148	2
Shortfall/Excess	-2,894	2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES							MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1,347	1,381	726	14	418	0	48	0	108	0	
1,315	1,140	709	15	418	0	48	0	108	0	
176	295	189	0	272	176	0	8	30	0	
-1,171	-1,086	-537	-14	-146	176	-48	8	-78	0	

## Reset Strategy & Plan (Product Group: 10)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7025014759974	2	50%	0%	50%	0%	0%	No	No	Yes	No	No	1	0	1

**Notes:** Project office will coordinate refresh with MEF.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	49	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0299 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0299: PRINTER, PORTABLE

AIT devices enable and facilitate data collection and transmission to Automated Information Systems (AISs). AIT devices improve the Marine Corps' logistical business processes and enhance warfighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy. The AIT program is currently focused on implementing barcode technology - both linear and 2D barcodes and integrating Radio Frequency Data Collection (RFDC) technology to allow near real time processing of data. Successful AIT implementation is dependent on the AIT software development expertise of our information system developers and the ability of the user community to have well documented AIT requirements.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	0	4
AAO (FY17)	0	
O/H	225	5
Shortfall/Excess	225	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
37	20	42	2	71	44	0	4	0	0	
37	20	42	2	71	44	0	4	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7490014759671	5	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	5

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A0300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0300: PRINTING MACHINE,LA

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,203	0
AAO (FY17)	1,156	
O/H	226	1
Shortfall/Excess	-977	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
390	420	175	14	101	78	7	0	18	0	
402	352	182	16	101	78	7	0	18	0	
90	31	31	6	61	6	0	0	0	0	
-300	-389	-144	-8	-40	-72	-7	0	-18	0	

### Reset Strategy & Plan (Product Group: 10)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7490015589256	1	0%	0%	100%	0%	0%	No	No	Yes	No	No	1	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# A0301 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0301: GRAPHICS PLOTTER

The Graphics Plotter is a HP Designjet 1050c Plus Printer. The maximum print length for this printer is 300 ft.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	33	7
Shortfall/Excess	33	7

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
9	1	2	0	0	14	0	0	0	0	
9	1	2	0	0	14	0	0	0	0	

### Reset Strategy & Plan (Product Group: 10)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7025014774041	7	0%	0%	100%	0%	0%	No	No	No	No	No	0	7	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0321 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0321: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The Raven B is a unmanned aircraft sensor system utilized at the small unit level that provides situational awareness within the employing unit's area of operations. The Digital Data Link enables a given area to include more Ravens and provides greater communication security through signal encryption.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	462	56
AAO (FY17)	457	
O/H	89	60
Shortfall/Excess	-373	4

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
108	109	42	57	71	17	58	0	0	0	
103	89	47	72	71	17	58	0	0	0	
0	0	0	29	0	0	0	0	0	0	
-108	-109	-42	-28	-71	-17	-58	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1550015780205	60	35%	0%	65%	0%	0%	No	No	No	No	No	39	0	21

**Notes:** Owning unit will inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. Maintenance will be complete by the owning unit through organic. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input checked="" type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A0325 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0325: MOBILE MODULAR COMMAND CENTER (M2C2) TACTICAL ENTRY POINT

(satcom dish at the COC end, same as a SWAN V3 but with a different modem)



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1	1
Shortfall/Excess	1	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015800008	1	0%	0%	0%	100%	0%	No	No	No	No	Yes	0	1	0

**Notes:** Item will be sent to SPAWAR through MCLC. Nothing beyond standard procedures. This TAM is part of the M2C2 system see additional comments associated with TAM A0030.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# A0326 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0326: THOR III

Each Thor III system consists of three dismounted man-pack subsystems. Each subsystem contains a chassis (low band, mid band or high band), a Remote Control Unit (RCU), an integration/pack frame, an Rx/Tx antenna (low band, mid band, or high band), a GPS antenna, cables, and software. Each unit is housed in a separate transit case with protective covers.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	893	733
AAO (FY17)	893	
O/H	791	786
Shortfall/Excess	-102	53

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	85	733	75	0	0	
0	0	0	0	0	85	733	75	0	0	
0	0	0	0	0	5	0	0	0	0	
0	0	0	0	0	-80	-733	-75	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015804819	40	0%	100%	0%	0%	0%	No	No	No	No	Yes	0	40	0
5865015804854	746	0%	100%	0%	0%	0%	No	Yes	Yes	No	No	0	746	0

**Notes:** Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Upon returning from Theater units should conduct a complete detailed SL3 inventory. If any missing SL3 is note please contact the USMC CREW Product Support Integrator at USMC CREW Product Support Operations Center.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0331 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0331: RADIO SET, LOW PROFILE SINGLE VEHICLE ADAPTER, 50-WATT (VRC)

The AN/VRC-113(C) operates over a 30-512 MHz frequency range with either Frequency Modulated (FM), or Amplitude Modulated (AM) Radio Frequency (RF) output, with a user-selectable power output from 0.1 to 5 watts (depending on operating mode). The radio can interoperate with both 12 kbps (FED-STD-1023) and 16 kbps (VINSON-compatible) equipment. The Basic radio provides the following capabilities: SINCGARS, HAVEQUICK, ANDVT, retransmission, and High Throughput Waveform (HTW).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	9,332	0
AAO (FY17)	7,067	
O/H	152	102
Shortfall/Excess	-9,180	102

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2,403	2,397	1,338	87	1,587	166	1,054	300	0	0	
1,609	1,422	836	93	1,587	166	1,054	300	0	0	
0	0	0	0	0	0	0	50	0	0	
-2,403	-2,397	-1,338	-87	-1,587	-166	-1,054	-250	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015826675	102	0%	0%	100%	0%	0%	No	No	Yes	No	No	102	0	0

**Notes:** Item was sent to OEF on a limited fielding decision. Equipment should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A0336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0336: SCA MULTIBAND NETWORKING RADIO

The AN/PRC-117G (V)1(C) is an advanced multiband multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (Communications Security (COMSEC), Transmission Security (TRANSEC)), high-speed data, Electronic Counter-Countermeasures (ECCM), and Satellite Communications (SATCOM) capabilities.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	858	461
AAO (FY17)	965	
O/H	1,083	465
Shortfall/Excess	225	4

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
180	180	45	328	0	95	0	30	0	0	
180	135	45	480	0	95	0	30	0	0	
169	180	19	119	0	131	0	0	0	0	
-11	0	-26	-209	0	36	0	-30	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015862327	465	0%	0%	100%	0%	0%	No	No	Yes	No	No	37	428	0

**Notes:** Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A0340 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0340: CAMERA SUITE DIGITAL VIDEO

The DVCS-B provides a basic digital video photography capability and consists of a low-end commercial digital video camera for imagery collection.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	337	24
AAO (FY17)	330	
O/H	79	12
Shortfall/Excess	-258	-12

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
91	99	49	47	43	8	0	0	0	0	
91	94	47	47	43	8	0	0	0	0	
19	34	0	4	3	2	0	5	0	0	
-72	-65	-49	-43	-40	-6	0	5	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015922160	12	0%	0%	30%	70%	0%	No	No	Yes	Yes	No	12	0	0

**Notes:** All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. A full scale refresh for this item is scheduled for FY13. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ **Associated TAMCNs (See Appendix)**  
☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0350 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0350: DETECTION SYSTEM,WE

A sensor used to detect the direction and distance of incoming bullets.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	907	102
AAO (FY17)	907	
O/H	546	519
Shortfall/Excess	-361	417

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
25	25	25	0	0	144	688	0	0	0	
25	25	25	0	0	144	688	0	0	0	
25	0	2	0	0	0	0	0	0	0	
0	-25	-23	0	0	-144	-688	0	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6350015910219	519	0%	0%	0%	0%	100%	No	No	Yes	No	Yes	0	0	519

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A0351 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0351: REMOTE CONTROL RADI

System Description: The RF-7800R-RC Remote Control Device provides full remote control capability for the AN/PRC-117F, AN/PRC-117G, AN/PRC-150, and the AN/PRC-152 radios. The package includes two remote control units whose modular design allows either unit to function as the Local Control Unit (LCU) or the Remote Control Unit (RCU). All radio functions controlled by the Keypad Display Unit (KDU) can also be controlled by the RCU, including Automatic Link Establishment (ALE), frequency hopping and modem selections. The system provides TX/RX voice and data and controls legacy functions using field wire, but also adds capabilities/interfaces for Ethernet and fiber optic. Allows for 3.5km of separation of radio and operator providing enhanced safety and transmission security.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	106	0
AAO (FY17)	130	
O/H	701	293
Shortfall/Excess	595	293

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	106	0	0	0	0	0	0
0	0	0	130	0	0	0	0	0	0
69	164	36	89	2	48	0	0	0	0
69	164	36	-17	2	48	0	0	0	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015883075	293	0%	0%	100%	0%	0%	No	No	No	No	No	0	293	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0352 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0352: RADIO SET

The AN/VRC-114(V)1 is a SCA MULTIBAND NETWORKING VEHICULAR RADIO SYSTEM - SINGLE MOUNT (RF-300M-V150).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	287	59
AAO (FY17)	281	
O/H	190	155
Shortfall/Excess	-97	96

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
24	24	6	0	0	27	200	6	0	0	
24	18	6	0	0	27	200	6	0	0	
6	0	4	0	0	25	0	0	0	0	
-18	-24	-2	0	0	-2	-200	-6	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015892203	155	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	44	111	0

**Notes:** It was claimed that the number in theater is far being under reported in SASSY. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	



# A0425 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0425: TERMINAL, COMM, AUTOMATED, DATA MTD (M-DACT)

The M-DACT system can provide mounted commanders with a full suite of Command & Control capabilities which include messaging, mapping, overlays, route planning, navigation and situational awareness.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	212	0
Shortfall/Excess	212	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
90	21	35	0	29	37	0	0	0	0	
90	21	35	0	29	37	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015220639	0	0%	0%	0%	100%	0%	Yes	No	No	No	No	0	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A0501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0501: WORKSTATION, GEOSPATIAL INFO LIBR, DEPLOY (DGIL)OL-730/TSQ

The Topographic Production Capability (TPC) is the only Marine Corps' Family of Systems (FoS) that provides an integrated, independently deployed, self-contained Geospatial Information System (GIS) designed for data acquisition, manipulation, analysis, and dissemination, providing commanders and staff with Geospatial Information (GI) and Geographic Intelligence (GINT) support to all levels of the Marine Air Ground Task Force (MAGTF).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	38	4
AAO (FY17)	38	
O/H	24	4
Shortfall/Excess	-14	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
7	7	8	0	0	12	4	0	0	0	
7	7	8	0	0	12	4	0	0	0	
0	12	8	0	0	0	0	0	0	0	
-7	5	0	0	0	-12	-4	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090004208	4	0%	50%	50%	0%	0%	No	No	No	No	No	4	0	0

**Notes:** Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0503: SERVER, GEOSPATIAL INFO LIBR, DEPLOY (DGIL) OL-731/TSQ

This is the Deployable Geospatial Intelligence Library Server.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	16	1
AAO (FY17)	16	
O/H	7	1
Shortfall/Excess	-9	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
2	3	2	1	0	6	2	0	0	0
2	3	2	1	0	6	2	0	0	0
0	3	3	0	0	0	0	0	0	0
-2	0	1	-1	0	-6	-2	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090004210	1	0%	50%	50%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ **Associated TAMCNs (See Appendix)**  
☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0504 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0504: DTAMS

The Digital Terrain Analysis Mapping System (DTAMS), is a transportable subsystem of the Topographic Set. The DTAMS is housed within five rugged transport cases, each capable of two-man transport. Included within these five cases are Sun Spark workstations with CD ROM as well as high capacity hard disk drives and an 8 MM tape drive.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	44	9
AAO (FY17)	38	
O/H	49	9
Shortfall/Excess	5	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	10	2	3	6	10	4	0	0	0	
8	9	1	0	6	10	4	0	0	0	
2	12	7	3	16	0	0	0	0	0	
-7	2	5	0	10	-10	-4	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675013862679	1	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	1
7010090004207	8	0%	50%	50%	0%	0%	No	No	No	No	No	7	1	0

**Notes:** Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0652 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0652: CONVERTER SET, FIBER OPTIC

The Converter Set, Fiber Optic, AN/GSC-54 when used with a Tactical Fiber Optic Cable Assembly (TFOCA), forms a part of the Fiber Optic Cable System (FOCS). The FOCS provides a full duplex fiber optic transmission link between a compatible pair of TRI-TAC equipment. The AN/GSC-54 and the FOCA configuration provides an optical communication link for up to 6 kilometers in length, operating at group data rates ranging from 72 kilobits per second to 4,608 kilobits per second.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	3,632	16
AAO (FY17)	3,430	
O/H	1,680	92
Shortfall/Excess	-1,952	76

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
725	710	411	0	414	82	1,098	0	192	0	
628	605	411	0	414	82	1,098	0	192	0	
421	478	237	0	262	20	0	0	170	0	
-304	-232	-174	0	-152	-62	-1,098	0	-22	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6020012372218	92	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	92

**Notes:** DRMO in theater.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A0806 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0806: SAT TERMINAL, MULTIBAND, LTWT (LMST) MAXI-HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	12	0
AAO (FY17)	12	
O/H	9	0
Shortfall/Excess	-3	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	2	0	1	2	1	0	0	0	
3	3	2	0	1	2	1	0	0	0	
2	3	1	0	1	2	0	0	0	0	
-1	0	-1	0	0	0	-1	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014959105	0	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	0	0

**Notes:** Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0806 (V)1 = 5 Transit Cases.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	912	3.6

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0807 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0807: SAT TERMINAL, MULTIBAND LTWT (LMST) MINI HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	36	0
AAO (FY17)	36	
O/H	27	2
Shortfall/Excess	-9	2

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	8	0	1	5	6	0	0	0	
8	8	8	0	1	5	6	0	0	0	
6	7	6	0	1	5	0	0	0	0	
-2	-1	-2	0	0	0	-6	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014959106	2	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	2	0

**Notes:** Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0807 (V)2 = 4 Transit Cases

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	114	0	3.5

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# A0808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0808: SURVEY SYSTEM, NAVIGATION

The Navigation System, AN/GSN-14, is a man packable system designed to obtain terrain data easily in an unknown area.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	10	4
AAO (FY17)	10	
O/H	14	4
Shortfall/Excess	4	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
2	2	2	0	2	2	0	0	0	0
2	2	2	0	2	2	0	0	0	0
0	4	0	0	6	0	0	0	0	0
-2	2	-2	0	4	-2	0	0	0	0

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675014677441	4	0%	0%	0%	100%	0%	No	No	No	No	No	4	0	0

**Notes:** Need confirmation that this item will be DRMO'd. Highly pilferable - should not go down the GLOC

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	45	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0819 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0819: GLOBAL COMMAND AND CONTROL SYSTEM (GCCS)

The Global Command and Control System establishes a joint Command, Control, Communication, Computing, and Intelligence Surveillance Reconnaissance system to provide total battle space information to the warrior. It is a distributed client-server based architecture that incorporates a Common Operating Environment infrastructure with interfaces that support the hosting and execution of heterogeneous applications.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	293	0
AAO (FY17)	289	
O/H	113	6
Shortfall/Excess	-180	6

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
42	46	25	0	36	72	72	0	0	0	
41	44	24	0	36	72	72	0	0	0	
26	24	26	0	16	14	0	1	0	0	
-16	-22	1	0	-20	-58	-72	1	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090004281	6	0%	0%	0%	100%	0%	No	No	No	No	No	6	0	0

**Notes:** This equipment should reside on the Using Units Consolidated Memorandum Receipt (CMR), each unit should have their own equipment. No reset because there is a scheduled refresh in FY12. Harddrives may be classified and should be removed before transport.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.1

☐ Sensitive ☐ CCI

☐ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☒ Associated TAMCNs (See Appendix)

☒ Sensitive Associated TAMCNs (see Appendix)

# A0872 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0872: SERVER, INTEL OPS(IOUS-OPS)

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data. The first tier, the Marine Expeditionary Force IAS (MEF IAS), is a mobile system that supports the MEF Command Element. The second tier, the Intelligence Operations Server (IOSv2), is a team portable system designed to support the Intelligence Operations of the Major Subordinate Commands (MSC). The third tier, the Intelligence Operations Workstation (IOW), serves as the Intelligence link for the battalion and squadron commands to higher headquarters or as a stand-alone system.



Representative Picture

**TFSMS (Sept 2011)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	191	3
AAO (FY17)	190	
O/H	77	4
Shortfall/Excess	-114	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
48	45	41	0	18	39	0	0	0	0	
48	44	41	0	18	39	0	0	0	0	
21	26	10	0	14	2	0	0	0	0	
-27	-19	-31	0	-4	-37	0	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014824470	2	0%	0%	100%	0%	0%	No	No	Yes	No	No	2	0	0
5895015711777	0	0%	0%	100%	0%	0%	No	No	Yes	No	No	0	0	0
5895090004283	0	0%	0%	100%	0%	0%	No	No	Yes	No	No	0	0	0
7010015711777	2						No					2	0	0

**Notes:** This equipment should reside on the Using Units Consolidated Memorandum Receipt (CMR), each unit should have their own equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0873 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0873: AN/UYQ-91A(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	119	7
AAO (FY17)	119	
O/H	113	11
Shortfall/Excess	-6	4

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
31	30	25	1	6	17	9	0	0	0	
31	30	25	1	6	17	9	0	0	0	
15	32	19	13	12	11	0	0	0	0	
-16	2	-6	12	6	-6	-9	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014824634	2	0%	50%	50%	0%	0%	No	No	No	Yes	No	2	0	0
5895090004191	3	0%	50%	50%	0%	0%	No	No	No	Yes	No	3	0	0
5895090004424	6	0%	50%	50%	0%	0%	No	No	No	Yes	No	6	0	0

**Notes:** Maintenance done by CLS through the MEFs. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0874 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0874: AN/UYQ-88(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	1,507	267
AAO (FY17)	1,543	
O/H	1,723	285
Shortfall/Excess	216	18

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
393	393	201	62	89	359	10	0	0	0	
398	354	202	131	89	359	10	0	0	0	
372	456	303	81	208	18	0	0	0	0	
-21	63	102	19	119	-341	-10	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015806326	2	0%	50%	50%	0%	0%	No	No	Yes	Yes	No	0	2	0
7010090004323	283	0%	50%	50%	0%	0%	No	No	Yes	Yes	No	0	283	0

**Notes:** This systems has received a complete technology refresh in the last year and all units have been fielded their AAO. Any mission capable systems will be returned to Engineering Support Activity for re-distribution. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**


### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0878: EXPLOITATION WORKSTATION

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	26	14
AAO (FY17)	26	
O/H	19	11
Shortfall/Excess	-7	-3

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	8	0	0	2	0	0	0	0	
8	8	8	0	0	2	0	0	0	0	
0	0	7	1	0	0	0	0	0	0	
-8	-8	-1	1	0	-2	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090000310	3	0%	50%	50%	0%	0%	No	No	No	No	No	3	0	0
5895090004451	8	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	8

**Notes:** Depot level maintenance will be done at SPAWAR through the MEFs. The NSN ending in 4451 is obsolete and should be DRMO'd. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A0879 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0879: EXPLOITATION GROUP, TACTICAL, MAIN (TEG-M)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	7	0
AAO (FY17)	7	
O/H	1	1
Shortfall/Excess	-6	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
2	2	1	0	0	2	0	0	0	0	
2	2	1	0	0	2	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
-2	-2	-1	0	0	-2	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015774129	1	0%	50%	50%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and flit

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	217591	18.9

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	



# A0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0880: AN/UPX-37 INTERROGATOR SET

The Interrogator, Digital, AN/UPX-37 Identification Friend or Foe (IFF) Interrogator has replaced the AN/UPX-27 IFF Interrogators. It will be used for Mark XII and Next Generation IFF processing including Mode S and Mode 5. Its modular/digital architecture affords customized configurations and performance optimization for most applications including Air Defense, Weapon Systems, Air Traffic Control and Range Instrumentation. Digital target reports can be provided in addition to wide band video for subsequent passive/active decoding.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	68	4
AAO (FY17)	66	
O/H	39	4
Shortfall/Excess	-29	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
15	15	7	0	6	13	12	0	0	0	
14	14	7	0	6	13	12	0	0	0	
3	3	5	0	7	16	0	1	0	0	
-12	-12	-2	0	1	3	-12	1	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014605448	4	0%	75%	25%	0%	0%	No	No	No	No	No	4	0	0

**Notes:** MEF will control and will get support from Tobyhanna Army Depot if necessary. Unit normally remains in environmentally controlled shelter. USN/PMA 213 is Program Manager for the UPX-37 Interrogator.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0882 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0882: JT TACT INFO DISTR SYS (JTIDS)

The Class 2 JTIDS radio terminal is a multi-microprocessor controlled system combining radio, modem, message processor, and message switching system. The JTIDS terminal operates between 960 and 1215 MHz, frequency hopping 77,000 times per second. The JTIDS employs direct sequence frequency spreading as a further anti-jamming measure. The terminal is capable of data transfer at a rate of 115,000 bps and transmit power of 200 watts.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	29	3
AAO (FY17)	29	
O/H	24	3
Shortfall/Excess	-5	0

**Influences R2 Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	5	4	0	4	7	4	0	0	0	
5	5	4	0	4	7	4	0	0	0	
2	2	2	0	3	11	0	1	0	0	
-3	-3	-2	0	-1	4	-4	1	0	0	

Representative Picture

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014421073	3	0%	0%	100%	0%	0%	No	Yes	No	No	No	3	0	0

**Notes:** Return item to owning unit but take out of service until maintenance is completed. Item must be put through maintenance before placing into service at owning unit. Cannot be DRMO'd in theater. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☒ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☒ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A0892 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0892: FASCIMILE SET, BLACKJACK

The Blackjack Facsimile Set, AN/UXC-10 is a self-contained, portable, rugged tactical multifunctional system for use in harsh field environments. It withstands the toughest military applications, allowing installation in tracked and wheeled vehicles, aircraft and ships. AN/UXC-10 receives/sends data at 64 kbps-transmission rate and provides photographic quality imagery far superior to typical half tones dithered technology. The AN/UXC-10 is a North Atlantic Treaty Organization/Military standard digital facsimile, scanner, printer, and copier.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	79	0
AAO (FY17)	75	
O/H	207	1
Shortfall/Excess	128	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
27	25	18	0	1	0	8	0	0	0	
25	23	18	0	1	0	8	0	0	0	
37	32	24	0	8	0	0	105	0	0	
10	7	6	0	7	0	-8	105	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5815014787095	1	0%	0%	100%	0%	0%	No	Yes	No	No	No	0	1	0

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0905: DIGITAL IMAGING SET

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	256	24
AAO (FY17)	253	
O/H	96	38
Shortfall/Excess	-160	14

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
24	24	15	85	50	34	24	0	0	0	
21	18	12	94	50	34	24	0	0	0	
3	14	10	9	21	1	0	0	0	0	
-21	-10	-5	-76	-29	-33	-24	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014200425	10	70%	0%	30%	0%	0%	No	No	No	No	No	3	0	7
6760090004316	28	0%	0%	30%	0%	70%	Yes	No	No	No	No	8	0	20

**Notes:** Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A0907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0907: DIGITAL CAMERA SUITE ADV NV

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	557	44
AAO (FY17)	512	
O/H	224	61
Shortfall/Excess	-333	17

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
95	90	49	69	159	23	72	0	0	0	
86	69	40	63	159	23	72	0	0	0	
25	72	3	23	40	0	0	0	0	0	
-70	-18	-46	-46	-119	-23	-72	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6760090004309	61	70%	0%	30%	0%	0%	No	No	No	No	No	18	0	43

**Notes:** This TAMCN is currently in its refresh cycle, therefore if any are returned non mission capable, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0908: PRODUCTION SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	187	22
AAO (FY17)	214	
O/H	78	23
Shortfall/Excess	-109	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
19	18	8	98	27	7	10	0	0	0	
18	14	7	131	27	7	10	0	0	0	
9	8	10	9	18	1	0	0	0	0	
-10	-10	2	-89	-9	-6	-10	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6760090004315	23	30%	0%	70%	0%	0%	No	No	No	No	No	16	0	7

**Notes:** Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# A0909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0909: COMPUTER SYSTEM, DIG

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	660	62
AAO (FY17)	642	
O/H	305	79
Shortfall/Excess	-355	17

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
95	90	49	150	159	45	72	0	0	0	
86	69	40	171	159	45	72	0	0	0	
20	55	45	32	66	8	0	0	0	0	
-75	-35	-4	-118	-93	-37	-72	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090004314	79	70%	0%	30%	0%	0%	No	No	No	No	No	24	0	55

**Notes:** Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# A0910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0910: BASE STATION WS/COMM INTERFACE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	286	21
AAO (FY17)	280	
O/H	89	20
Shortfall/Excess	-197	-1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
43	38	22	80	43	26	34	0	0	0	
39	31	18	89	43	26	34	0	0	0	
7	22	14	8	16	2	0	0	0	0	
-36	-16	-8	-72	-27	-24	-34	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090004307	20	70%	0%	30%	0%	0%	No	No	No	No	No	6	0	14

**Notes:** Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0921: TELECOMMUNICATIONS EQUIP, AN/TSQ-226(V)1 (TROJAN LITE)

The Trojan Lite is a man-transportable transit case providing a flyaway intelligence dissemination capability and voice and data connectivity from Marine Expeditionary Units or Brigades to the Marine Expeditionary Forces.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	33	5
AAO (FY17)	33	
O/H	23	5
Shortfall/Excess	-10	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
9	9	7	0	0	4	4	0	0	0	
9	9	7	0	0	4	4	0	0	0	
7	6	5	0	0	0	0	0	0	0	
-2	-3	-2	0	0	-4	-4	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015036100	5	0%	75%	25%	0%	0%	No	Yes	No	No	No	3	2	0

**Notes:** Depot level maintenance is performed at regional depots, and, if necessary, will be sent via MCLC. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, a

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	1.1

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☒ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A0932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A0932: INTELLIGENCE/OPERATIONS WORKSTATION AN/UYQ88

This workstation consists of the following:

1. Designated UNIX server is the Intelligence Operations Server Version 1 (IOS V1)
2. Designated Windows workstation is the Intelligence Operations Workstation Version 1 (IOW V1)



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	904	85
AAO (FY17)	924	
O/H	1,051	82
Shortfall/Excess	147	-3

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
203	192	167	40	128	174	0	0	0	0	
227	194	165	36	128	174	0	0	0	0	
276	215	215	37	130	49	0	47	0	0	
73	23	48	-3	2	-125	0	47	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010014600494	56	0%	0%	0%	100%	0%	Yes	No	Yes	No	No	0	56	0
7010015753698	26	0%	0%	0%	100%	0%	Yes	No	Yes	No	No	0	26	0
7010090000931	0	0%	0%	0%	100%	0%	Yes	No	Yes	No	No	0	0	0

**Notes:** Item will redeploy to a MEF. No reset will be performed because refresh is scheduled for FY12.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A1078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1078: MULTIPLEXER

The Radio Repeater Set, AN/GRQ-32 is a sensor communications relay that enables communication between deployed sensors and monitoring sites when radio Line of Sight is precluded by terrain. This system provides the capability to transmit real-time sensor activation data to the Sensor Mobile Monitor System, the Signal Data Recorder, and the Portable Monitor; or to receive, store, and upon command from the monitoring site, re-transmit the stored sensor data.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	1,071	0
AAO (FY17)	1,077	
O/H	400	19
Shortfall/Excess	-671	19

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
181	183	124	0	123	40	298	59	63	0	
186	182	126	0	123	40	298	59	63	0	
101	81	81	0	51	7	0	4	56	0	
-80	-102	-43	0	-72	-33	-298	-55	-7	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820011452458	19	0%	0%	0%	0%	100%	No	Yes	No	No	No	0	0	19

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08792A is published with disposal actions starting in 3rd quarter FY12.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# A1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1214: PANEL, PATCHING, COMMUNICATION

The Panel, Patching, Communications, SB-4097/U, is designed for field use with the 26-pair system to provide patching, monitoring, and testing of up to 156 each two-wire circuits.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	211	0
AAO (FY17)	209	
O/H	80	8
Shortfall/Excess	-131	8

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
48	48	31	0	37	7	40	0	0	0	
46	44	35	0	37	7	40	0	0	0	
19	14	18	0	13	3	0	5	0	0	
-29	-34	-13	0	-24	-4	-40	5	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895011022100	8	0%	0%	0%	0%	100%	No	Yes	No	No	No	0	0	8

**Notes:** Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08229A is published with disposal actions starting in 4th quarter FY12.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	34	0.2

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# A1220 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1220: RADIO RECON EQUIPMENT, S

The RREP SS-3 consists of the following key components: a Special Purpose Receiver, XR2000, AR-8200, MJ-08 and HIDRAH. Additionally the SS-3 has semi rugged laptop computers for control and communication, and a series of wiring harnesses for LAN and power connectivity.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	31	6
AAO (FY17)	44	
O/H	35	10
Shortfall/Excess	4	4

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
9	6	8	5	0	1	2	0	0	0
9	6	8	18	0	1	2	0	0	0
7	5	7	6	0	0	0	0	0	0
-2	-1	-1	1	0	-1	-2	0	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015249479	10	0%	30%	70%	0%	0%	No	No	Yes	No	No	4	6	0

**Notes:** Depot level maintenance will occur at NSWC Crane, send these items to MCLC so maintenance can be coordinated with the OEM. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of supply support needed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)



# A1221 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1221: MONITOR, PORTABLE, HAND HELD, AN/USQ-121

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	244	59
AAO (FY17)	244	
O/H	154	59
Shortfall/Excess	-90	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
54	54	36	0	36	40	24	0	0	0	
54	54	36	0	36	40	24	0	0	0	
29	30	21	0	8	5	0	2	0	0	
-25	-24	-15	0	-28	-35	-24	2	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7035015218607	59	30%	0%	70%	0%	0%	No	Yes	No	No	No	41	0	18

**Notes:** The MEFs SSP are the field level maintainers of this equipment, otherwise send to LOGCOM for repair or disposal. This is electronic gear and should not be agriculturally washed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# A1225 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1225: NETWORK MANAGER, EPLRS

Tactical Data Radio Systems (TDRS) Enhanced Position Location Reporting System Network Manager (ENM) is a software program capable of running on virtually any Pentium computer. The EPLRS Project Office has opted to acquire and field this software aboard a suite of equipment based upon the MCHS ruggedized Panasonic Tough Book model 28/29 laptop computer. The suite also includes a printer, sheet feeder, GPIB, and assorted other accessories all housed for transport in a single high impact plastic transit suitcase.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	207	0
AAO (FY17)	196	
O/H	102	4
Shortfall/Excess	-105	4

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
44	42	19	0	22	59	21	0	0	0	
43	33	18	0	22	59	21	0	0	0	
18	24	8	0	18	29	0	1	0	0	
-26	-18	-11	0	-4	-30	-21	1	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090002382	4	30%	0%	70%	0%	0%	No	No	N/A	N/A	No	3	0	1

**Notes:** Use no water. Clean computers and components in accordance with technical manuals.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A1260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1260: NAVIGATION SET, SATELLITE SIGNALS, AN/PSN-13 DAGR

The Navigation Set, Satellite Signals is commonly called the Precision Lightweight Global Positioning System (PLGR). PLGR is a highly accurate, durable, miniaturized receiver that provides position location information as well as other navigation functions.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	11,779	1049
AAO (FY17)	12,108	
O/H	11,053	1368
Shortfall/Excess	-726	319

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES							MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2,316	2,126	955	1,396	1,309	1,027	2,209	420	21	0	
2,191	1,901	856	2,168	1,309	1,033	2,209	420	21	0	
1,830	1,760	799	1449	1,464	853	0	1,485	45	0	
-486	-366	-156	53	155	-174	-2,209	1,065	24	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5825013953513	1	25%	50%	25%	0%	0%	No	Yes	Yes	Yes	No	0	1	0
5825015168038	2	0%	0%	0%	0%	100%	No	Yes	Yes	Yes	No	0	0	2
5825015264783	1365	25%	75%	0%	0%	0%	No	Yes	Yes	Yes	No	0	1024	341

**Notes:** Rockwell Collins performs repairs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All information for identified TAMCN A1260 is DAGR; PLGR is obsolete. Must be zeroized IAW TM 09880C-OR. Pack individually IAW MILSTD to avoid damage.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A1440 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1440: RADAR SET, FIREFINDER

The Radar Set, AN/TPQ-46A is used to detect, track and locate mortar, artillery and other high angle trajectory projectiles over a continuous range from 75 to 24,000 meters and over a continuous sector of 1,600 mils.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	44	0
AAO (FY17)	44	
O/H	28	0
Shortfall/Excess	-16	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
10	10	10	0	5	1	6	2	0	0	
10	10	10	0	5	1	6	2	0	0	
5	8	8	0	5	0	0	2	0	0	
-5	-2	-2	0	0	-1	-6	0	0	0	

Representative Picture

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5840014506708	0	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	0	0

**Notes:** Item will be refreshed upon return to CONUS and then go directly into WRMR. The Firefinder Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna Transiever Group or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	158	0	2.8

☒ Sensitive ☒ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☒ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1500: RADAR SET, AN/TPS-63B

The AN/TPS-63 is a two dimensional, medium range, medium altitude, transportable air surveillance radarsystem that supports the MAGTF. TheAN/TPS-63B Radar complements theco-employed AN/TPS-59(V)3 LongRange Radar



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	13	1
AAO (FY17)	13	
O/H	9	1
Shortfall/Excess	-4	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
2	2	2	0	2	3	1	1	0	0
2	2	2	0	2	3	1	1	0	0
1	0	1	0	2	4	0	0	0	0
-1	-2	-1	0	0	1	-1	-1	0	0

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5840013550092	1	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	1	0	0

**Notes:** Item will be updated at the MEF. The AN/TPS-63 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6.4

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A1503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1503: RADAR, AN/TPS-59(V3)

The AN/TPS-59(V)3 RADAR system is the Marine Corps' only long-range, 3-D, air surveillance, Tactical Ballistic Missile (TBM) capable RADAR. The AN/TPS-59(V)3 RADAR system is a transportable, solid-state, L band RADAR.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	11	1
AAO (FY17)	11	
O/H	8	1
Shortfall/Excess	-3	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
2	2	2	0	2	2	0	1	0	0	
2	2	2	0	2	2	0	1	0	0	
1	1	0	0	2	2	0	1	0	0	
-1	-1	-2	0	0	0	0	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5840014129653	1	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	1	0	0

**Notes:** Rotation plan is: two years deployed and then go through LOGCOM to Tobyhanna Army Depot. The AN/TPS-59 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna Transiever Group or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.4

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input type="checkbox"/> Multi-Modal
--------------------------------------

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A1520 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1520: COMMON GROUND STATION (CGS)

Radar System Attack Target JT, AN/TSQ-179B(V)2



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	9	1
AAO (FY17)	9	
O/H	2	1
Shortfall/Excess	-7	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
3	3	2	0	0	0	1	0	0	0
3	3	2	0	0	0	1	0	0	0
0	0	1	0	0	0	0	0	0	0
-3	-3	-1	0	0	0	-1	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865014374914	1	0%	50%	50%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** Depot maintenance is performed at Tobyhanna Army Depot. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. The system will be secured and should not be opened. Use compressed air and a vacuum to dust and clean any exterior areas. Damp rags may be used to wipe exterior areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, Tobyhanna Army Depot needs to complete a detailed inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic depot level maintenance required.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1081	4.7

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

☒ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A1818 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1818: RADIO SET

The AN/GRC-171B(V)4 is a UHF transceiver designed for ground mobile or shipboard installation and operations. This radio set is a modular design which contains Built-In-Test features and has an integral guard receiver.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	317	27
AAO (FY17)	317	
O/H	197	27
Shortfall/Excess	-120	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
36	36	24	0	48	61	112	0	0	0	
36	36	24	0	48	61	112	0	0	0	
29	31	2	0	40	68	0	0	0	0	
-7	-5	-22	0	-8	7	-112	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820013268947	27	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	27	0	0

**Notes:** DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☒ **Associated TAMCNs (See Appendix)**


☒ **Sensitive Associated TAMCNs (see Appendix)**



# A1956 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1956: KIT, MAINT, ELECTRONIC EQUIPMENT

The Mk-2713/MRC-142 is a module/CCA set for fault isolation of Radio Set AN/MRC-142 to the lowest reparable unit.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	76	1
AAO (FY17)	76	
O/H	34	1
Shortfall/Excess	-42	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	9	0	8	5	36	0	0	0
9	9	9	0	8	5	36	0	0	0
4	4	7	0	2	1	0	15	0	0
-5	-5	-2	0	-6	-4	-36	15	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895013649337	1	50%	0%	50%	0%	0%	No	No	N/A	N/A	No	1	0	0

**Notes:** Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input checked="" type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input checked="" type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A1957 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1957: RADIO SET

The AN/MRC-145A is an AN/VRC-92D Radio Set mounted in a 1/4 ton HMMWV, M998. It provides two-way FM transmitting and receiving facilities in the very high frequency band.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,131	0
AAO (FY17)	2,031	
O/H	1,245	13
Shortfall/Excess	-886	13

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
404	380	187	0	313	55	594	0	198	0	
390	307	174	0	313	55	594	0	198	0	
284	282	176	0	238	68	0	26	158	0	
-120	-98	-11	0	-75	13	-594	26	-40	0	

Representative Picture

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820013618536	8	0%	0%	100%	0%	0%	No	Yes	No	No	No	8	0	0
5820014318931	5	0%	0%	100%	0%	0%	No	Yes	No	No	No	5	0	0

**Notes:** This is not a system that is currently being actively fielded, all dispositions are the responsibility of the LOGCOM Material Manager. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	3.8

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	


## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A1958 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A1958: KIT, MAINT, ELECTRONIC EQUIPMENT

The MK-2745/MRC-142 is used to assist in isolating failures with in the Radio Set, AN/MRC-142.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	76	0
AAO (FY17)	83	
O/H	41	1
Shortfall/Excess	-35	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
12	7	9	0	8	8	32	0	0	0
13	13	9	0	8	8	32	0	0	0
5	5	8	0	5	1	0	16	0	0
-7	-2	-1	0	-3	-7	-32	16	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895013695560	1	50%	0%	50%	0%	0%	No	No	N/A	N/A	No	1	0	0

**Notes:** Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input checked="" type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input checked="" type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A2042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2042: RADIO SET, HIGH FREQUENCY, MANPACK, AN/PRC-150

The AN/PRC-150 provides half duplex HF and VHF tactical radio communications. It provides voice or data (using a modem) through Single Sideband modulation selectable for either USB or LSB.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	5,274	638
AAO (FY17)	5,165	
O/H	5,666	971
Shortfall/Excess	392	333

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,059	1,071	510	306	833	557	500	153	285	0	
1,064	932	483	358	833	557	500	153	285	0	
1,093	914	565	430	846	546	0	30	271	0	
34	-157	55	124	13	-11	-500	-123	-14	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014787615	82	0%	0%	0%	0%	100%	Yes	Yes	Yes	No	Yes	0	0	82
5820014923628	889	0%	0%	100%	0%	0%	No	Yes	Yes	No	Yes	157	732	0

**Notes:** NSN 5820-01-478-7615 is obsolete and should not contain crypto so can be DRMO'd in theater. Other NSNs DO contain crypto. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A2043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2043: RADIO SET, MULTIBAND (URBAN) AN/PRC-148V2

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	9,176	105
AAO (FY17)	8,649	
O/H	5,778	290
Shortfall/Excess	-3,398	185

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2,065	2,246	1,091	0	1,284	947	1,321	222	0	0	
1,936	2,024	915	0	1,284	947	1,321	222	0	0	
1,425	1,778	635	3	799	575	0	273	0	0	
-640	-468	-456	3	-485	-372	-1,321	51	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810014601607	4	0%	50%	50%	0%	0%	No	No	No	No	No	4	0	0
5810090000353	286	0%	0%	100%	0%	0%	No	No	No	No	No	286	0	0
5820012868792	0	0%	0%	0%	100%	0%	No	No	No	No	No	0	0	0
5820014601605	0	0%	0%	0%	100%	0%	No	No	No	No	No	0	0	0

**Notes:** Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2044: RADIO SET, MULTIBAND (MARITIME) AN/PRC-148

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,726	0
AAO (FY17)	5,167	
O/H	3,041	457
Shortfall/Excess	-1,685	457

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
574	550	352	1,219	755	117	1,159	0	0	0	
473	449	277	1,937	755	117	1,159	0	0	0	
222	279	251	1560	218	50	0	4	0	0	
-352	-271	-101	341	-537	-67	-1,159	4	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810090000354	449	0%	0%	100%	0%	0%	No	Yes	No	No	No	449	0	0
5820015729367	8	0%	0%	100%	0%	0%	No	Yes	No	No	No	8	0	0

**Notes:** Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A2068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2068: RADIO SET, MULTIBAND, FALCON II, AN/PRC-117F

The AN/PRC-117F(V)1(C) is an advanced multi-band multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (COMSEC, TRANSEC), high-speed data, ECCM and is SATCOM capable.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	8,121	1155
AAO (FY17)	7,827	
O/H	9,078	1351
Shortfall/Excess	957	196

**Influences R2 Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1,965	1,960	1,037	349	1,519	956	251	0	84	0	
1,901	1,654	994	468	1,519	956	251	0	84	0	
2,122	2,111	1,301	379	907	691	0	47	169	0	
157	151	264	30	-612	-265	-251	47	85	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014622484	1346	0%	0%	100%	0%	0%	No	No	No	No	Yes	0	1346	0
5820015210291	5	0%	0%	0%	100%	0%	No	No	No	No	Yes	0	5	0

**Notes:** Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# A2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2070: RADIO SET, MANPACK, AN/PRC-119A

The Radio Set, AN/PRC-119A, operates as a ground based manpack radio for tactical communication of voice-frequency FSK or digital data. Communication can be secured and/or frequency hopped for COMSEC or ECCM purposes.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF	OPERATING FORCES								MCLC			
			I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN		
AAO (FY12)	893	0	98	79	8	0	10	698	0	0	0	0		
AAO (FY17)	883		88	79	8	0	10	698	0	0	0	0		
O/H	4,736	118	865	1,179	519	4	1,061	722	0	50	218	0		
Shortfall/Excess	3,843	118	767	1,100	511	4	1,051	24	0	50	218	0		

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820012679482	118	0%	0%	0%	100%	0%	Yes	Yes	No	No	No	0	118	0

**Notes:** Although this item is listed as obsolete, a number are being brought home and converted to A2079. For those in unserviceable condition, DRMO in theater. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution


ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2073 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2073: RADIO SET

The Radio Set, Manpack, AN/PRC-119D operates as a ground-based manpack radio for tactical communication of voice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. The AN/PRC-119D incorporated the technological advances of the RT-1523C(C)/U to support enhanced transmission and reception of synchronous and asynchronous data. RT-1523C(C)/U has a internal mounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	22	0
AAO (FY17)	22	
O/H	398	6
Shortfall/Excess	376	6

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	0	10	0	2	0	0	0	0	0	
10	0	10	0	2	0	0	0	0	0	
124	109	45	0	35	78	0	1	0	0	
114	109	35	0	33	78	0	1	0	0	

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820013636929	4	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	4
5820014210801	2	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	2

**Notes:** Item is listed as obsolete. For those in theater, send to MCLC in order to be DRMOed. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2074: RADIO SET, VEH

The Radio Set, AN/VRC-88D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,337	0
AAO (FY17)	1,321	
O/H	251	7
Shortfall/Excess	-1,086	7

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
262	252	96	0	421	18	12	0	276	0	
271	239	84	0	421	18	12	0	276	0	
73	52	12	0	106	1	0	0	0	0	
-189	-200	-84	0	-315	-17	-12	0	-276	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820013521694	7	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	7

**Notes:** Item is listed as obsolete, but is still used in the ambulances. Item is considered CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2075: RADIO SET, VEH

The Radio Set, AN/VRC-89D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

			Influences R2 Distribution	OPERATING FORCES						MCLC			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
AAO (FY12)	222	0		32	32	6	0	82	7	33	0	30	0
AAO (FY17)	216			32	26	6	0	82	7	33	0	30	0
O/H	154	7		45	13	14	0	64	6	0	5	0	0
Shortfall/Excess	-68	7		13	-19	8	0	-18	-1	-33	5	-30	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014206619	7	0%	0%	50%	50%	0%	No	No	No	No	No	7	0	0

**Notes:** Item is listed as obsolete, but is still used in Tanks, AAVs, and LAVs, and will be returned to the MEFs. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2078: RADIO SET, VEHICULAR

The Radio Set, AN/VRC-92D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF	OPERATING FORCES								MCLC			
			I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN		
AAO (FY12)	254	0	65	57	25	0	54	9	14	0	30	0		
AAO (FY17)	238		67	41	23	0	54	9	14	0	30	0		
O/H	186	28	24	31	14	0	41	7	0	41	0	0		
Shortfall/Excess	-68	28	-41	-26	-11	0	-13	-2	-14	41	-30	0		

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014212605	28	0%	0%	100%	0%	0%	No	No	No	No	No	28	0	0

**Notes:** Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2079: RADIO SET, MANPACK

The Radio Set, Manpack, AN/PRC-119F operates as a ground-based manpack radio for tactical communication of voice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. The AN/PRC-119F incorporated the technological advances of the RT-1523E(C)/U to support enhanced transmission and reception of synchronous and asynchronous data. RT-1523E(C)/U improvements include substantial decrease in physical size and weight, an embedded battery box for manpack operation, extended battery life and internal mounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).



**TFSMS (Sept 2011)** ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

			OPERATING FORCES						MCLC			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
AAO (FY12)	4,648	224	711	740	274	0	743	547	1,633	0	0	0
AAO (FY17)	4,529		745	592	269	0	743	547	1,633	0	0	0
O/H	3,982	326	876	959	432	5	887	497	0	0	0	0
Shortfall/Excess	-666	102	165	219	158	5	144	-50	-1,633	0	0	0

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014441219	34	0%	50%	50%	0%	0%	No	No	No	No	No	0	34	0
5820014518252	292	0%	0%	100%	0%	0%	No	No	No	No	No	0	292	0
5820015353667	0	0%	0%	100%	0%	0%	No	No	No	No	No	0	0	0

**Notes:** Recommendation is to back fill the units. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit need to complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

A2152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2152: RADIO SET, EPLRS AN/VSQ2C

The Enhanced Position Location Reporting System is a digital transmission system that provides the digital RF backbone necessary for the movement of information between MAGTF C4I Tactical Data Systems, such as the Tactical Data Network.



TFSMS (Sept 2011)

☒ MARES

☐ MEE

☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY12)	3,347	0
AAO (FY17)	3,168	
O/H	1,538	11
Shortfall/Excess	-1,809	11

Influences R2 Distribution



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
839	763	278	0	624	273	270	300	0	0	
823	619	259	0	624	273	270	300	0	0	
386	409	228	0	285	208	0	11	0	0	
-453	-354	-50	0	-339	-65	-270	-289	0	0	

Representative Picture

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014628411	11	0%	0%	100%	0%	0%	No	No	No	No	No	11	0	0
5820015141408	0	0%	0%	100%	0%	0%	No	No	No	No	No	0	0	0

Notes: Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if Mission Capable then MEF  
if Not Mission Capable MEF then MEF  
if Not Mission Capable then DRMO  
if Condemned then DRMO

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:  
A: Critical/Sensitive; M/S - AK or AC  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC  
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ Sensitive

☒ CCI

☒ Multi-Modal

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# A2167 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2167: RADIO SET, VEH

The Radio Set, AN/VRC-88A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	2,935	0
AAO (FY17)	2,836	
O/H	293	9
Shortfall/Excess	-2,642	9

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
448	392	176	0	452	54	813	0	600	0	
427	336	154	0	452	54	813	0	600	0	
70	33	26	0	137	18	0	0	0	0	
-378	-359	-150	0	-315	-36	-813	0	-600	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820012679481	9	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	9

**Notes:** Item is obsolete and disposal plan is in place, however, item may be able to be cannibalized in CONUS if serviceable. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2168: RADIO SET, VEH

The Radio Set, AN/VRC-89A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	369	0
AAO (FY17)	416	
O/H	210	7
Shortfall/Excess	-159	7

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
4	0	3	0	0	20	342	0	0	0
22	22	10	0	0	20	342	0	0	0
53	58	21	0	42	9	0	20	0	0
49	58	18	0	42	-11	-342	20	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820012679479	7	0%	0%	100%	0%	0%	No	No	No	No	No	0	7	0

**Notes:** Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2169: RADIO SET, VEHICULAR

The Radio Set, AN/VCR-90A, is a basic set which requires operating components that are part of a requisite installation kit platform. It operates a long-range/short-range vehicular radio for tactical communication of voice-frequency FSK or digital data.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	59	0
AAO (FY17)	59	
O/H	418	15
Shortfall/Excess	359	15

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
3	6	2	0	0	48	0	0	0	0
3	6	2	0	0	48	0	0	0	0
53	87	16	0	46	56	0	19	126	0
50	81	14	0	46	8	0	19	126	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820012685105	15	0%	0%	0%	100%	0%	No	No	No	No	No	0	15	0

**Notes:** Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2171: RADIO SET, VEH

The Radio Set, AN/VRC-92A is the dual long-range vehicular configuration of the Integrated Communications Single Channel Ground to Air Radio System. Features of this radio include controllable output power with a maximum of 50 watts, 8 non-volatile present single channels, 6 non-volatile frequency hopping preset channels, and operates over the 30 to 87.975 MHz frequency range in 25 kHz channels (2,320 total channels).



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	254	0
AAO (FY17)	254	
O/H	29	6
Shortfall/Excess	-225	6

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
38	38	38	0	0	9	131	0	0	0	
38	38	38	0	0	9	131	0	0	0	
2	0	0	0	16	1	0	4	0	0	
-36	-38	-38	0	16	-8	-131	4	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820012679477	6	0%	0%	0%	100%	0%	No	No	No	No	No	0	6	0

**Notes:** Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2179 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2179: TERMINAL, RADIO, TROPOSCATTER, DIGITAL

The AN/TRC-170 is a transportable, self-enclosed troposcatter terminal (multichannel) capable of transmitting and receiving digital signals over varying distances.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	154	4
AAO (FY17)	154	
O/H	151	4
Shortfall/Excess	-3	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
28	28	24	0	24	14	12	0	24	0	
28	28	24	0	24	14	12	0	24	0	
27	26	21	0	18	14	0	19	22	0	
-1	-2	-3	0	-6	0	-12	19	-2	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015602957	4	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	2	2	0

**Notes:** Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	119	0	6.6

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A2293 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2293: SHELTER, RIGID WALL, MODULAR, EXTENDABLE

Two Modular Extendable Rigid Wall Shelter (MERWS) complexes; each consisting of a MERWS kit attached to an S-786/G ISO 3:1 shelter of the Army Standard Family of expandable rigid wall shelters.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	18	1
AAO (FY17)	18	
O/H	15	1
Shortfall/Excess	-3	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
2	2	2	0	2	0	10	0	0	0
2	2	2	0	2	0	10	0	0	0
2	6	2	0	1	0	0	3	0	0
0	4	0	0	-1	0	-10	3	0	0

Representative Picture

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411013129084	1	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	0	1	0

**Notes:** Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A2300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2300: RADIO REPEATER SET

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days. TRSS is employed by the Marine Corps Ground Sensor Platoon.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	590	114
AAO (FY17)	590	
O/H	447	112
Shortfall/Excess	-143	-2

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
144	144	96	0	96	75	35	0	0	0	
144	144	96	0	96	75	35	0	0	0	
126	113	70	0	21	5	0	0	0	0	
-18	-31	-26	0	-75	-70	-35	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014863797	112	30%	70%	0%	0%	0%	No	No	No	No	No	75	3	34

**Notes:** The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# A2306 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2306: SENSOR SYSTEM, MONITOR, MOBILE

The SMMS is a Tactical Remote Sensor System consisting of an AN/USQ-126 Sensor Monitor System (SMS) mounted on a High Mobility Multi-purpose Wheeled Vehicle and a skid-mounted generator towed on a trailer.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	37	1
AAO (FY17)	37	
O/H	21	1
Shortfall/Excess	-16	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
9	9	6	0	6	3	2	2	0	0
9	9	6	0	6	3	2	2	0	0
4	4	2	0	2	1	0	7	0	0
-5	-5	-4	0	-4	-2	-2	5	0	0

Representative Picture

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6350013821826	1	0%	50%	50%	0%	0%	Yes	No	No	Yes	No	1	0	0

**Notes:** The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. Else, the gear should be sent to LOGCOM for repair or disposal. The exterior of the vehicle can be powerwashed, but the electronic gear within the shelter should NOT be agriculturally washed. Should the electronic equipment within the TAMCN be powerwashed it would be ruined beyond economical repair and would have to be reproced. Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.2

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☒ **Associated TAMCNs (See Appendix)**

☒ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# A2333 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2333: SHELTER, TACTICAL, EXPANDABLE, TWO-SIDED

The S-786/G Two-Sided Expandable Tactical Shelter is a self-contained transportable multi-application utility shelter. As a member of family of standard rigid wall International Standard Organization (ISO) shelters, it is equipped with standard ISO fittings. It is also equipped with mobilizer fittings (for mobilizer transportation) and built-in fork lift provisions. It is designed for all weather operation, and has an environmentally controlled interior, rigid wall construction, and external electrical power connection. Its design incorporates a door activated blackout switch to facilitate operation under blackout conditions.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	36	15
AAO (FY17)	36	
O/H	43	15
Shortfall/Excess	7	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	6	0	6	0	12	0	0	0	
6	6	6	0	6	0	12	0	0	0	
9	4	4	0	4	7	0	0	0	0	
3	-2	-2	0	-2	7	-12	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411012949866	15	0%	75%	25%	0%	0%	No	Yes	No	Yes	No	4	11	0

**Notes:** Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MEF**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	2.8

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A2335 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2335: SHELTER, 10FT, EMI, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	425	35
AAO (FY17)	441	
O/H	299	39
Shortfall/Excess	-126	4

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
80	81	67	0	72	0	66	11	36	12	
91	87	66	0	72	0	66	11	36	12	
50	41	47	0	39	4	0	45	34	0	
-30	-40	-20	0	-33	4	-66	34	-2	-12	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411013046122	39	0%	50%	50%	0%	0%	No	Yes	No	No	No	29	10	0

**Notes:** AAO is being reshaped, as options for modernization are being evaluated.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.5

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# A2336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2336: SHELTER, 20FT, EMI, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	348	31
AAO (FY17)	361	
O/H	197	32
Shortfall/Excess	-151	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
62	61	47	0	37	0	80	9	39	13	
69	68	46	0	37	0	80	9	39	13	
28	37	33	0	16	2	0	10	37	2	
-34	-24	-14	0	-21	2	-80	1	-2	-11	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411013046121	32	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	24	8	0

**Notes:** AAO is being reshaped, as options for modernization are being evaluated.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.9

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# A2337 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2337: SHELTER, 20FT, RIGID, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	361	32
AAO (FY17)	359	
O/H	237	32
Shortfall/Excess	-124	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
59	64	39	0	50	3	96	10	30	10	
60	63	37	0	50	3	96	10	30	10	
27	32	27	0	36	3	0	60	20	0	
-32	-32	-12	0	-14	0	-96	50	-10	-10	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411013057366	32	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	24	8	0

**Notes:** AAO is being reshaped, as options for modernization are being evaluated.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.9

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# A2338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2338: SHELTER, 10FT, RIGID, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	395	38
AAO (FY17)	405	
O/H	242	40
Shortfall/Excess	-153	2

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
64	64	43	0	62	0	154	8	0	0	
69	69	43	0	62	0	154	8	0	0	
39	47	33	0	39	1	0	43	0	0	
-25	-17	-10	0	-23	1	-154	35	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411013046123	40	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	30	10	0

**Notes:** AAO is being reshaped, as options for modernization are being evaluated.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.2

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# A2390 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2390: FACILITY, ANTI-AIR WARFARE, SECTOR

The SAAWF provides a work site for the Sector Air Defense Coordinator to manage the execution of the air defense plan in his assigned sector. The SAAWF consists of eight COTS computers connected via an Ethernet backbone to two dual System Server Unit server groups (the SAAWF can be configured to include up to twenty workstations).



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	19	1
AAO (FY17)	19	
O/H	43	1
Shortfall/Excess	24	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	3	4	4	0	0	0
3	3	2	0	3	4	4	0	0	0
29	1	1	0	3	8	0	0	0	0
26	-2	-1	0	0	4	-4	0	0	0

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015344772	1	0%	75%	25%	0%	0%	No	Yes	No	No	No	1	0	0

**Notes:** DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.2

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☒ **Associated TAMCNs (See Appendix)**

☒ **Sensitive Associated TAMCNs (see Appendix)**



# A2525 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2525: TACTICAL AIR OPERATIONS MODULE

The Air Defense System, AN/TYQ-23(V)4, includes both hardware and software configured as an automated Tactical Air Operations Central. Each Air Defense System is a transportable module that can operate independently.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

			OPERATING FORCES								MCLC			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN		
AAO (FY12)	31	3	6	6	4	0	6	9	0	0	0	0		
AAO (FY17)	31		6	6	4	0	6	9	0	0	0	0		
O/H	31	3	4	5	4	0	6	9	0	0	0	0		
Shortfall/Excess	0	0	-2	-1	0	0	0	0	0	0	0	0		

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014619786	3	0%	75%	25%	0%	0%	No	Yes	No	No	No	3	0	0

**Notes:** DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	8.3

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input type="checkbox"/> Multi-Modal
--------------------------------------

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2534 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2534: DATA DISTRIBUTION

The Data Distribution System, known as Tactical Data Network (TDN) Server, augments existing Marine Air-Ground Task Force (MAGTF) tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network supports MAGTF Tactical Data Systems (TDSs) and the Defense Message System (DMS) by providing a network of communication nodes (gateways & servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks (LANs), the Enhanced Position Location Reporting System (PLRS), and switch telephone systems.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	39	7
Shortfall/Excess	39	7

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	7	3	0	0	20	0	0	0	0
2	7	3	0	0	20	0	0	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014740355	7	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	7

**Notes:** This TAMCN is in the process of Disposal. DP5895 PCN 13110834000.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A2536 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2536: TACTICAL DEFENSE MESSAGE SYSTEM

The Tactical Defense Message System provides users access to the DMS global address directory and the capability to exchange signed and encrypted messages using a class four Public Key Infrastructure hardware token.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	27	2
AAO (FY17)	23	
O/H	22	2
Shortfall/Excess	-5	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
8	8	6	0	2	3	0	0	0	0	
6	6	6	0	2	3	0	0	0	0	
4	5	5	0	2	4	0	0	0	0	
-4	-3	-1	0	0	1	0	0	0	0	

### Reset Strategy & Plan (Product Group: 10)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090002686	2	0%	0%	100%	0%	0%	No	No	Yes	No	No	2	0	0

**Notes:** Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. All associated power cords and accessories should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A2538 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2538: DATA DISTRIBUTION



The Data Distribution System, referred to as the Tactical Data Network Server, augments the existing Marine Air- Ground Task Force tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network will support MAGTF Tactical Data Systems and the Defense Message System by providing a network of communication nodes (gateways and servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks, the Enhanced Position Location Reporting System, and switch telephone systems.

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	88	0
Shortfall/Excess	88	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
20	23	7	0	38	0	0	0	0	0	
20	23	7	0	38	0	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015040650	0	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	0

**Notes:** This TAMCN is in the process of Disposal. DP5895 PCN 13110834000.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A2546 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2546: COMPUTER, RUGGEDIZED, ULTRAPORT, LAPTOP

Fully Ruggedized Laptop. i.e. Panasonic CF-29 or CF-30 or GETAC-B300. There are multiple vendors for this TAMCN.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	8,509	974
AAO (FY17)	8,409	
O/H	7,539	1100
Shortfall/Excess	-970	126

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2,462	2,343	1,467	600	1,395	219	0	0	23	0	
2,467	2,127	1,312	866	1,395	219	0	0	23	0	
1,978	1,653	1,126	518	582	582	0	0	0	0	
-484	-690	-341	-82	-813	363	0	0	-23	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015321325	15	100%	0%	0%	0%	0%	No		Yes	No	No	0	0	15
7010015643767	35	100%	0%	0%	0%	0%	No		Yes	No	No	0	0	35
7010090000382	16	100%	0%	0%	0%	0%	No		Yes	No	No	0	0	16
7010090003753	189	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	189
7010090003756	18	100%	0%	0%	0%	0%	No		Yes	No	No	0	0	18
7010090004287	216	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	216
7010090004288	253	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	253
7010090004289	100	100%	0%	0%	0%	0%	No		Yes	No	No	0	0	100
7021090006225	134	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	134
7022014779089	124	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	124

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

Redeployment Lift Criteria CAT I:  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ Sensitive ☐ CCI

☒ Multi-Modal

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

☐ Associated TAMCNs (See Appendix)  
☐ Sensitive Associated TAMCNs (see Appendix)

**Notes:** Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII..... Other NSNs follow same strategy: 7010090004289 (94 O/H), 7010015643767 (35 O/H), 7010090000382 (16 O/H), 7010090003756 (5 O/H)

R2 Distribution Plan

Equipment Assessment Information			
if	Mission Capable	then	DRMO
if	Not Mission Capable MEF	then	DRMO
if	Not Mission Capable	then	DRMO
if	Condemned	then	DRMO

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

Lift Criteria				Transportation Information	
CAT I:	A or B	Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC		Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D	
CAT II:	A or B				
CAT III					
EMBARK TYPE	IND SQFT	IND CUFT	IND STON	<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
CUFT	0	0	0	<input checked="" type="checkbox"/> Multi-Modal	
				<input type="checkbox"/> Associated TAMCNs (See Appendix)	
				<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A2548 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2548: COMPUTER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	943	0
AAO (FY17)	936	
O/H	630	3
Shortfall/Excess	-313	3

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
257	245	193	0	132	116	0	0	0	0	
262	237	189	0	132	116	0	0	0	0	
183	102	51	0	1	283	0	7	0	0	
-74	-143	-142	0	-131	167	0	7	0	0	

### Reset Strategy & Plan (Product Group: 10)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090002543	3	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	3

**Notes:** Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# A2551 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2551: COMMAND SYSTEM, TACTICAL

The Intelligence Broadcast Receiver program is a family of terminals specifically designed to receive and process broadcast intelligence information. It consists of the currently fielded AN/USC-55A, or Commanders Tactical Terminal Three-Channel, the AN/USC-62(V)x(c), or Joint Tactical Terminal, the future Embedded National Tactical Receiver, and other hardware products and software modules that may be developed for integration with Marine Corps C4I systems.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	60	1
AAO (FY17)	58	
O/H	11	1
Shortfall/Excess	-49	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
14	18	7	0	3	12	6	0	0	0	
14	16	7	0	3	12	6	0	0	0	
0	1	2	0	3	4	0	0	0	0	
-14	-17	-5	0	0	-8	-6	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014439072	1	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	1

**Notes:** Item has reached its end of service life, and will be replaced by TAMCN A0280, Universal Serial Bus Embedded National Tactical Receiver. Item will be disposed of at MCLB Albany. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0.1

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A2555 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2555: ADVANCED FIELD ARTY TACTICAL DATA SYSTEM AN/GYK-60

The Advanced Field Artillery Tactical Data System, AN/GYK-60, is an automated Command and Control system for fire support



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	1,024	120
AAO (FY17)	999	
O/H	1,027	142
Shortfall/Excess	3	22

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
223	195	105	0	156	202	143	0	0	0	
238	160	100	0	156	202	143	0	0	0	
233	226	118	0	190	114	0	4	0	0	
10	31	13	0	34	-88	-143	4	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1220015256305	31	50%	0%	50%	0%	0%	No	Yes	Yes	No	No	0	16	15
5895015729499	111	50%	0%	50%	0%	0%	No	Yes	Yes	No	No	0	56	55

**Notes:** Will be repaired with spare parts at the MEFs. For the most part, no depot level maintenance will be performed. If it is damaged beyond repair, will procure new.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	15	0

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☒ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A2560 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2560: TARGET LOC, DESIG & HAND-OFF SYS (TLDHS)(BLK II)

The Target Location Designation and Hand-off System is a man-portable, automated equipment suite that provides Fire Support Observer/Controllers with the ability to accurately acquire, locate, then digitally transmit (hand-off) target data to Fire Support platforms and agencies.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	680	77
AAO (FY17)	613	
O/H	770	92
Shortfall/Excess	90	15

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
148	162	83	9	150	84	44	0	0	0	
137	117	69	12	150	84	44	0	0	0	
152	183	105	41	137	56	0	4	0	0	
4	21	22	32	-13	-28	-44	4	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015244120	75	0%	0%	100%	0%	0%	No	Yes	Yes	No	No	0	75	0
7010015716450	17	0%	0%	100%	0%	0%	No	Yes	Yes	No	No	0	17	0

**Notes:** Item is under warranty and all will go through MCLC. Complete system contains one PRC-117F radio TAMCN: A2068.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input type="checkbox"/> Multi-Modal
--------------------------------------

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2628: TECHNICAL CONTROL ANALYSIS CENTER, TRANS WRKSTN

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	369	58
AAO (FY17)	363	
O/H	267	44
Shortfall/Excess	-102	-14

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
79	91	72	54	0	43	30	0	0	0	
79	85	72	54	0	43	30	0	0	0	
71	86	58	8	0	0	0	0	0	0	
-8	-5	-14	-46	0	-43	-30	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010014653223	3	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	3
7010090004435	41	0%	50%	50%	0%	0%	No	No	No	No	No	27	14	0

**Notes:** Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A2634 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2634: TCAC ANALYSIS WORKSTATION, REMOTE (TCAC RAWS)

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	60	3
AAO (FY17)	58	
O/H	40	3
Shortfall/Excess	-20	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
11	15	10	12	0	8	4	0	0	0	
11	13	10	12	0	8	4	0	0	0	
10	12	11	3	0	0	0	1	0	0	
-1	-3	1	-9	0	-8	-4	1	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090004436	3	0%	50%	50%	0%	0%	No	No	No	No	No	3	0	0

**Notes:** Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	94	0.2

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A2740 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2740: TEST SET, FIELD CABLE

The Cable Test Set is a portable testing unit for checking the continuity and insulation resistance of field-installed 26 pair cable assemblies and patching panels.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	307	9
AAO (FY17)	291	
O/H	149	11
Shortfall/Excess	-158	2

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
71	71	40	0	51	2	52	0	15	5	
67	60	39	0	51	2	52	0	15	5	
23	31	19	0	26	1	0	25	13	0	
-48	-40	-21	0	-25	-1	-52	25	-2	-5	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012577921	11	0%	25%	75%	0%	0%	No	Yes	No	No	No	11	0	0

**Notes:** This TAMCN should be sent to the MEFs in order to fill any home station shortfalls. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# A2808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A2808: TEST SET, OPTICAL COMMUNICATIONS

The Test Set, Optical Communications, AN/GSM-317 is a self-contained test set used in a field environment to test and troubleshoot Fiber Optic Cable Assembly communication links.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	262	20
AAO (FY17)	252	
O/H	150	18
Shortfall/Excess	-112	-2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
53	54	35	0	37	28	19	0	27	9	
51	48	33	0	37	28	19	0	27	9	
22	25	20	0	18	8	0	15	24	0	
-31	-29	-15	0	-19	-20	-19	15	-3	-9	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012388954	18	0%	0%	0%	0%	100%	No	Yes	No	No	No	0	0	18

**Notes:** Disposal Plan 09010A is published with disposal actions starting in 4th quarter FY11. However, until the requirements at the MEFs are reduced, items will be returned to the MEFs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# A3013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A3013: MAINT KIT, TRSS, ELECTRONIC EQUIP

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	29	2
AAO (FY17)	29	
O/H	11	2
Shortfall/Excess	-18	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
4	4	3	0	3	7	8	0	0	0
4	4	3	0	3	7	8	0	0	0
0	3	0	0	0	5	0	1	0	0
-4	-1	-3	0	-3	-2	-8	1	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015925176	2	15%	0%	0%	85%	0%	No	No	No	No	No	2	0	0
5895090004022	0	0%	0%	0%	100%	0%	No	No	No	No	No	0	0	0

**Notes:** The Pelican case can be washed; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown. Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable. (i.e COTS ITE)

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A3200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A3200: TRAILER, MAINTENANCE

The Trailer, Bolster, M-796A1 is a 4 ton, 4 wheel trailer used to haul utility poles in a tactical environment.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1	1
Shortfall/Excess	1	1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330002154211	1	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	1

**Notes:** Item is Obsolete and will be DRMO'd in theater.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	2.4

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A3232 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A3232: TACTICAL SATCOM, TRANSPORTABLE (SMART-T)

Secure Mobile Anti-jam Reliable Tactical Terminal is a MILSTAR satellite-compatible ground communications terminal that provides worldwide, secure, transportable, anti-jam, reliable, Low Probability of Intercept data and voice communications.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	55	15
AAO (FY17)	59	
O/H	41	18
Shortfall/Excess	-14	3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
13	13	10	0	6	0	13	0	0	0	
15	15	10	0	6	0	13	0	0	0	
6	4	6	0	6	0	0	1	0	0	
-7	-9	-4	0	0	0	-13	1	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014350571	18	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	18	0

**Notes:** Preparing to go through upgrades, as item has been used heavily in theater. If item is serviceable, send back to MEFs to fill shortfalls. Else, send to MCLC for routing to Tobyhanna Army Depot. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Reset schedule established by Army and subject to change, contact Project Officer prior to fielding shortfall. Always ship MILAIR, due to detailed handling requirements to prevent antenna damage.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	797	4.3

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A3252 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A3252: UAV SYSTEM, DRAGON EYE RAVEN-B

The Drone System is a hand launched reconnaissance and surveillance tool. The system transmits live airborne video images, compass headings and location information to a ground control station.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	462	18
AAO (FY17)	457	
O/H	179	75
Shortfall/Excess	-283	57

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
108	109	42	57	71	17	58	0	0	0	
103	89	47	72	71	17	58	0	0	0	
35	41	15	3	0	4	0	6	0	0	
-73	-68	-27	-54	-71	-13	-58	6	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1550015303912	18	0%	100%	0%	0%	0%	Yes	Yes	No	Yes	No	18	0	0
1550015389256	4	0%	100%	0%	0%	0%	Yes	Yes	No	Yes	No	4	0	0
1550015495291	53	0%	100%	0%	0%	0%	Yes	Yes	No	Yes	No	53	0	0

**Notes:** No LTI necessary. All items are going to have commercial depot strategy and will be 1-1 swap with A0321. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# A3255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A3255: SENSOR, GROUND, UNATTENDED AN/GSQ-257

The Unattended Ground Sensor Set, AN/GSQ-257, is a suite of hand emplaced sensors that operate unattended and detects activity through seismic, acoustic, infrared, and magnetic sensing technologies.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	40	7
AAO (FY17)	40	
O/H	25	7
Shortfall/Excess	-15	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
9	9	6	0	6	4	6	0	0	0
9	9	6	0	6	4	6	0	0	0
4	4	6	0	2	1	0	1	0	0
-5	-5	0	0	-4	-3	-6	1	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6350013437134	7	50%	0%	50%	0%	0%	No	No	No	No	No	4	0	3

**Notes:** The MEFs SSP are the field level maintainers of this equipment and all TRSS gear should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A3270 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A3270: COMM INTERFACE SYSTEM, MRQ-12

The CIS, AN/MRQ-12 (V)1 and (V)2, has a common shelter/vehicle configuration which consists of an M1097A2 Heavy variant-High Mobility Multipurpose Wheeled Vehicle mounted with a LMS model S-788/G.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

			<div>Influences R2 Distribution</div>	OPERATING FORCES						MCLC			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
AAO (FY12)	71	5		17	17	13	0	13	3	8	0	0	0
AAO (FY17)	63			13	13	13	0	13	3	8	0	0	0
O/H	47	5		10	11	5	0	13	3	0	0	0	0
Shortfall/Excess	-24	0		-7	-6	-8	0	0	0	-8	0	0	0

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015800283	5	0%	75%	25%	0%	0%	No	Yes	No	Yes	No	5	0	0

**Notes:** Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	874	3.5

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input type="checkbox"/> Multi-Modal
--------------------------------------

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7001: TEST SET, OPTICAL POWER

The Optical Loss Test Set is used to perform precise optical measurements in the field. The test set is composed of a power meter (Techlite Model PX-B220) and two different light sources (Techlite model numbers PX-C202 and PX-C205). The set is used to determine the level of optical power being emitted from a transmitter and to perform fiber loss measurements or splice tuning operations of current and future fiber optic cables. The test set also gives the technician the ability to determine power loss in fiber, connectors, attenuators, or other passive optical components.



Fluke 43B Fluke 41B

Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	228	4
AAO (FY17)	225	
O/H	138	5
Shortfall/Excess	-90	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
62	62	45	0	34	25	0	0	0	0	
61	60	45	0	34	25	0	0	0	0	
18	43	30	0	14	21	0	7	0	0	
-44	-19	-15	0	-20	-4	0	7	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650015107502	5	30%	0%	70%	0%	0%	No	Yes	No	No	No	4	0	1

**Notes:** Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# A7002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7002: ANALYZER, SPECTRUM HAND HELD

A hand held spectrum analyzer capable of analyzing radio frequency signals from 100KHz to 6GHz.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	423	31
AAO (FY17)	419	
O/H	249	31
Shortfall/Excess	-174	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
88	86	44	0	43	97	65	0	0	0	
87	84	43	0	43	97	65	0	0	0	
11	22	18	0	7	83	0	77	0	0	
-77	-64	-26	0	-36	-14	-65	77	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015306573	31	33%	33%	34%	0%	0%	No	Yes	No	No	No	11	10	10

**Notes:** Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7005: ANALYZER, SPECTRUM

These are Micro Wave spectrum analyzers that operate over the freq ranges of 9 kHz to 40 GHz with pre-selection to at least 26.5 GHz. They include synthesized tuning and built in frequency counters, marker-aided frequency and amplitude measurements (relative and absolute) of RF and microwave signals, and digital trace and signal storage.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	526	29
AAO (FY17)	514	
O/H	226	29
Shortfall/Excess	-300	0

**Influences R2 Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
119	114	64	0	52	64	77	0	36	0	
117	113	55	0	52	64	77	0	36	0	
35	37	23	0	18	34	0	23	27	0	
-84	-77	-41	0	-34	-30	-77	23	-9	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012591060	1	33%	33%	34%	0%	0%	No	Yes	No	Yes	No	1	0	0
6625012707786	2	33%	33%	34%	0%	0%	No	Yes	No	Yes	No	1	0	1
6625014651844	5	0%	0%	100%	0%	0%	No	Yes	No	Yes	No	5	0	0
6625015229603	21	33%	33%	34%	0%	0%	No	Yes	No	Yes	No	11	3	7

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7009: ANALYZER, SPECTRUM FST-6-NTG3(CREW)

The FSH6-NTG/K-6NUSMC Spectrum Analyzer is a wide band, very sensitive receiver. It works on the principle of "super heterodyne receiver" to convert higher frequencies (normally ranging up to several 10s of GHz) to measurable quantities. The received frequency spectrum is slowly swept through a range of pre-selected frequencies, converting the selected frequency to a measurable DC level (usually logarithmic scale), and displaying the same on the CRT of the FSH6-NTG/K-6NUSMC. The CRT displays received signal strength (y-axis) against frequency ( x-axis).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	178	38
AAO (FY17)	178	
O/H	119	43
Shortfall/Excess	-59	5

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	17	161	0	0	0
0	0	0	0	0	17	161	0	0	0
5	0	0	0	0	18	0	53	0	0
5	0	0	0	0	1	-161	53	0	0

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015406124	43	33%	33%	34%	0%	0%	No	Yes	No	No	Yes	0	29	14

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7010: DIGITAL DATA ANALYZER

Device used to measure and compare timing of digital electronic signals. Used by electronic technicians to monitor, test, and repair electronic systems.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	21	1
AAO (FY17)	21	
O/H	14	1
Shortfall/Excess	-7	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
3	3	2	0	5	8	0	0	0	0	
3	3	2	0	5	8	0	0	0	0	
3	0	2	0	2	6	0	0	0	0	
0	-3	0	0	-3	-2	0	0	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012055224	1	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	1

**Notes:** Item is obsolete and will be DRMO'd in theater.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A7021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7021: COUNTER, ELECTRONIC, DIGITAL READOUT

The electronic frequency counters are designed to assist technicians with installation, monitoring, verification of proper operation, testing, alignment, troubleshooting, and repairing of communication-electronics and ordnance type equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	514	14
AAO (FY17)	517	
O/H	395	18
Shortfall/Excess	-119	4

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
57	57	30	0	20	93	150	0	84	23	
60	60	27	0	20	93	150	0	84	23	
54	61	47	0	65	79	0	43	28	0	
-3	4	17	0	45	-14	-150	43	-56	-23	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012713012	2	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	2
6625013992298	1	50%	0%	50%	0%	0%	No	No	No	No	No	1	0	0
6625015309444	15	70%	0%	30%	0%	0%	No	No	No	No	No	3	2	10

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7035: ALIBRATOR, FREQUENCY

The Frequency Calibrator, 585B, is a rugged transportable Frequency Calibrator that automatically measures pulsed radio frequency signals up to 20 GHz with pulse widths as narrow as 50 nanoseconds.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	58	2
AAO (FY17)	62	
O/H	42	2
Shortfall/Excess	-16	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
14	11	8	0	13	3	1	0	6	2
16	13	8	0	13	3	1	0	6	2
8	9	4	0	3	0	0	10	6	0
-6	-2	-4	0	-10	-3	-1	10	0	-2

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895012810072	1	100%	0%	0%	0%	0%	Yes	No	No	No	No	0	0	1
6625013584903	1	100%	0%	0%	0%	0%	Yes	No	No	No	No	0	0	1

**Notes:** Item is obsolete and will be DRMO'd in theater.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7036: GENERATOR, FUNCTION, ELEC TEST

The Function Generator, model number 33220A, is a general-purpose function generator designed to assist technicians with troubleshooting and repairing communication and electronic equipment. It is a high-performance 20 MHz synthesized function generator with built-in arbitrary waveform capability. The Function Generator uses direct digital-synthesis techniques to create a stable, accurate output signal for clean, low-distortion waveforms. It provides fast rise- and fall-time square wave, and linear ramp waveforms down to 100uHz.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	647	6
AAO (FY17)	643	
O/H	694	7
Shortfall/Excess	47	1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
62	60	38	0	41	363	10	0	57	16	
61	57	38	0	41	363	10	0	57	16	
41	57	41	0	21	343	0	131	53	0	
-21	-3	3	0	-20	-20	-10	131	-4	-16	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014164444	4	30%	0%	70%	0%	0%	No	No	No	Yes	No	3	0	1
6625015498266	3	30%	0%	70%	0%	0%	No	No	No	Yes	No	2	0	1

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# A7040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7040: ADAPTER TEST (TRSS)

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	29	2
AAO (FY17)	29	
O/H	16	2
Shortfall/Excess	-13	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
4	4	3	0	3	14	1	0	0	0	
4	4	3	0	3	14	1	0	0	0	
2	3	2	0	0	5	0	2	0	0	
-2	-1	-1	0	-3	-9	-1	2	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015051143	2	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	2	0

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7046: GENERATOR, SIGNAL

This general purpose signal generator is intended to support microwave systems, such as radars and communication equipment, that operate at frequencies above 1 GHz. Features include internal pulse modulation with variable pulse width and pulse delay.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	277	12
AAO (FY17)	275	
O/H	214	12
Shortfall/Excess	-63	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
44	44	42	0	38	37	48	0	18	6
43	43	42	0	38	37	48	0	18	6
34	29	19	2	23	21	0	57	17	0
-10	-15	-23	2	-15	-16	-48	57	-1	-6

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013959570	2	0%	0%	0%	100%	0%	Yes	No	No	Yes	No	2	0	0
6625014252550	3	0%	0%	0%	100%	0%	Yes	No	No	Yes	No	3	0	0
6625014955275	7	0%	100%	0%	0%	0%	Yes	No	No	Yes	No	0	7	0

**Notes:** Item is obsolete and will be DRMO'd in theater.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7051: METER, POWER

Intended to support microwave systems. This meter measures continuous wave power output from 10MHz to 18GHz. TAMCN A7053 should be used to measure pulsed type microwave signals in the same bandwidth.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	247	15
AAO (FY17)	251	
O/H	301	15
Shortfall/Excess	54	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
37	35	30	14	29	16	38	0	36	12	
41	39	30	10	29	16	38	0	36	12	
39	42	38	13	24	35	0	59	36	0	
2	7	8	-1	-5	19	-38	59	0	-12	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014066941	13	0%	0%	100%	0%	0%	No	No	No	Yes	No	0	13	0
6625015311947	2	0%	0%	100%	0%	0%	No	No	No	Yes	No	0	2	0

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7052 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7052: GENERATOR, SIGNAL

The 8643A Synthesized Signal Generator is a high performance programmable signal generator intended for the most demanding out-of-channel RF receiver measurements and other stringent RF applications.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	358	9
AAO (FY17)	361	
O/H	452	9
Shortfall/Excess	94	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
50	50	35	11	36	120	56	0	0	0	
54	54	35	6	36	120	56	0	0	0	
55	57	51	6	35	95	0	144	0	0	
5	7	16	-5	-1	-25	-56	144	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013675551	9	0%	0%	100%	0%	0%	No	No	No	Yes	No	0	9	0

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7053: METER, SPECIAL SCALE

This item is intended to support all equipment and systems that generate pulse-type microwave radio frequency (RF) electronic signals up to 18 GHz and which require this capability in applicable technical manuals. TAMCN A7051 should be used to measure continuous wave type signals.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	31	2
AAO (FY17)	31	
O/H	22	1
Shortfall/Excess	-9	-1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
4	4	6	0	6	11	0	0	0	0	
4	4	6	0	6	11	0	0	0	0	
3	1	0	0	4	11	0	2	0	0	
-1	-3	-6	0	-2	0	0	2	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013815741	1	0%	0%	100%	0%	0%	No	No	No	Yes	No	1	0	0

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7055: MONITOR UNIT, RADIO FREQUENCY

The 4410-030 Test Set is an insertion type RF wattmeter designed to measure power flow and load match in 50 ohm RF coaxial transmission lines and is intended for use on CW or FM modulated signals only.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,343	81
AAO (FY17)	1,370	
O/H	1,361	82
Shortfall/Excess	18	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
271	264	155	34	190	93	128	0	165	43	
279	258	149	65	190	93	128	0	165	43	
268	252	132	29	160	69	0	222	147	0	
-3	-12	-23	-5	-30	-24	-128	222	-18	-43	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012175631	21	0%	0%	0%	0%	100%	No	Yes	No	No	No	0	0	21
6625014439916	9	50%	50%	0%	0%	0%	No	Yes	No	No	No	2	2	5
6625015134644	52	50%	50%	0%	0%	0%	No	Yes	No	No	No	13	13	26
6625015682691	0	0%	0%	100%	0%	0%	Yes	Yes	No	No	No	0	0	0

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7057: OHMMETER

The Model 3711M simply clamps around the ground conductor or rod and measures the resistance to ground. Performs measurements on intact ground systems, it verifies the quality of the grounding connections and bonds.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	260	34
AAO (FY17)	263	
O/H	344	35
Shortfall/Excess	84	1

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
55	60	43	0	38	26	38	0	0	0	
57	59	45	0	38	26	38	0	0	0	
54	57	52	2	39	26	0	79	0	0	
-1	-3	9	2	1	0	-38	79	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013778030	6	50%	0%	50%	0%	0%	No	Yes	No	No	No	3	0	3
6625014943112	29	50%	50%	0%	0%	0%	No	Yes	No	No	No	1	14	14

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# A7059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7059: OHMMETER (EARTH GROUND RESISTANCE TESTER)

The Model R1L-C is a portable ground resistance ohmmeter, designed to measure grounding system resistance, as well as soil resistivity, over ranges from two ohms to 20 kilohms full scale.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	616	61
AAO (FY17)	616	
O/H	576	66
Shortfall/Excess	-40	5

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
128	127	79	54	113	27	88	0	0	0	
128	116	80	64	113	27	88	0	0	0	
121	116	73	24	62	48	0	66	0	0	
-7	-11	-6	-30	-51	21	-88	66	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013776166	66	50%	50%	0%	0%	0%	No	Yes	No	No	No	0	33	33

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7060: OSCILLOSCOPE (54825A AND TDS5054B)

Device used to measure electronic signals. Used by electronic technicians to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	401	22
AAO (FY17)	399	
O/H	516	27
Shortfall/Excess	115	5

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
58	59	40	0	38	125	15	0	51	15	
59	60	36	0	38	125	15	0	51	15	
97	98	43	0	29	111	0	77	34	0	
39	39	3	0	-9	-14	-15	77	-17	-15	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014518727	3	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	3
6625015196497	24	30%	0%	70%	0%	0%	No	Yes	No	No	No	0	17	7

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7061: OSCILLOSCOPE (FLK-199C/AN)

Device used to measure electronic signals. Used by electronic technicians to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,518	52
AAO (FY17)	1,520	
O/H	1,600	67
Shortfall/Excess	82	15

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
226	228	130	0	178	459	118	0	135	44	
236	221	129	0	178	459	118	0	135	44	
221	219	135	2	135	525	0	130	166	0	
-5	-9	5	2	-43	66	-118	130	31	-44	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012754766	2	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	2
6625014735174	1	0%	0%	0%	0%	100%	No	Yes	No	No	No	0	0	1
6625014940438	64	50%	50%	0%	0%	0%	No	Yes	No	No	No	0	32	32

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7072: ADAPTER, TEST, SINCGARS RADIO

This item is used to test SINCGARS radios and must be used with TAMCN A7082. All of the J-4843/GRM-114B items should have been modified to the new J-4843A/GRM-122 configuration.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	850	23
AAO (FY17)	834	
O/H	696	41
Shortfall/Excess	-154	18

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
202	186	116	0	166	71	70	0	39	0	
202	175	111	0	166	71	70	0	39	0	
152	124	94	12	112	32	0	94	35	0	
-50	-62	-22	12	-54	-39	-70	94	-4	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013092827	6	0%	0%	0%	0%	100%	No	Yes	No	Yes	No	0	0	6
6625014328368	33	0%	50%	50%	0%	0%	No	Yes	No	Yes	No			
6625014360419	2	0%	0%	0%	100%	0%	Yes	Yes	No	Yes	No			

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **ARMY**  
 if **Not Mission Capable MEF** then **ARMY**  
 if **Not Mission Capable** then **ARMY**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7080: TEST SET, RADIO VHF

This unit is a handheld test set for HF, VHF, and UHF radios and is intended to be used by radio technicians as a tool to check performance of radios or identify faulty radios at the Organizational Unit.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,670	117
AAO (FY17)	1,633	
O/H	1,423	118
Shortfall/Excess	-247	1

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
421	382	178	65	302	88	186	0	36	12	
403	349	174	83	302	88	186	0	36	12	
358	379	155	25	174	114	0	73	27	0	
-63	-3	-23	-40	-128	26	-186	73	-9	-12	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012396715	14	0%	0%	0%	0%	100%	No	Yes	No	Yes	No	0	0	14
6625015380285	104	0%	0%	100%	0%	0%	No	Yes	No	Yes	No	89	15	0

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7081: TEST SET, TELECOMMUNICATION SYSTEM

The FB6000-NAVY-P1 and FB6000-NAVY-P2 are portable telecommunication system sets with analog and digital testing capabilities capable of transmission impairment, bit error and protocol analysis measurements and testing.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	388	25
AAO (FY17)	378	
O/H	318	26
Shortfall/Excess	-70	1

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
66	66	43	14	29	81	53	0	36	0	
62	62	43	12	29	81	53	0	36	0	
40	55	48	1	18	87	0	17	26	0	
-26	-11	5	-13	-11	6	-53	17	-10	0	

Representative Picture

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013401781	1	0%	0%	0%	100%	0%	No	Yes	No	No	No	1	0	0
6625014627492	2	0%	0%	0%	0%	100%	No	Yes	No	No	No	0	0	2
6625015358961	23	30%	70%	0%	0%	0%	No	Yes	No	No	No	0	16	7

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7082: TEST SET, RADIO

The TS-4317/GRM provides the capability to test and maintain all Marine Corps tactical Radios, which operate below 1 GHz. It is used to verify radio performance characteristics and diagnose failures in both a manual and automatic mode.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,251	40
AAO (FY17)	1,247	
O/H	1,222	68
Shortfall/Excess	-29	28

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
270	251	140	0	226	215	99	0	39	11	
275	242	140	0	226	215	99	0	39	11	
240	223	142	13	185	149	0	161	41	0	
-30	-28	2	13	-41	-66	-99	161	2	-11	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013092825	68	0%	0%	100%	0%	0%	No	Yes	No	Yes	No	58	10	0

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# A7083 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7083: ANALYZER, WIDE AREA NETWORK

This test set is a general-purpose networking tool designed to assist technicians with monitoring and troubleshooting networks.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	136	7
AAO (FY17)	136	
O/H	93	7
Shortfall/Excess	-43	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
23	23	21	0	16	47	6	0	0	0	
23	23	21	0	16	47	6	0	0	0	
3	12	9	0	2	48	0	12	0	0	
-20	-11	-12	0	-14	1	-6	12	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015229579	7	30%	0%	70%	0%	0%	No	No	No	No	No	5	0	2

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7084: ANALYZER, NETWORK

A LAN Analyzer is a general-purpose networking tool designed to assist technicians with testing, monitoring, troubleshooting, and repairing Local Area Networks and equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	836	40
AAO (FY17)	810	
O/H	195	40
Shortfall/Excess	-641	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
220	217	136	0	153	83	27	0	0	0	
214	203	130	0	153	83	27	0	0	0	
14	24	14	0	12	81	0	10	0	0	
-206	-193	-122	0	-141	-2	-27	10	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014561561	1	0%	0%	0%	0%	100%	No	No	No	Yes	No	0	0	1
6625014848826	16	30%	0%	70%	0%	0%	No	No	No	Yes	No	11	0	5
6625015378768	23	30%	0%	70%	0%	0%	No	No	No	Yes	No	16	0	7

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7086: TEST SET, OPTICAL TDR, HANDHELD

The MTS-NV-P3 Optical Time Domain Reflectometer is a field modular optical tester used for fiber network installation, maintenance, and troubleshooting. Two field interchangeable module slots allow users to quickly mix and match configurations to cover any fiber test application from 635 to 1625nm.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	332	32
AAO (FY17)	321	
O/H	253	29
Shortfall/Excess	-79	-3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
72	70	48	0	34	43	29	0	36	0	
65	64	50	0	34	43	29	0	36	0	
29	38	34	0	27	72	0	24	0	0	
-43	-32	-14	0	-7	29	-29	24	-36	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013884989	9	0%	0%	0%	0%	100%	No	Yes	No	No	No	0	0	9
6625015253080	20	50%	50%	0%	0%	0%	No	Yes	No	No	No	0	10	10

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7103 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7103: PUBLIC AFFAIRS STILL ACQUISITION SYSTEM, SMALL

Professional grade still camera that allows PA Marines to acquire professional quality still photos in high, regular and low light conditions.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	3	
O/H	14	1
Shortfall/Excess	14	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
1	1	1	0	0	0	0	0	0	0	
4	6	1	0	0	0	0	2	0	0	
4	6	1	0	0	0	0	2	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720015150429	1	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	1

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

Redeployment Lift Criteria CAT I:  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A7104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7104: VIIES (VISUAL INFORMATION IMAGERY EDITING SYSTEM)

The VIIES consists of a laptop based video and still imagery editing platform. The system includes professional grade, industry standard digital equipment. It is a still and video imagery editing and product development system.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	200	13
AAO (FY17)	208	
O/H	86	12
Shortfall/Excess	-114	-1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
54	54	52	1	9	30	0	0	0	0	
58	58	52	1	9	30	0	0	0	0	
26	29	16	0	2	1	0	0	0	0	
-28	-25	-36	-1	-7	-29	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015425653	12	30%	0%	0%	70%	0%	No	No	No	No	Yes	8	0	4

**Notes:** All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7105: CVAS (COMBAT VIDEO ACQUISITION SYSTEM)

The CVAS consists of a professional quality digital video camera with all necessary accessories and a protective shoulder sling or backpack carrying case to operate in the field, independently for 4 days. The CVAS camera operates using rechargeable batteries.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	86	8
AAO (FY17)	90	
O/H	69	5
Shortfall/Excess	-17	-3

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
18	18	14	1	2	33	0	0	0	0	
20	20	14	1	2	33	0	0	0	0	
24	19	11	1	2	7	0	0	0	0	
6	1	-3	0	0	-26	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015003247	2	33%	0%	34%	33%	0%	No	No	No	No	Yes	1	0	1
5836015458734	3	33%	0%	34%	33%	0%	No	No	No	No	Yes	2	0	1

**Notes:** All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A7111 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7111: NVCS (NIGHT VISION SYSTEM)

The NVSC consists of a night vision monocular and adapters allowing it to adapt to digital cameras currently used by Combat Camera Marines forward deployed. The NVSC allows these cameras to acquire high-resolution imagery in low light.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	70	3
AAO (FY17)	70	
O/H	32	3
Shortfall/Excess	-38	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
18	18	13	1	2	18	0	0	0	0	
18	18	13	1	2	18	0	0	0	0	
9	13	5	1	0	0	0	1	0	0	
-9	-5	-8	0	-2	-18	0	1	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015429059	3	33%	0%	0%	67%	0%	No	No	Yes	No	Yes	2	0	1

**Notes:** All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# A7112 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7112: COMBAT IMAGERY SEAR

The CISAD consists of video, still photo, and graphics hardware and software. It is capable of importing, cataloging, archiving and retrieving digital imagery, thereby making it available to commanders via a web based searchable database.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	4	1
AAO (FY17)	6	
O/H	1	1
Shortfall/Excess	-3	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1	1	2	0	0	0	0	0	0	0	0
2	2	2	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0
-1	-1	-2	0	0	0	0	0	0	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015464691	1	0%	0%	0%	100%	0%	No	No	No	No	No	1	0	0

**Notes:** All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	


## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7420: MAINTENANCE FACILITY, TRANSPORTABLE

The Maintenance Facility, Transportable, AN/TSM-214, provides deployable and garrison Test, Measurement, and Diagnostic Equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	12	0
AAO (FY17)	15	
O/H	10	1
Shortfall/Excess	-2	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
4	3	3	0	1	0	1	0	0	0	
5	5	3	0	1	0	1	0	0	0	
3	3	2	0	1	0	0	0	0	0	
-1	0	-1	0	0	0	-1	0	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940014904064	1	0%	0%	0%	100%	0%	Yes	No	No	No	No	0	1	0

**Notes:** Item has been phased out, but will continue to be sent to the MEFs until the replacement comes online.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	32

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A7501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7501: TEST STATION, ELECTRICAL-ELECTRONIC EQUIPMENT

Device used to test and troubleshoot electronic circuit cards.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	299	9
AAO (FY17)	316	
O/H	185	10
Shortfall/Excess	-114	1

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
40	40	35	0	38	76	70	0	0	0	
48	50	34	0	38	76	70	0	0	0	
33	28	31	0	16	62	0	5	0	0	
-7	-12	-4	0	-22	-14	-70	5	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014849160	1	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	1
6625015347363	0	0%	0%	100%	0%	0%	Yes	No	No	No	No	0	0	0
6625015347365	9	0%	50%	50%	0%	0%	No	No	No	No	No	7	2	0

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.1

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7503: PROGRAM SET APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	52	0
AAO (FY17)	60	
O/H	31	1
Shortfall/Excess	-21	1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
14	8	3	0	9	12	0	0	6	0	
18	12	3	0	9	12	0	0	6	0	
13	2	0	0	3	4	0	8	0	0	
-1	-6	-3	0	-6	-8	0	8	-6	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015500389	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.1

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7507 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7507: PROGRAM SET, APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	9	0
AAO (FY17)	11	
O/H	11	1
Shortfall/Excess	2	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
2	1	2	0	0	4	0	0	0	0	
3	3	1	0	0	4	0	0	0	0	
2	2	4	0	0	2	0	0	0	0	
0	1	2	0	0	-2	0	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015588041	1	0%	0%	100%	0%	0%	No	No	No	No	No	0	1	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A7508 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7508: APS AN/PSM-119

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	22	0
AAO (FY17)	22	
O/H	9	1
Shortfall/Excess	-13	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
4	4	3	0	2	5	1	0	3	0
4	4	3	0	2	5	1	0	3	0
2	2	3	0	0	1	0	0	0	0
-2	-2	0	0	-2	-4	-1	0	-3	0

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015453668	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A7512 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7512: PROGRAM SET, APPLICATION, 3D ECH, F/AN/USM657(V)2

The Application Program Set, AN/PSM-107 provides diagnostic troubleshooting of various circuit card assemblies of the Radio Terminal Set, AN/MRC-142. The AN/PSM-107 requires utilization and interface with the AN/USM-657(V)2.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	14	
O/H	6	0
Shortfall/Excess	6	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
6	6	2	0	0	0	0	0	0	0	
0	0	0	0	0	4	0	2	0	0	
0	0	0	0	0	4	0	2	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015136360	0	0%	0%	0%	0%	100%	No	Yes	No	No	No	0	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%



# A7512 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7512: PROGRAM SET, APPLICATION, 3D ECH, F/AN/USM657(V)2

The Application Program Set, AN/PSM-107 provides diagnostic troubleshooting of various circuit card assemblies of the Radio Terminal Set, AN/MRC-142. The AN/PSM-107 requires utilization and interface with the AN/USM-657(V)2.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	14	
O/H	6	0
Shortfall/Excess	6	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
6	6	2	0	0	0	0	0	0	0
0	0	0	0	0	4	0	2	0	0
0	0	0	0	0	4	0	2	0	0

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015136360	0	0%	0%	0%	0%	100%	No	Yes	No	No	No	0	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A7513 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7513: PROGRAM SET, APPLICATION, 3D ECH, F/TOW II

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	12	1
AAO (FY17)	19	
O/H	9	1
Shortfall/Excess	-3	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
4	2	2	0	2	2	0	0	0	0	
7	5	3	0	2	2	0	0	0	0	
5	2	1	0	0	0	0	0	0	0	
1	0	-1	0	-2	-2	0	0	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015244047	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7517 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7517: TEST SET RADIO

The GRMATS is a portable, self-contained synthetic instrumentation platform used for verification testing and fault detection, isolation and repair of communications, avionics and electronic warfare Units Under Test (UUT). The test set contains the hardware and software necessary to test and verify the performance and electrical functionality of these types of UUTs, deployed in the field or in a depot-type environment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	564	5
AAO (FY17)	567	
O/H	60	3
Shortfall/Excess	-504	-2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
110	108	64	2	108	138	34	0	0	0	
118	107	60	2	108	138	34	0	0	0	
8	11	4	0	3	3	0	28	0	0	
-102	-97	-60	-2	-105	-135	-34	28	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015634671	3	0%	0%	100%	0%	0%	No	No	No	No	No	3	0	0

**Notes:** Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7519 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7519: TEST SET, ELECTRONIC

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	32	4
Shortfall/Excess	32	4

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
5	0	0	0	4	2	0	17	0	0
5	0	0	0	4	2	0	17	0	0

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015659818	4	0%	0%	100%	0%	0%	No	No	No	No	No	0	4	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7522 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7522: PROGRAM SET, APPLICATION, AN/PSM-123 (LAV25-A2 LRU)

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	42	4
AAO (FY17)	45	
O/H	16	4
Shortfall/Excess	-26	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
10	6	2	0	6	16	2	0	0	0
11	7	3	0	6	16	2	0	0	0
2	1	2	0	2	5	0	0	0	0
-8	-5	0	0	-4	-11	-2	0	0	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015754978	4	0%	0%	100%	0%	0%	No	No	No	No	No	4	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7550 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7550: APPLICATION PROGRAM SET F/TOW SYSTEM LRV

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	12	3
AAO (FY17)	19	
O/H	9	2
Shortfall/Excess	-3	-1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
4	2	2	0	2	2	0	0	0	0
7	5	3	0	2	2	0	0	0	0
4	1	1	0	0	1	0	0	0	0
0	-1	-1	0	-2	-1	0	0	0	0

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015154038	2	0%	0%	100%	0%	0%	No	No	No	No	No	2	0	0

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.1

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	


## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7596 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7596: TEST SYSTEM, 3D ECH (RF VERSION)

The Third Echelon Test Set is a portable automated testing unit that provides the capability to screen, test and diagnose electronic, electro-mechanical, and electro-optical LRUs and CCAs for a wide variety of Weapons Systems.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	221	4
AAO (FY17)	231	
O/H	130	5
Shortfall/Excess	-91	1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
48	43	26	0	28	63	13	0	0	0
52	47	28	0	28	63	13	0	0	0
18	16	13	0	15	22	0	41	0	0
-30	-27	-13	0	-13	-41	-13	41	0	0

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015659249	2	0%	50%	50%	0%	0%	No	Yes	No	No	No	2	0	0
6625015685523	3	0%	50%	50%	0%	0%	No	Yes	No	No	No	2	1	0

Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# A7597 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7597: TEST SYSTEM, 3RD ECHELON

TETS is a portable, automated test unit that is controlled by a Laptop computer. It is a modular design configuration using mature and proven Non-developmental Item components and modules to accommodate 3 configurations: Radio Frequency (RF), Electro-Optical (EO), and a combined RF/EO.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	76	0
AAO (FY17)	89	
O/H	32	1
Shortfall/Excess	-44	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
19	15	8	0	8	24	2	0	0	0	
25	22	8	0	8	24	2	0	0	0	
2	3	4	0	0	8	0	14	0	0	
-17	-12	-4	0	-8	-16	-2	14	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015678650	1	0%	50%	50%	0%	0%	No	No	No	No	No	1	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7700 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7700: ANALYZER-CHARGER, BATTERY

The CASP/2000H(M) is a state of the art test instrument capable of performing all the functions needed by a typical battery user.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	117	4
AAO (FY17)	122	
O/H	969	4
Shortfall/Excess	852	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
18	13	14	0	31	9	20	0	12	0	
20	16	14	0	31	9	20	0	12	0	
46	72	29	0	104	7	0	654	53	0	
28	59	15	0	73	-2	-20	654	41	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130013412073	4	0%	0%	50%	50%	0%	No	No	No	No	No	0	4	0

**Notes:** DRMO/Dispose of In Theater; do NOT return to CONUS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A7705 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7705: POWER SUPPLY, 18 - 30 VDC

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,293	195
AAO (FY17)	2,228	
O/H	2,942	191
Shortfall/Excess	649	-4

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
475	455	279	17	413	72	263	4	243	72	
461	412	263	25	413	72	263	4	243	72	
482	434	278	10	236	48	0	1,043	220	0	
7	-21	-1	-7	-177	-24	-263	1,039	-23	-72	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130014528403	36	0%	0%	100%	0%	0%	No	No	No	N/A	No	22	14	0
6130014754999	155	0%	0%	100%	0%	0%	No	No	Yes	N/A	No	0	155	0

**Notes:** Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	19	0.3

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A7706 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7706: POWER SUPPLY, 0-40 VDC

This is a general purpose power supply converter which provides the capability to convert 115 VAC power to 0-40 VDC power, 0-25 amperes. The power supply will be used in the maintenance of communication-electronics equipment as a bench top power supply.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	3,631	264
AAO (FY17)	3,563	
O/H	3,837	257
Shortfall/Excess	206	-7

**Influences R2 Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
754	716	432	0	558	228	460	0	483	0	
748	667	419	0	558	228	460	0	483	0	
719	732	407	10	405	186	0	677	444	0	
-35	16	-25	10	-153	-42	-460	677	-39	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130015261311	1						No					1	0	0
6130015319927	149	0%	0%	100%	0%	0%	No	No	No	No	No	59	90	0
6130219116149	107	50%	0%	50%	0%	0%	No	No	No	No	No	0	54	53

**Notes:** Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# A7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7900: TOOL KIT, MAINT, ELECTRONIC

Tool Kit used by electronic technicians (MOS 28xx and 59xx). This item is being replaced by TAMCN A7902.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,574	14
AAO (FY17)	2,663	
O/H	1,471	49
Shortfall/Excess	-1,103	35

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
533	532	401	0	362	187	559	0	0	0	
589	574	392	0	362	187	559	0	0	0	
331	405	322	8	238	118	0	0	0	0	
-202	-127	-79	8	-124	-69	-559	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180012241290	2	0%	0%	0%	100%	0%	Yes	No	No	No	No			
5180012441290	47	0%	0%	0%	100%	0%	Yes	No	No	No	No			

**Notes:** Obsolete tool kit, but most of the tools can be used in other kits - strategy is to reallocate in theater. Do not reset. Retain in theater for reutilization.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **OEF MAGTF**  
 if **Not Mission Capable MEF** then **OEF MAGTF**  
 if **Not Mission Capable** then **OEF MAGTF**  
 if **Condemned** then **OEF MAGTF**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A7902 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7902: TOOL KIT, MAINT, ELECTRONIC CREW OPERATOR

The TK-2844 "O" Level (Operator/Crew Level) Electronic Tool Kit is being built to provide the technician at the specified level with the tools required to perform maintenance in a field environment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,182	193
AAO (FY17)	1,181	
O/H	1,507	196
Shortfall/Excess	325	3

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
293	274	154	33	225	203	0	0	0	0	
283	248	158	64	225	203	0	0	0	0	
261	288	175	42	227	243	0	75	0	0	
-32	14	21	9	2	40	0	75	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015540475	196	0%	0%	100%	0%	0%	No	No	No	Yes	No	32	164	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7905: TOOL KIT INTERMEDIA

Tool Kit Intermediate, is an intermediate tool kit used by the 59XX to complete field and depot level repair of the AN/TYQ-23. This tool is required due to no common tool sets meeting the needs for this piece of equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	10	1
AAO (FY17)	10	
O/H	9	1
Shortfall/Excess	-1	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
2	2	2	0	2	2	0	0	0	0
2	2	2	0	2	2	0	0	0	0
1	2	1	0	2	2	0	0	0	0
-1	0	-1	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014527551	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** All items will be returned to CONUS. DO NOT POWER WASH ELECTRONIC ITEMS OR TOOLS. Compressed air, vacuums, and damp rags should be used to clean the tools and tool box. Hand tools (sockets, screwdrivers, etc.) should be lightly coated with oil. Electronic tools need to remain dry.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# A7906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7906: TOOL KIT, ELECTRONIC SYS (MINI-SOLDER KIT)

This kit contains special electronic units, tools, and materials to make high-reliability repairs on electronic assemblies such as circuit cards to the component level in a field environment.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	145	40
AAO (FY17)	157	
O/H	151	57
Shortfall/Excess	6	17

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
33	34	29	0	21	28	0	0	0	0	
39	39	30	0	21	28	0	0	0	0	
13	14	22	3	7	6	0	10	19	0	
-20	-20	-7	3	-14	-22	0	10	19	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015416262	57	30%	0%	70%	0%	0%	No	No	No	No	No	40	0	17

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7910: TOOL KIT, FIBER OPTIC, GP

The Fiber Optic tool kit is a general purpose kit used to repair fiber optic cables and connectors. This kit is used in support of all USMC fiber optic cables and connectors except those associated with TAOM. This Tool Kit, along with the A7001 Optical Loss Test Set, the A7004 Fiber Inspector, A7086 OTDR, and A7920 Splicing Kit, belongs to a suite of Fiber Optic test equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	291	26
AAO (FY17)	289	
O/H	154	28
Shortfall/Excess	-137	2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
75	74	49	0	57	24	12	0	0	0	
75	73	48	0	57	24	12	0	0	0	
19	26	22	0	26	13	0	20	0	0	
-56	-48	-27	0	-31	-11	-12	20	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180014763023	13	30%	0%	70%	0%	0%	No	No	No	No	No	9	0	4
5180015167227	15	30%	0%	70%	0%	0%	No	No	No	No	No	11	0	4

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

### Transportation Information

Redeployment Lift Criteria CAT I:  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A7942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7942: TOOL KIT, DATA NETWORK, GP

The Data Network Tool Kit, model number TK-0656, is a general purpose tool kit designed to assist technicians perform testing, monitoring, troubleshooting, and maintenance of the Marine Corps data networks.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	421	50
AAO (FY17)	439	
O/H	368	60
Shortfall/Excess	-53	10

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
114	111	65	25	71	25	10	0	0	0	
111	105	68	49	71	25	10	0	0	0	
70	86	67	8	58	10	0	9	0	0	
-44	-25	2	-17	-13	-15	-10	9	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015247623	60	50%	0%	50%	0%	0%	No	No	No	No	No	30	0	30

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7955 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7955: KIT, MAINT, EQUIPMENT, ELECTRONIC

The Maintenance Kit, Electronic Equipment, MK-2663/U, contains special electronic units, tools and materials to make high-reliability repairs to electronic equipment.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	280	5
AAO (FY17)	291	
O/H	224	9
Shortfall/Excess	-56	4

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
53	50	40	0	41	70	22	0	3	1	
59	57	38	0	41	70	22	0	3	1	
57	48	37	0	14	57	0	0	2	0	
4	-2	-3	0	-27	-13	-22	0	-1	-1	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895013229872	8	50%	0%	50%	0%	0%	No	No	No	No	No	4	0	4
5895015429039	1	50%	0%	50%	0%	0%	No	No	No	No	No	1	0	0
5895015662941	0	0%	0%	100%	0%	0%	Yes	No	No	No	No	0	0	0

**Notes:**

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0.1

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A7965 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A7965: INSTALLATION KIT,FI

A collection of items used to repair/replace electro-optic terminations/devices of a fiber optic system or subsystem.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	25	0
AAO (FY17)	23	
O/H	12	4
Shortfall/Excess	-13	4

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	4	0	6	2	1	0	0	0
5	5	4	0	6	2	1	0	0	0
1	1	1	0	3	2	0	0	0	0
-5	-5	-3	0	-3	0	-1	0	0	0

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6080014624026	4	0%	0%	100%	0%	0%	No	No	No	No	No	4	0	0

**Notes:** All items will return to CONUS. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. **DO NOT POWER WASH ELECTRONIC ITEMS OR TOOLS.** Compressed air, vacuums, and damp rags should be used to clean the tools and tool box. Hand tools (sockets, screwdrivers, etc.) should be lightly coated with oil. Electronic tools need to remain dry.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A8008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8008: AUXILIARY POWER SUP

The HYP-71 is the power supply for the KY-68 in stand-alone applications when the KY- 8 is not opened with the AN/TTC-42 or the SB-3865.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	141	0
AAO (FY17)	173	
O/H	1,242	3
Shortfall/Excess	1,101	3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
2	60	1	0	7	56	15	0	0	0	
23	23	19	30	7	56	15	0	0	0	
111	190	27	0	48	15	0	848	0	0	
109	130	26	0	41	-41	-15	848	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010828412	3	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	3

**Notes:** Equipment is obsolete. WIR to dispose of in theater.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8010: TERMINAL EQUIPMENT, TELEPHONE, SECURE

The Secure Terminal Equipment (STE) Telephone, STE OFFIC-442 is the standard telephone for secure-multimedia communications. STE are engineered to operate on the digital Integrated Services Digital Network (ISDN) or analog networks.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,015	97
AAO (FY17)	3,014	
O/H	3,888	176
Shortfall/Excess	873	79

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
614	614	461	227	430	429	240	0	0	0	
612	612	469	222	430	429	240	0	0	0	
599	1,227	485	157	567	512	0	165	0	0	
-15	613	24	-70	137	83	-240	165	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810014596438	0	0%	0%	0%	0%	100%	No	No	Yes	No	No	0	0	0
5810014596441	176	0%	0%	0%	0%	100%	No	No	Yes	No	No	0	0	176

**Notes:** Equipment is obsolete. WIR to dispose of in theater.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **UNK**  
 if **Not Mission Capable MEF** then **UNK**  
 if **Not Mission Capable** then **UNK**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%



# A8018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8018: INTERROGATOR COMPUTER

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System (EADS), Targets and target support, Stinger Ground Support Equipment (GSE), and trainers/simulators.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	113	3
AAO (FY17)	107	
O/H	82	4
Shortfall/Excess	-31	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
40	40	12	0	4	7	10	0	0	0	
37	37	12	0	4	7	10	0	0	0	
23	17	12	0	14	9	0	3	0	0	
-17	-23	0	0	10	2	-10	3	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810000613388	3	0%	0%	0%	100%	0%	No	No	No	No	No	3	0	0
5810012737819	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A8019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8019: TRANSPONDER COMPUTER

The Transponder Computer, TSEC/KIT-1C is used in conjunction with the TSEC/KIR-1C (TAMCN A80187G).



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	137	3
AAO (FY17)	131	
O/H	46	3
Shortfall/Excess	-91	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
16	16	8	0	22	19	56	0	0	0	
13	13	8	0	22	19	56	0	0	0	
10	8	6	0	10	9	0	0	0	0	
-6	-8	-2	0	-12	-10	-56	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810000613386	3	0%	0%	100%	0%	0%	No	No	No	No	No	3	0	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
--

<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
--

# A8023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8023: TRANSFER DEVICE, DATA (DTD)

The AN/CYZ-10 Data Transfer Device, often called a Crazy 10, is a portable, hand-held fill device, for securely receiving, storing, and transferring data between compatible cryptographic and communications equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	10,947	892
AAO (FY17)	10,496	
O/H	9,665	1164
Shortfall/Excess	-1,282	272

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2,725	2,437	1,023	291	1,889	366	2,216	0	0	0	
2,602	2,198	907	318	1,889	366	2,216	0	0	0	
1,941	1,633	1,168	260	1,754	624	0	1,121	0	0	
-784	-804	145	-31	-135	258	-2,216	1,121	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810013431194	8	0%	0%	0%	0%	100%	Yes	No	Yes	No	No	0	0	8
5810013841996	0	0%	0%	0%	0%	100%	Yes	No	Yes	No	No	0	0	0
5810013887634	0	0%	0%	0%	0%	100%	Yes	No	Yes	No	No	0	0	0
5810013931973	657	0%	75%	25%	0%	0%	No	No	Yes	No	No	411	246	0
5810015173587	499	0%	75%	25%	0%	0%	No	No	Yes	No	No	312	187	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A8024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8024: READER,PUNCHED TAPE

The KOI-18 tape reader is a battery operated, hand carried device used for converting eight-level standard paper and Mylar tape to serial electronic information.



Representative Picture

TFSMS (Sept 2011)

☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	531	4
Shortfall/Excess	531	4

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
166	108	53	23	133	19	0	25	0	0
166	108	53	23	133	19	0	25	0	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010269620	4	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	4

**Notes:** See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

A8027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8027: VEHICLE POWER ADAPTER HYP-57

The Vehicular Power Adapter, HYP-57/TSEC replaces the battery and battery case, Z-AIJ, of either the KY-57 or HYPX-57. Its purpose is to provide TEMPEST and EMI filtering, and mechanical connector conversion to adapt a vehicular power source to the KY-57 or HYPX-57.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	146	0
AAO (FY17)	146	
O/H	8,734	36
Shortfall/Excess	8,588	36

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	146	0	0	0	0	
0	0	0	0	0	146	0	0	0	0	
382	438	205	0	363	174	0	7,057	79	0	
382	438	205	0	363	28	0	7,057	79	0	

Representative Picture

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010269621	36	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	36

Notes: All equipment should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information			
if	Mission Capable	then	DRMO
if	Not Mission Capable MEF	then	DRMO
if	Not Mission Capable	then	DRMO
if	Condemned	then	DRMO

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A8028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8028: WLA ASSEMBLY

The Wireline Adapter, HYX-57/TSEC, is designed to provide the appropriate wireline interface for the TSEC/KY-57. TSEC/KY-38, and the TSEC/KY-65 to allow their use over a point to point wireline link or through certain military switchboards.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	36
AAO (FY17)	0	
O/H	795	36
Shortfall/Excess	795	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
146	161	77	0	267	108	0	0	0	0	
146	161	77	0	267	108	0	0	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010269622	36	0%	0%	0%	0%	100%	No	No	Yes	No	No	0	0	36

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A8031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8031: SECURITY EQP, TSEC/KY-57

The TSEC/KY-57 is a small, lightweight, wideband, secure voice, digital communications equipment. It is designed to provide on-line encryption and decryption of all classifications of tactical traffic transmitted over FM and AM, VHF and UHF radio communions.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	40	0
AAO (FY17)	65	
O/H	2,559	67
Shortfall/Excess	2,519	67

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
11	0	4	0	0	25	0	0	0	0	
18	18	4	0	0	25	0	0	0	0	
305	139	80	0	184	72	0	1,669	43	0	
294	139	76	0	184	47	0	1,669	43	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810004343644	67	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	67

**Notes:** See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8032: SECURITY EQP, SPEECH, TACT, HALF-DUP, W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family consists of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice and data encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Public Telephone and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	1,469	51
AAO (FY17)	1,393	
O/H	972	51
Shortfall/Excess	-497	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
309	325	206	0	270	141	194	0	24	0	
275	283	206	0	270	141	194	0	24	0	
178	179	121	0	216	114	0	91	22	0	
-131	-146	-85	0	-54	-27	-194	91	-2	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810004490154	51	0%	75%	25%	0%	0%	No	Yes	No	No	No	32	19	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A8036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8036: GENERATOR, KEY, COMSEC

KGV-8C JTIDS COMSEC MODULE



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	44	3
AAO (FY17)	44	
O/H	23	3
Shortfall/Excess	-21	0

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	5	0	7	12	8	0	0	0	
6	6	5	0	7	12	8	0	0	0	
2	0	6	0	2	7	0	3	0	0	
-4	-6	1	0	-5	-5	-8	3	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810013687752	3	0%	75%	25%	0%	0%	No	No	No	No	No	2	1	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. No associated TAMCNs. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☒ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ **Associated TAMCNs (See Appendix)**  
☐ **Sensitive Associated TAMCNs (see Appendix)**

# A8038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8038: GENERATOR, KEY, ELECTRONIC'

The Half-Duplex Digital Key Generator, TSEC/KG-40 is a micro-miniature, half-duplex, digital electronic key generator designed to provide cryptographic security for Link II High Frequency/Ultra High Frequency (HF/UHF) communications and for any communications which meet Tactical Digital Information Link data standards. The TSEC/KG-40 will interface between a computer and a data terminal. The TSEC/KG-40 is available in serial and parallel interface configurations.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	71	6
AAO (FY17)	69	
O/H	52	6
Shortfall/Excess	-19	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	15	8	0	14	13	10	0	0	0	
11	13	8	0	14	13	10	0	0	0	
7	8	7	0	11	12	0	1	0	0	
-4	-7	-1	0	-3	-1	-10	1	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010168052	0	0%	75%	25%	0%	0%	No	Yes	No	No	No	0	0	0
5810013513000	6	0%	75%	25%	0%	0%	No	Yes	No	No	No	4	2	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A8047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8047: SECU VOICE KY 99A

The Advanced Narrowband Digital Voice Terminal/Miniature Terminal (ANDVT/MINTERM), TSEC/KY-99A is a lightweight, battery-powered, tactical manpack terminal that provides voice or data communications over wideband (16 kbps) radio channels and is interoperable with KY-57 VINSON/Single Channel Ground and Airborne Radio System equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	2,037	2
Shortfall/Excess	2,037	2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
202	60	47	0	133	16	0	1,517	60	0	
202	60	47	0	133	16	0	1,517	60	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810013910187	2	0%	75%	25%	0%	0%	No	No	No	No	No	0	2	0
8340015120240	0	0%	75%	25%	0%	0%	No	No	No	No	No	0	0	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A8050 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8050: CASE, BATTERY ASSEMB

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	5,120	1
Shortfall/Excess	5,120	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
527	440	60	0	380	5	0	3,686	21	0
527	440	60	0	380	5	0	3,686	21	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6140010488167	1	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	1

**Notes:** All equipment should be disposed of in theater.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A8067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8067: FLEET BROADCAST SEC EQUIPMENT

KWR-46



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	7	3
Shortfall/Excess	7	3

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
4	0	0	0	0	0	0	0	0	0	
4	0	0	0	0	0	0	0	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810011608398	3	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	3

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**



# A8072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8072: REMOTE REKEY EQUIPMENT

The Remote Re-key Equipment, KOK-13A is controlled by a user-supplied host computer. The KOK-13A is capable of generating electronic keys for Over-The-Air- Keys, manual distribution, or memory storage.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	61	0
AAO (FY17)	62	
O/H	38	0
Shortfall/Excess	-23	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
13	13	9	0	7	18	1	0	0	0	
14	13	9	0	7	18	1	0	0	0	
4	2	4	0	4	3	0	21	0	0	
-9	-11	-5	0	-3	-15	-1	21	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810012486018	0	0%	75%	25%	0%	0%	No	Yes	No	No	No	0	0	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)



# A8081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8081: ANDVT/TACTERM COMSEC MODULE

The Advanced Narrowband Digital Voice Terminal Communications Security Module, TSEC/KYV-5 is a removable module designed to plug into the front panel of the CV-3591 Basic Terminal Unit. The TSEC/KYV-5 provides communications security capability to the Advanced Narrowband Digital Voice Terminal/Tactical Terminal.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	285	15
AAO (FY17)	269	
O/H	219	14
Shortfall/Excess	-66	-1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
72	72	43	0	58	40	0	0	0	0	
64	64	43	0	58	40	0	0	0	0	
52	52	29	0	30	40	0	2	0	0	
-20	-20	-14	0	-28	0	0	2	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810012240202	14	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	14

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A8082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8082: ENCRYPTION-DECRYPTI

The General Purpose Encryption Equipment, TSEC/KG-84A, -84C is a high capacity key generator used to encrypt and decrypt teletypewriter and digital data traffic on dedicated links in both tactical and fixed plant environments. Future replacement for the TSEC/KG-84A, -84C will be the TSEC/KIV-7M or TSEC/KIV-19M.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	0	39
AAO (FY17)	0	
O/H	941	40
Shortfall/Excess	941	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
178	134	97	0	182	164	0	146	0	0	
178	134	97	0	182	164	0	146	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810011463260	40	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	40
5810012506618	0	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A8084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8084: ENCRYPTION-DECRYPTION EQUIPMENT

The KIV High Speed B Communications Security encryption model is designed to operate in Time Division Multiple Access architectures which allows it to provide secure high bandwidth, wide area, networked data exchange via MILSTAR satellites.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF	OPERATING FORCES								MCLC			
			I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN		
AAO (FY12)	3,179	210	765	760	456	35	404	285	474	0	0	0		
AAO (FY17)	3,079		735	704	446	31	404	285	474	0	0	0		
O/H	3,043	221	535	765	434	32	220	376	0	460	0	0		
Shortfall/Excess	-136	11	-230	5	-22	-3	-184	91	-474	460	0	0		

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810014146656	3	0%	0%	0%	0%	100%	No	No	Yes	No	No	0	0	3
5810014304225	21	0%	0%	0%	0%	100%	No	No	Yes	No	No	0	0	21
5810014318264	76	0%	0%	0%	0%	100%	No	No	Yes	No	No	0	0	76
5810014876582	81	25%	0%	75%	0%	0%	No	No	Yes	No	No	61	0	20
5810015302811	40	25%	0%	75%	0%	0%	No	No	Yes	No	No	30	0	10

**Notes:** See sensitive equipment instructions in the appendix. NSNs 6656, 4225, and 8264 should be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

A8085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8085: ENCRYPTION-DECRYPTION EQUIPMENT (KIV-19)

The KIV-19 is COMSEC equipment and is a controlled cryptographic item. The KIV-19 is a miniaturized version of the existing KG-194 trunk encryption device. It performs data encryption / decryption in full duplex synchronous operation.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,519	98
AAO (FY17)	1,461	
O/H	1,462	120
Shortfall/Excess	-57	22

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
232	232	164	1	174	303	413	0	0	0	
203	203	164	1	174	303	413	0	0	0	
320	224	244	0	103	318	0	133	0	0	
88	-8	80	-1	-71	15	-413	133	0	0	

Representative Picture

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810014497179	42	0%	0%	0%	0%	100%	No	No	Yes	No	No	0	0	42
5810014925165	63	0%	0%	0%	0%	100%	No	No	Yes	No	No	0	0	63
5810014989537	15	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	15

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if Mission Capable then UNK  
if Not Mission Capable MEF then UNK  
if Not Mission Capable then UNK  
if Condemned then DRMO

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:  
A: Critical/Sensitive; M/S - AK or AC  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC  
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ Sensitive ☒ CCI

☒ Multi-Modal

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)  
☐ Sensitive Associated TAMCNs (see Appendix)

# A8088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8088: ENCRYPTOR, NETWORK, IN-LINE

The TACLANE®-Micro is the next generation High Assurance IP Encryptor Interoperability Specification (HAIZE® IS) and Crypto Modernization Compliant encryptor. Optimized for both tactical and strategic environments, the TACLANE-Micro is high-speed, compact and mobile.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	763	322
AAO (FY17)	739	
O/H	1,312	309
Shortfall/Excess	549	-13

**Influences R2 Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
142	146	103	50	102	131	89	0	0	0	
134	136	103	44	102	131	89	0	0	0	
210	209	172	66	151	107	0	88	0	0	
68	63	69	16	49	-24	-89	88	0	0	

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810014630133	194	25%	50%	25%	0%	0%	No	No	Yes	No	No	0	146	48
5810014861987	16	25%	50%	25%	0%	0%	No	No	No	No	No	0	12	4
5810015279296	22	25%	50%	25%	0%	0%	No	No	No	No	No	0	17	5
5810015474520	76	25%	50%	25%	0%	0%	No	No	No	No	No	0	57	19
5999015326578	1	25%	50%	25%	0%	0%	No	No	No	No	No	0	1	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A8089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8089: ENCRYPTION DEVICE, TRUNK

The Trunk Encryption Device, TSEC/KG-194, -194A are full-duplex key generators designed to provide trunk encryption and decryption for digital data traffic. The TSEC/KG-194 is a non-ruggedized, rack mounted equipment. The TSEC/KG-194A is a tactical, ruggedized equipment with a rack mounting capability. TSEC/KG-194, -194A are enhanced versions which have been modified to incorporate the FIREFLY remote re-key capability. Future replacement for the TSEC/KG-194, -194A will be the TSEC/KIV-17M or TSEC/KIV-19M.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	1,324	12
AAO (FY17)	1,271	
O/H	1,009	13
Shortfall/Excess	-315	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
272	265	182	0	205	92	182	0	126	0
249	237	180	0	205	92	182	0	126	0
181	102	152	0	133	40	0	388	0	0
-91	-163	-30	0	-72	-52	-182	388	-126	0

## Reset Strategy & Plan (Product Group: 12)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810012831394	13	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	13

**Notes:** See sensitive equipment instructions in the appendix. All equipment will be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)



# A8091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8091: ENCRYPTION, KG 250

The AltaSec® KG-250 from ViaSat offers seamless foreign interoperability and programmable information assurance. This inline network encryptor is certified by the National Security Agency for use on classified U.S. Government communication networks.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	20	41
AAO (FY17)	45	
O/H	108	45
Shortfall/Excess	88	4

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	3	11	0	6	0	0	0	0	
3	3	3	30	0	6	0	0	0	0	
3	19	6	1	6	9	0	19	0	0	
3	19	3	-10	6	3	0	19	0	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810015246615	45	25%	50%	25%	0%	0%	No	No	Yes	No	No	0	34	11

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	



# A8098 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8098: TSECST31 TEST SET

ST-31A KG-40A TEST SET

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	14	0
AAO (FY17)	14	
O/H	10	2
Shortfall/Excess	-4	2

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				Representative Picture	
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN		
3	3	3	0	4	1	0	0	0	0		
3	3	3	0	4	1	0	0	0	0		
2	1	1	0	2	0	0	2	0	0		
-1	-2	-2	0	-2	-1	0	2	0	0		

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010060622	2	0%	75%	25%	0%	0%	No	No	No	No	No	2	0	0

**Notes:** See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A8100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A8100: CONTROL GROUP, RADIO

The Control Group, Receiver-Transmitter, OK-648/U, provides for remote control operation of SINGARS radios. The Remote Control Unit is connected with the radio by two-way field wire and may be located up to 4 km away from the remotely controlled radio.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	3,891	0
AAO (FY17)	3,674	
O/H	2,140	120
Shortfall/Excess	-1,751	120

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1,072	988	372	0	308	83	1,068	0	0	0	
1,056	797	362	0	308	83	1,068	0	0	0	
335	482	294	2	509	145	0	0	253	0	
-737	-506	-78	2	201	62	-1,068	0	253	0	

### Reset Strategy & Plan (Product Group: 12)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014294556	120	0%	0%	100%	0%	0%	No	No	No	No	No	120	0	0

**Notes:** Item will be returned to owning unit. Owning unit then inventory SL-3 and completed a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply systems. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# A9001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9001: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER)

A computer which processes information represented by combinations of discrete or discontinuous data. It is a computer for performing sequences of arithmetic and logical operations, not only on external data but also on its own internally stored instructions.



MT-2011  
Satellite Transceiver

Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	14,953	368
AAO (FY17)	14,778	
O/H	1,955	467
Shortfall/Excess	-12,998	99

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES							MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
2,471	2,214	1,028	388	93	398	8,361	0	0	0	
2,484	1,934	963	545	93	398	8,361	0	0	0	
401	560	163	7	0	356	0	1	0	0	
-2,070	-1,654	-865	-381	-93	-42	-8,361	1	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015138459	467	20%	0%	80%	0%	0%	No	Yes	Yes	No	Yes	374	0	93

**Notes:** Not CCI as of Sep 2011, but will be within a year. Item is in many other TAMCNs - just about every rolling stock. Will be shipped with associated vehicles, and needs to be associated in TFSMS with all of the rolling stock. It is a computer system - HIGHLY SENSITIVE TO WATER INTRUSION.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☒ **Associated TAMCNs (See Appendix)**

☒ **Sensitive Associated TAMCNs (see Appendix)**

# A9002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9002: BLUE FORCE TRACKER

Blue Force Tracking system consists of a computer, a satellite antenna, and a Global Positioning System receiver. The system displays the location of the host vehicle on the computer's terrain-map display along with other platforms in their respective locations.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	533	0
AAO (FY17)	533	
O/H	4	3
Shortfall/Excess	-529	3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
20	20	8	0	25	13	447	0	0	0	
20	20	8	0	25	13	447	0	0	0	
0	0	0	0	0	1	0	0	0	0	
-20	-20	-8	0	-25	-12	-447	0	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015335325	3	0%	0%	0%	100%	0%	No	No	No	No	Yes	0	0	3

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A9003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9003: COMPUTER SET, DIGITAL, (BFT) CF-29 (VEHICLE), (BACKPACK VARIANT - OBSOLETE)

Satellite-based, two-way BFSA and command and control system. Compatible world-wide with Army FBCB2 systems, and provides over-the horizon BFSA and communications link via L-band satellite.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	975	0
AAO (FY17)	941	
O/H	333	77
Shortfall/Excess	-642	77

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
277	275	174	35	5	101	108	0	0	0	
279	241	172	35	5	101	108	0	0	0	
13	22	2	146	0	73	0	0	0	0	
-264	-253	-172	111	-5	-28	-108	0	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015335336	77	0%	0%	0%	100%	0%	No	No	No	No	Yes	0	0	77

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

Redeployment Lift Criteria CAT I:  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# A9004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9004: COMPUTER SYSTEM, DIGITAL

The Backup Computer System Block II is a small, portable, Ruggedized Personal Data Assistant that is capable of performing and displaying artillery survey computations and artillery technical firing solutions, safety computations and serve as a back up for the technical fire direction functions of AFATDS.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	423	25
AAO (FY17)	389	
O/H	421	25
Shortfall/Excess	-2	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
84	92	42	0	63	98	0	44	0	0	
84	62	38	0	63	98	0	44	0	0	
92	148	91	0	57	8	0	0	0	0	
8	56	49	0	-6	-90	0	-44	0	0	

## Reset Strategy & Plan (Product Group: 11)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015154227	25	0%	0%	0%	0%	100%	No	No	Yes	No	No	0	0	25

**Notes:** NSN: 7010-01-515-4227 (RPDA-5500 OR 3900) DRMO NSN: 7010-01-515-4216 (RPDA-5700) Ship to MCLB Albany

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A9010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9010: UNIT MOVE WORK STATION

MCEITS is the Marine Corps enterprise IT infrastructure in the MAGTF C2 framework. MCEITS consolidates IT infrastructure, hardware, software and services to achieve economies of scale, reduce redundancy and reduce overall USMC IT portfolio costs. MCEITS implements DoD Net-Centric Enterprise Services (NCES), supports Global Information Grid (GIG) and enables effective, efficient IT portfolio management.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,171	11
AAO (FY17)	1,153	
O/H	606	10
Shortfall/Excess	-565	-1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
216	228	92	0	635	0	0	0	0	0	
217	213	88	0	635	0	0	0	0	0	
250	78	66	33	141	28	0	0	0	0	
34	-150	-26	33	-494	28	0	0	0	0	

## Reset Strategy & Plan (Product Group: 10)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015431630	10	0%	0%	100%	0%	0%	Yes	No	Yes	No	No	10	0	0

**Notes:** Item is obsolete, but documentation has not been completed, item will be brought back to the MEFs

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**



# A9011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9011: MINI DEPLOYMENT EMBARK SUSTAINMENT KIT MINI-DESK

This is the Mini-deployment Embarkation Sustainment Kit.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	29	2
AAO (FY17)	29	
O/H	2	2
Shortfall/Excess	-27	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	4	0	5	11	9	0	0	0	
0	0	4	0	5	11	9	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	-4	0	-5	-11	-9	0	0	0	

### Reset Strategy & Plan (Product Group: 10)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7050015444379	2	50%	0%	50%	0%	0%	No	No	Yes	No	Yes	1	0	1

**Notes:** Project Office will take care of the warranty in coordination with the MEFs.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input checked="" type="checkbox"/> <b>Multi-Modal</b>	
<input checked="" type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input checked="" type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# A9013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9013: HANDHELD COMPUTER

The Theater Medical Information Program-Maritime (TMIP-M) provides an integrated theater medical information system addressing the functional areas of Command and Control (C2)(including medical capabilities assessment and sustainability analysis, medical surveillance and collaborative planning capability), Medical Logistics (including assemblage management and blood product management), and Force Health Protection (including medical threat, surveillance, and health care delivery).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	2,179	0
AAO (FY17)	1,856	
O/H	6	0
Shortfall/Excess	-2,173	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
561	564	283	123	535	113	0	0	0	0	
461	409	194	144	535	113	0	0	0	0	
0	0	0	0	0	0	0	6	0	0	
-561	-564	-283	-123	-535	-113	0	6	0	0	

## Reset Strategy & Plan (Product Group: 10)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7021015504906	0	0%	0%	0%	100%	0%	No	No	Yes	No	No	0	0	0

**Notes:** MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A9014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9014: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to medical logistics.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	154	2
AAO (FY17)	109	
O/H	6	6
Shortfall/Excess	-148	4

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
37	39	21	2	40	15	0	0	0	0	
22	21	9	2	40	15	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
-37	-39	-21	-2	-40	-15	0	0	0	0	

## Reset Strategy & Plan (Product Group: 10)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7022015508555	6	0%	0%	0%	100%	0%	No	No	Yes	No	No	6	0	0

**Notes:** MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# A9015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9015: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to medical logistics.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	862	4
AAO (FY17)	716	
O/H	8	8
Shortfall/Excess	-854	4

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
217	213	111	24	197	100	0	0	0	0
169	150	74	26	197	100	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-217	-213	-111	-24	-197	-100	0	0	0	0

## Reset Strategy & Plan (Product Group: 10)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7022015508375	8	0%	0%	0%	100%	0%	No	No	Yes	No	No	8	0	0

**Notes:** MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MCLC**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# A9020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9020: TABLET RUGGED

Laptop Computer



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,997	267
AAO (FY17)	4,730	
O/H	3,022	275
Shortfall/Excess	-1,975	8

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,626	1,598	614	0	1,109	50	0	0	0	0	
1,635	1,322	614	0	1,109	50	0	0	0	0	
1,010	1,071	514	0	150	2	0	0	0	0	
-616	-527	-100	0	-959	-48	0	0	0	0	

### Reset Strategy & Plan (Product Group: 10)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7021090006232	271	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	271
7021090006470	4	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	4

**Notes:** Follow EKMS procedures for hard drive. DRMO in theater.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

# A9023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9023: COMPUTER, LAPTOP

High Performance Laptop. This is missidentified as a A90237G. In actuality, this is an A90237GA, which is a component of an Intel System, A0874. There are multiple vendors for this TAMCN.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	335	273
AAO (FY17)	393	
O/H	465	248
Shortfall/Excess	130	-25

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
93	87	81	0	74	0	0	0	0	0	
127	117	75	0	74	0	0	0	0	0	
4	40	4	0	50	119	0	0	0	0	
-89	-47	-77	0	-24	119	0	0	0	0	

## Reset Strategy & Plan (Product Group: 10)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090006435	248	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	248

**Notes:** Follow EKMS procedures for hard drive. DRMO in theater.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A9068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9068: BATTLE COMMAND SUPPORT SUSTAINMENT SYSTEM (BCS3)

Computer purchased for the purpose of running the BCS3 program - similar to CPOF. BCS3 is a map-centric logistics COP.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	422	21
AAO (FY17)	422	
O/H	136	22
Shortfall/Excess	-286	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
77	77	53	0	44	110	61	0	0	0	
77	77	53	0	44	110	61	0	0	0	
23	0	63	6	9	13	0	0	0	0	
-54	-77	10	6	-35	-97	-61	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015682004	1						No					1	0	0
5895015703725	1	0%	0%	0%	100%	0%	No	No	Yes	Yes	Yes	1	0	0
5895015729492	1	0%	0%	0%	100%	0%	No	No	Yes	Yes	Yes	1	0	0
7010015329207	19	0%	0%	0%	100%	0%	No	No	Yes	Yes	Yes	19	0	0

**Notes:**

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **MEF**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%



# A9071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9071: COMPUTER, LAPTOP

This is a Semi-rugged Laptop. i.e. Panasonic CF-74. There are multiple vendors for this TAMCN.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,995	2
AAO (FY17)	1,902	
O/H	533	5
Shortfall/Excess	-1,462	3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
539	602	275	0	579	0	0	0	0	0	
553	513	257	0	579	0	0	0	0	0	
128	176	153	0	36	35	0	0	0	0	
-411	-426	-122	0	-543	35	0	0	0	0	

## Reset Strategy & Plan (Product Group: 10)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090006216	5	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	5

**Notes:** Follow EKMS procedures for hard drive. DRMO in theater.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# A9089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9089: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER) TOC LITE

The TOC is a variant of the Blue Force Tracking (BFT) that brings the BFT capability into Operation Centers. The TOC possess similar capabilities to the BFT.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,179	84
AAO (FY17)	1,160	
O/H	210	68
Shortfall/Excess	-969	-16

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
246	234	129	56	163	135	110	106	0	0	
245	198	120	83	163	135	110	106	0	0	
29	19	13	17	0	63	0	1	0	0	
-217	-215	-116	-39	-163	-72	-110	-105	0	0	

### Reset Strategy & Plan (Product Group: 11)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015354168	4	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	4	0	0
7010015542356	38	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	38	0	0
7010015690604	26	0%	0%	100%	0%	0%	No	No	Yes	No	Yes	26	0	0

**Notes:**

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☒ **Associated TAMCNs (See Appendix)**

☒ **Sensitive Associated TAMCNs (see Appendix)**

# A9100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9100: COMPUTER, GP, LAPTOP

ADP Central Processing Unit (CPU, Computer), Hybrid.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	47,205	9695
AAO (FY17)	46,899	
O/H	44,252	9247
Shortfall/Excess	-2,953	-448

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
12,719	12,708	7,444	391	7,534	6,409	0	0	0	0	
13,153	12,250	7,162	391	7,534	6,409	0	0	0	0	
12,259	12,671	5,325	443	954	3342	0	11	0	0	
-460	-37	-2,119	52	-6,580	-3,067	0	11	0	0	

### Reset Strategy & Plan (Product Group: 10)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015325434	34	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	34
7010014649363	115	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	115
7010015385013	7	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	7
7010090000294	5	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	5
7010090000346	63	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	63
7010090002538	43	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	43
7010090002539	1790	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	1790
7010090002540	3	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	3
7010090004448	5015	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	5015
7010090006210	1991	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	1991
7022014779043	181	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	181

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

**Notes:** All equipment is going to be procured new. Destroy the hard drive and DRMO in theater. 7010090000346 (64 O/H) , 7010090002538 (40 O/H), 5895015325434 (34 O/H), 7010015385013 (7 O/H), 7010090002540 (3 O/H)

R2 Distribution Plan

Equipment Assessment Information			
if	Mission Capable	then	DRMO
if	Not Mission Capable MEF	then	DRMO
if	Not Mission Capable	then	DRMO
if	Condemned	then	DRMO

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

Lift Criteria				Transportation Information			
CAT I:	A or B	Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC		Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D			
CAT II:	A or B						
CAT III							
EMBARK TYPE	IND SQFT	IND CUFT	IND STON	<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI		
CUFT	0	0	0	<input type="checkbox"/> Multi-Modal			
				<input type="checkbox"/> Associated TAMCNs (See Appendix)			
				<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)			

# A9300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9300: COMPUTER SYSTEM,DIG

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	35,530	5
AAO (FY17)	35,479	
O/H	5,426	16
Shortfall/Excess	-30,104	11

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
340	501	602	0	213	33,874	0	0	0	0	
424	558	410	0	213	33,874	0	0	0	0	
670	602	316	28	128	3664	0	2	0	0	
330	101	-286	28	-85	-30,210	0	2	0	0	

## Reset Strategy & Plan (Product Group: 10)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010014649346	11	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	11
7010090000349	0	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	0
70100900006211	4	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	4
7022014778695	1	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	1

**Notes:** All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# A9500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = A9500: COMPUTER, SERVER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	1,271	0
AAO (FY17)	1,270	
O/H	300	0
Shortfall/Excess	-971	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
60	57	36	0	25	1,093	0	0	0	0	
60	56	36	0	25	1,093	0	0	0	0	
52	37	41	0	10	157	0	3	0	0	
-8	-20	5	0	-15	-936	0	3	0	0	

### Reset Strategy & Plan (Product Group: 10)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7035014649366	0	100%	0%	0%	0%	0%	No	No	Yes	No	No	0	0	0

**Notes:** All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# B0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0003: AIR CONDITIONER, HORIZONTAL, 1.5T, 60HZ, 18K BTU

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	545	14
AAO (FY17)	531	
O/H	551	19
Shortfall/Excess	6	5

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
158	158	95	0	111	23	0	0	0	0	
151	151	95	0	111	23	0	0	0	0	
150	160	88	0	93	17	0	24	0	0	
-8	2	-7	0	-18	-6	0	24	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015261588	19	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	19
4120015810399	0	0%	0%	50%	0%	50%	No	No	No	No	No	0	0	0

**Notes:** For NSN 4120-01-526-1588 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-0399 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should be cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# B0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0008: AIR CONDITIONER, 5T, 60K

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	652	527
AAO (FY17)	679	
O/H	1,377	563
Shortfall/Excess	725	36

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
163	173	130	22	105	59	0	0	0	0	
177	183	116	39	105	59	0	0	0	0	
205	179	115	10	47	56	0	202	0	0	
42	6	-15	-12	-58	-3	0	202	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015261060	396	0%	0%	50%	0%	50%	Yes	No	No	No	No	15	183	198
4120015410646	2	0%	0%	50%	0%	50%	No	No	No	No	No	0	1	1
4120015812260	165	50%	0%	50%	0%	0%	No	No	No	No	No	0	83	82

**Notes:** For NSN 4120-01-526-1060 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2260 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should be cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	49	0.3

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0011: AIR CONDITIONER

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	10	9
Shortfall/Excess	10	9

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	1	0	0	0	0	0
0	0	0	0	1	0	0	0	0	0

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120003237780	1	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	1
4120011508112	8	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	8

**Notes:** DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.5

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# B0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0013: AIR CONDITIONER

The B0013 is a quieter, more reliable, vertical, compact 36,000 BTU/HR air conditioner that can be remotely operated.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	12	7
Shortfall/Excess	12	7

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	3	0	0	0	0	0	0	0	0
2	3	0	0	0	0	0	0	0	0

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120013590083	7	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	7

**Notes:** DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.3

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# B0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0014: ENVIRONMENTAL CONTROL UNIT, HORIZONTAL, 36K BTU

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,185	899
AAO (FY17)	3,134	
O/H	4,253	935
Shortfall/Excess	1,068	36

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
746	760	542	24	542	220	13	0	282	56	
744	732	504	41	542	220	13	0	282	56	
748	667	488	5	348	130	0	712	163	57	
2	-93	-54	-19	-194	-90	-13	712	-119	1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015262397	686	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	686
4120015811276	249	50%	0%	50%	0%	0%	No	No	No	No	No	125	0	124

**Notes:** For NSN 4120-01-526-2397 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN: 4120-01-581-1276 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should be cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0015: VAN, Z BACKSCATTER

The Backscatter X-ray Van is a low-cost, extremely maneuverable screening system built into a commercially available delivery van. It allows for immediate deployment in response to security threats.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	48	21
AAO (FY17)	48	
O/H	29	26
Shortfall/Excess	-19	5

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	3	45	0	0	0
0	0	0	0	0	3	45	0	0	0
0	0	0	0	0	3	0	0	0	0
0	0	0	0	0	0	-45	0	0	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015640135	8	0%	0%	0%	100%	0%	No	No	No	No	No	0	8	0
6665015314806	18	0%	0%	0%	100%	0%	Yes	No	No	No	No	0	18	0

**Notes:** Not currently a POR, PM requests that it go back to LOGCOM to be inventoried and determine what to do at that time. Power washing may be completed on the exterior (outside) only of this item. Care should be taken around wiring to prevent damage. DO NOT POWER WASH INSIDE OF SHELTER; interior contains sensitive electronics which water can damage. Use compressed air anUpon MCLB Albany Receiving equipment from theater, PM-CIED should be contacted so a complete inventory assessment can be performed to ascertain the equipments reliability status.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4.8

☐ Sensitive ☐ CCI

☒ Multi-Modal

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)  
☐ Sensitive Associated TAMCNs (see Appendix)

# B0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0018: INTEGRATED TRAILER, ECU AND GENERATOR

The Tactical Quiet Generators (TQG's) are currently being procured to replace the Military Standard Generators. The updated TQGs feature enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	88	56
AAO (FY17)	143	
O/H	204	68
Shortfall/Excess	116	12

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
14	15	5	8	39	7	0	0	0	0	
28	28	21	20	39	7	0	0	0	0	
20	14	11	0	40	10	0	41	0	0	
6	-1	6	-8	1	3	0	41	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015569648	68	25%	0%	75%	0%	0%	No	No	No	No	No	1	50	17

**Notes:** This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. For the ECU: The evaporator coil, condenser coil, and control cubicle should be cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11490A.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	102	0	2

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# B0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0023: EXPLOSIVE DETECTOR EVD 3000

The EVD3000 is the world's first and most recognized portable explosives trace detector with comprehensive explosives detection capabilities. It can detect even minute traces of C-4, TNT, Dynamite, PETN, Semtex, EGDN, DMNB, RDX, and Nitroglycerine, including ICAO taggants and tagged plastic explosives.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665015315570	0	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	0

**Notes:** Item is obsolete and should be disposed of in theater.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%



# B0024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0024: DISTRIBUTOR, WATER, TANK TYPE

Transports and distributes water providing soil stabilization, dust control and compaction capabilities.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	23	5
AAO (FY17)	26	
O/H	31	6
Shortfall/Excess	8	1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
7	7	3	0	6	0	0	0	0	0	
7	7	6	0	6	0	0	0	0	0	
7	6	5	0	4	0	0	3	0	0	
0	-1	2	0	-2	0	0	3	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3825014970690	6	0%	50%	50%	0%	0%	No	Yes	No	No	Yes	1	5	0

**Notes:** TANK MUST BE FLUSHED

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	299	0	17

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0025: HYDRO SEEDER, DUST ABATEMENT, TRAILER MOUNTED

The Hydroseeder comprises of a wheeled and skid mounted machine used to distribute water.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	32	8
AAO (FY17)	35	
O/H	56	8
Shortfall/Excess	24	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
7	7	3	0	6	0	3	6	0	0	
7	7	6	0	6	0	3	6	0	0	
5	6	5	0	3	1	0	28	0	0	
-2	-1	2	0	-3	1	-3	22	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3710015357449	8	0%	0%	0%	0%	100%	No	Yes	No	No	Yes	0	0	8

**Notes:** Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	119	0	2.9

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0026: HYDRO SEEDER, DUST ABATEMENT, SKID MOUNTED

The Hydroseeder comprises of a wheeled and skid mounted machine used to distribute water.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	32	7
AAO (FY17)	35	
O/H	55	7
Shortfall/Excess	23	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
7	7	3	0	6	0	3	6	0	0	
7	7	6	0	6	0	3	6	0	0	
7	7	5	0	3	0	0	26	0	0	
0	0	2	0	-3	0	-3	20	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3710015349817	7	0%	0%	0%	0%	100%	No	Yes	No	No	Yes	0	0	7

**Notes:** Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	700	2.4

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0027: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (INDOOR)

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,101	187
AAO (FY17)	1,174	
O/H	1,742	264
Shortfall/Excess	641	77

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
230	238	138	32	158	4	141	0	120	40	
232	233	156	90	158	4	141	0	120	40	
172	167	133	0	158	14	0	724	110	0	
-58	-71	-5	-32	0	10	-141	724	-10	-40	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321794	264	75%	0%	25%	0%	0%	No	No	No	No	No	66	0	198

**Notes:** Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0028: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (OUTDOOR)

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,058	503
AAO (FY17)	2,101	
O/H	2,604	625
Shortfall/Excess	546	122

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
428	445	256	10	313	4	282	0	240	80	
432	435	290	25	313	4	282	0	240	80	
328	340	266	0	278	18	0	526	223	0	
-100	-105	10	-10	-35	14	-282	526	-17	-80	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321821	625	75%	0%	25%	0%	0%	No	No	No	No	No	156	0	469

**Notes:** Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0029 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0029: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 15KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	615	289
AAO (FY17)	685	
O/H	965	304
Shortfall/Excess	350	15

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
146	146	84	19	84	3	69	0	48	16	
162	152	103	48	84	3	69	0	48	16	
71	83	71	0	76	8	0	304	48	0	
-75	-63	-13	-19	-8	5	-69	304	0	-16	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321764	304	75%	0%	25%	0%	0%	No	No	No	No	No	76	0	228

**Notes:** Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0030: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 30KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	529	340
AAO (FY17)	560	
O/H	847	264
Shortfall/Excess	318	-76

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
122	115	75	20	68	25	76	0	0	28	
130	115	88	30	68	25	76	0	0	28	
54	63	48	0	71	13	0	256	78	0	
-68	-52	-27	-20	3	-12	-76	256	78	-28	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321809	264	75%	0%	25%	0%	0%	No	No	No	No	No	66	0	198

**Notes:** Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	10	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# B0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0031: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 100KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW, 100kW, and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	222	175
AAO (FY17)	242	
O/H	367	151
Shortfall/Excess	145	-24

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
64	60	43	6	38	2	1	0	0	8	
68	62	48	15	38	2	1	0	0	8	
34	37	30	0	35	4	0	55	21	0	
-30	-23	-13	-6	-3	2	-1	55	21	-8	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321835	151	75%	0%	25%	0%	0%	No	No	No	No	No	38	0	113

**Notes:** Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0032: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 300KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	53	27
AAO (FY17)	55	
O/H	123	20
Shortfall/Excess	70	-7

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
16	16	10	0	10	1	0	0	0	0
16	16	12	0	10	1	0	0	0	0
8	9	6	0	15	1	0	53	11	0
-8	-7	-4	0	5	0	0	53	11	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321776	20	75%	0%	25%	0%	0%	No	No	No	N/A	No	5	0	15

**Notes:** Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0035: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT III

A truck, usually with a platform or cargo type body, equipped with a monorail mounting hoist or hydraulic lifting boom, designed to lift and/or transport bombs.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	74	12
AAO (FY17)	74	
O/H	37	14
Shortfall/Excess	-37	2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	10	5	0	3	8	20	2	12	4	
10	10	5	0	3	8	20	2	12	4	
7	3	2	0	0	5	0	6	0	0	
-3	-7	-3	0	-3	-3	-20	4	-12	-4	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015316425	9	0%	100%	0%	0%	0%	No	Yes	No	Yes	Yes	0	9	0
2355015811171	5	0%	100%	0%	0%	0%	No	Yes	No	Yes	Yes	0	5	0

**Notes:** Remove all C4I asset and disassociate prior to wash down. Both Variants of CAT III Buffalos are returning to MCLB Albany for Reset prior to fielding according to R2C and enduring requirements.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	237	0	12.5

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
--	--

<input type="checkbox"/> <b>Multi-Modal</b>
---

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input checked="" type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>

# B0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0036: GROUND EXPEDIENT FUEL SYSTEM MEDIUM

GERs is a collection of small collapsible tanks, hoses, connectors and pumps used to distribute fuel to Marine Corps ground equipment. 620 gal capacity. Four 155 gal collapsible tanks. 20 GPM Pumping capability. Refuel two vehicles simultaneously.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	288	8
AAO (FY17)	286	
O/H	368	29
Shortfall/Excess	80	21

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
73	71	45	3	47	2	6	0	30	11	
72	62	47	9	47	2	6	0	30	11	
80	72	48	8	47	0	0	51	23	10	
7	1	3	5	0	-2	-6	51	-7	-1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930015339826	29	0%	0%	50%	0%	50%	No	No	No	No	No	0	15	14

**Notes:** All liners can not be transported back to CONUS if they have been utilized.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	931	0.9

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0037 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0037: GROUND EXPEDIENT REFUELING SYSTEM SMALL

The GERS is a ground fuel dispensing system that can receive, store, transport and issue fuel. The GERS is a collection of small collapsible tanks, hoses, connectors and pumps used to distribute fuel to Marine Corps equipment and is transportable by any vehicle (HMMWV or larger).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	285	17
AAO (FY17)	270	
O/H	372	30
Shortfall/Excess	87	13

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
74	69	46	0	47	2	6	0	30	11	
69	60	45	0	47	2	6	0	30	11	
77	70	49	5	48	0	0	60	23	10	
3	1	3	5	1	-2	-6	60	-7	-1	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930015339830	30	0%	0%	50%	0%	50%	No	No	No	No	No	0	15	15

**Notes:** All liners cannot be transported back to CONUS if it has been utilized.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	365	0.5

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0038: ALL TERRAIN CRANE (ATC) MAC-50

The All Terrain Crane is a rubber tired, hydraulic boom, all terrain crane capable of lifting and swinging a maximum load of 80,000 pounds.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	167	7
AAO (FY17)	175	
O/H	164	9
Shortfall/Excess	-3	2

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
23	23	15	0	29	12	20	13	24	8	
26	25	18	0	29	12	20	13	24	8	
23	23	20	0	9	12	0	43	17	8	
0	0	5	0	-20	0	-20	30	-7	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3810015384030	7	0%	100%	0%	0%	0%	No	Yes	Yes	Yes	No	0	7	0
3810015793981	2	0%	100%	0%	0%	0%	No	Yes	Yes	Yes	No	0	2	0

**Notes:** All need to come back through MCLC. 3981 is the armored variant.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	318	0	34.9

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution


ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# B0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0039: AIRFIELD DAMAGE REPAIR (ADR) KIT

The Airfield Damage Repair Kit will provide Marine Corps units the capability to create useable landing surfaces by means of new construction or repair of existing facilities. The new kit will provide the ability to quickly repair seized enemy airfields that have sustained battle damage.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	29	8
AAO (FY17)	30	
O/H	28	8
Shortfall/Excess	-1	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	9	6	0	4	1	0	0	0	0	
9	9	7	0	4	1	0	0	0	0	
4	5	5	0	3	2	0	1	0	0	
-5	-4	-1	0	-1	1	0	1	0	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3895015390585	8	0%	0%	50%	50%	0%	No	No	No	No	No	8	0	0

**Notes:** All need to come back through MCLC.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	35.3

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# B0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0040: 277B MULTI-TERRAIN LOADER (MTL)

The Multi-Terrain Loader provides the Marine Corps with a versatile, deployable, and scalable capability.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	304	51
AAO (FY17)	320	
O/H	267	46
Shortfall/Excess	-37	-5

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
46	50	36	0	38	0	62	28	30	14	
53	57	38	0	38	0	62	28	30	14	
62	52	22	0	25	3	0	25	22	10	
16	2	-14	0	-13	3	-62	-3	-8	-4	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015393925	1	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	1
3805015500883	3	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	3
3805015696091	26	0%	50%	50%	0%	0%	No	Yes	Yes	Yes	No	14	12	0
3805015804542	16	0%	50%	50%	0%	0%	No	Yes	Yes	Yes	No	0	16	0

**Notes:** 4542 is armored, all of the rest are unarmored. The armored variant will be sent back to MCLC for depot maintenance. Unarmored variants will be sent to the MEFs to fill any deficiencies.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	75	0	4.7

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0044: BLADE.MINE CLEARING

The FWMP is an associated TAMCN of the Assault Breacher Vehicle.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	6
AAO (FY17)	0	
O/H	15	5
Shortfall/Excess	15	-1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
2	3	0	0	0	0	0	5	0	0	
2	3	0	0	0	0	0	5	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590992389283	5	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	5	0

**Notes:** Associated to the ABV. Equipment needs to be refreshed regardless of maintenance condition.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0049: LARGE FIELD REFRIGERATION SYS (LFRS)

The LFRS will comprise a 8x8x20 insulated container that meets ISO type 1, 20 foot standard. The LFRS will be dual mode to refrigerate or freeze perishable itemss. It will support numerous customers to include Marine Corps field food Service system and will be also support Motruary Affairs.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	134	4
AAO (FY17)	133	
O/H	94	13
Shortfall/Excess	-40	9

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
18	23	11	0	42	9	20	0	0	11	
18	18	15	0	42	9	20	0	0	11	
18	23	7	0	10	8	0	4	0	11	
0	0	-4	0	-32	-1	-20	4	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4130015629914	13	0%	0%	0%	0%	100%	No	No	No	N/A	No	0	0	13

**Notes:** Many of these items were ARMY assets and are not ours - follow instructions only if they are our assets. If serviceable, distribute to MEF, if unserviceable DRMO. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11574A. MARCORSYSCOM has not shipped ANY of this TAMCN / NSN to OEF, so none of these are in OEF to our knowledge. Commercial boxes may look similar, but are white in color and do not have the safety features of the USMC LFRS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.3

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# B0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0055: BATH SHOWER UNIT, EXPEDITIONARY, FIELD

The Bath Shower Unit, Expedition consists of six separate but identical and interchangeable shower modules, with interconnecting hoses, electrical power feed water and drain pumps, and a drain hose to conduct water away from the shower area.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	293	35
AAO (FY17)	318	
O/H	334	34
Shortfall/Excess	41	-1

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
55	55	33	0	40	4	48	10	36	12	
62	60	46	0	40	4	48	10	36	12	
50	40	37	0	22	4	0	88	38	21	
-5	-15	4	0	-18	0	-48	78	2	9	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4510011636775	34	75%	0%	25%	0%	0%	No	No	No	No	No	9	0	25

**Notes:** Not classified

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	108	0.5

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0058 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0058: LTWT VEH MOUNTED MINE ROLLER SYS

The Mine Roller System (MRS) is a countermine system that is mounted on wheeled vehicles to reduce the impact of pressure-activated explosive devices. The MRS detects and neutralizes mines and improvised explosive devices before the host vehicle passes over them.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	765	700
AAO (FY17)	755	
O/H	803	698
Shortfall/Excess	38	-2

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
31	30	16	0	3	33	652	0	0	0	
30	29	8	0	3	33	652	0	0	0	
33	31	19	0	0	22	0	0	0	0	
2	1	3	0	-3	-11	-652	0	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590015439655	0	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	0
2590015447173	1	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	1
2590015456776	0	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	0
2590015536517	32	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	32
2590015794990	665	0%	50%	50%	0%	0%	No	No	No	No	Yes	0	665	0

**Notes:** Current strategy is to dispose of the obsolete NSNs. AAO for 4990 is probably going to be reduced, but items should still go to fill shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0060: MEDIUM CRAWLER TRACTOR (JOHN DEERE)

Militarized crawler tractor type with straight blade and drawbar.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	401	64
AAO (FY17)	408	
O/H	379	64
Shortfall/Excess	-22	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
48	48	25	0	58	29	96	40	51	6	
48	44	36	0	58	29	96	40	51	6	
51	48	33	0	44	31	0	62	40	6	
3	0	8	0	-14	2	-96	22	-11	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015585671	15	0%	50%	50%	0%	0%	No	Yes	Yes	Yes	No	0	15	0
2320015895117	49	0%	100%	0%	0%	0%	No	Yes	Yes	No	No	0	49	0

**Notes:** 5117 is armored, all of the rest are unarmored. The armored variant will be sent back to MCLC for depot maintenance. Unarmored variants will be sent to the MEFs to fill any deficiencies.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	155	0	34.9

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# B0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0061: COOLING AND REFRIGERATION EXPEDITIONARY TOOL KIT (CREK)

The Cooling and Refrigeration Expeditionary Kit (CREK) is an expeditionary support package that will be used by the Refrigeration Mechanic (MOS 1161) to maintain the new family of environmental control and refrigeration equipment. The CREK will replace the current Refrigeration Mechanics and Service Toolkits (TAMCNB2280 NSN 5180-00-637-2667, B2290 NSN3439-00-637-2668 & B1713 4330-01-411-7240). This kit will update the current tools the 1161 utilizes in both technology and safety. It will also greatly enhance the expeditionary capability.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	390	35
AAO (FY17)	415	
O/H	412	29
Shortfall/Excess	22	-6

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
90	83	58	4	79	3	28	0	27	18	
99	92	64	5	79	3	28	0	27	18	
106	83	62	3	44	7	0	41	21	16	
16	0	4	-1	-35	4	-28	41	-6	-2	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015585664	29	0%	0%	100%	0%	0%	No	No	No	No	No	0	29	0

**Notes:** Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. This is a tool kit that may be incomplete and require replacement tools/components be reordered. IMA and Depot Level Maintenance are NOT part of the maintenance concept for this item. Highly pilferable, should not go down the GLOC. All tools need to be wiped down and the exterior of the cases can be cleaned with low pressure washer. SL-3: SL-3-11502A

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ Sensitive ☐ CCI

☒ Multi-Modal

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# B0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0062: TOOL KIT, LINESMAN ELECTRICAL

The Lineman's Tool Kit is a standardized lineman's basic tool kit that provides a wide range of necessary tools for the basic electrician. configuration controlled.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	403	19
AAO (FY17)	409	
O/H	502	14
Shortfall/Excess	99	-5

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
78	85	54	15	56	4	0	0	84	27	
88	84	49	17	56	4	0	0	84	27	
83	61	55	3	34	7	0	194	51	0	
5	-24	1	-12	-22	3	0	194	-33	-27	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015500145	14	0%	0%	100%	0%	0%	No	No	No	Yes	No	14	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0063: LOADER, SCOOP TYPE

The TRAM is a multi-purpose machine that is employed throughout the Marine Corps with its forklift attachment in support of heavy lifts up to 10,000 lbs and horizontal construction operations. When configured as a bucket loader it is utilized to, excavate earthen material, move excavated materials, and to load haul units such as dump trucks.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	831	126
AAO (FY17)	828	
O/H	842	119
Shortfall/Excess	11	-7

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
113	120	91	12	107	33	148	65	105	37	
120	119	83	11	107	33	148	65	105	37	
119	120	83	10	90	34	0	129	101	37	
6	0	-8	-2	-17	1	-148	64	-4	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015497814	34	0%	100%	0%	0%	0%	No	Yes	Yes	Yes	No	0	34	0
3805015891659	85	0%	100%	0%	0%	0%	No	Yes	Yes	No	No	0	85	0

**Notes:** 7814 is unarmored variant.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	186	0	18.7

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B0065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0065: ARMORED EXCAVATOR WITH BRUSH HOG

The Backhoe, Excavator is a pneumatic hydraulically operated excavator. It is used in the development of field fortifications, trenching operations, emplacement of culverts, drainage ditch construction and maintenance, quarry support operations and loading.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	8	8
AAO (FY17)	8	
O/H	6	6
Shortfall/Excess	-2	-2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	8	0	0	0
0	0	0	0	0	0	8	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	-8	0	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3815015503454	6	0%	0%	0%	100%	0%	No	Yes	No	Yes	Yes	0	6	0

**Notes:** Not spending any money to reset equipment, but needs to return to depot. Investigating possible FMS candidate.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	31.7

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0066: CONTAINERIZED BATCH LAUNDRY

The Containerized Batch Laundry (CBL) is a 100KW Generator powered COTS Laundry item configured into a standard 8' x 8' x 20' ISO Container and consists of two industrial 55 pound washers, two industrial 75 pound dryers, and a 30 GPM supply pump.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	85	20
AAO (FY17)	111	
O/H	102	17
Shortfall/Excess	17	-3

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
22	22	4	0	10	4	0	7	12	4	
28	26	20	0	10	4	0	7	12	4	
22	16	17	0	11	4	0	0	11	4	
0	-6	13	0	1	0	0	-7	-1	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3510015498384	17	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	6	11	0

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.3

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0067: GROUND TORCH

The Ground Torch is a trailer mounted unit designed to burn vegetation along rivers, canals, and roads. It can also be used to open up supply routes through thick vegetation, or wherever the tactical situation requires that vegetation be cleared.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	7
AAO (FY17)	0	
O/H	18	11
Shortfall/Excess	18	4

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
2	0	0	0	0	0	0	5	0	0	
2	0	0	0	0	0	0	5	0	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1040015503421	11	0%	0%	0%	0%	100%	No	No	No	No	Yes	0	0	11

**Notes:** No current requirement for item across the USMC. Candidate for FMS.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.4

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0069: CLIMBERS SET, TREE AND POLE

Tool Kit used by electricians (MOS 1141) that contains items necessary to climb poles and work on electrical wiring.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	395	5
AAO (FY17)	389	
O/H	216	4
Shortfall/Excess	-179	-1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
78	85	57	6	56	2	0	0	84	27	
84	82	50	4	56	2	0	0	84	27	
27	64	15	0	44	2	0	25	35	0	
-51	-21	-42	-6	-12	0	0	25	-49	-27	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4240002739668	0	0%	0%	0%	100%	0%	Yes	No	No	No	No	0	0	0
5180015508373	4	0%	0%	100%	0%	0%	No	No	No	No	No	4	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	16	0.1

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0071: LIGHT WEIGHT WATER PURIFICATION SYSTEM

The LWPS uses reverse osmosis technology to produce 125 GPH from fresh water/brackish water sources and 75 GPH from saltwater sources.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	166	25
AAO (FY17)	205	
O/H	59	25
Shortfall/Excess	-107	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
40	40	11	0	22	8	25	20	0	0	
46	44	40	0	22	8	25	20	0	0	
20	6	0	0	0	8	0	0	0	0	
-20	-34	-11	0	-22	0	-25	-20	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610015728283	25	25%	75%	0%	0%	0%	No	Yes	No	No	No	0	19	6

**Notes:** All should go to the MCLC as they are designated WRMR items. MEFs should receive new units in about a year, from once full fielding is complete.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# B0074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0074: AIR CONDITIONER, MCS HORIZONTAL, 60HZ, 9K BTU

Window-style Air conditioner for rigid wall environmental control.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	214	22
AAO (FY17)	214	
O/H	257	31
Shortfall/Excess	43	9

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
47	47	37	0	46	5	21	11	0	0	
47	47	37	0	46	5	21	11	0	0	
48	57	39	0	35	6	0	41	0	0	
1	10	2	0	-11	1	-21	30	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015525223	31	0%	0%	0%	0%	100%	Yes	No	No	N/A	No	0	0	31
4120015812650	0	0%	0%	0%	0%	100%	No	No	No	N/A	No	0	0	0

**Notes:** For NSN 4120-01-552-5223 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2650 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should be cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-4120

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0075: SMALL FIELD REFRIGERATOR

The SFRS is an 8'x8'x6.5' insulated TRICON container that can be interlocked with two additional TRICONs to meet ISO standards. An integrated externally-powered Refrigeration Unit (RU) provides controlled refrigeration or freezing of perishable items. The SFRS will support numerous customers, to include Marine Corps Field Food Service System (FFSS).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	611	240
AAO (FY17)	613	
O/H	563	231
Shortfall/Excess	-48	-9

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
114	114	69	0	158	21	41	37	12	45	
121	104	74	0	158	21	41	37	12	45	
81	95	80	0	5	19	0	41	0	11	
-33	-19	11	0	-153	-2	-41	4	-12	-34	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4130015657655	231	25%	0%	75%	0%	0%	No	No	No	No	No	52	121	58

**Notes:** Funding has already been obtained for replacing all in theater, so return to CONUS only if serviceable. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11609A.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	312	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0076: MTL WORK TOOL SET

Tool set to support maintenance of the MTL.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	88	31
AAO (FY17)	99	
O/H	155	24
Shortfall/Excess	67	-7

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
15	16	10	3	22	1	0	0	15	6	
17	18	14	6	22	1	0	0	15	6	
29	20	9	3	21	0	0	29	15	5	
14	4	-1	0	-1	-1	0	29	0	-1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015534073	24	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	24	0

**Notes:** Used with B0040

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	105	0	3.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

**TAMCN = B0078: GRADER, MOTORIZED**

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	132	
AAO (FY17)	137	
O/H	157	28
Shortfall/Excess	25	

**Influences R2  
Distribution**



## REQUIREMENTS

*Representative Picture*

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
21	22	16	0	18	14	17	0	18	6
24	22	18	0	18	14	17	0	18	6
23	21	13	0	18	15	0	39	0	0
2	-1	-3	0	0	1	-17	39	-18	-6

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015660558	0	0%	100%	0%	0%	0%	No	Yes				0	0	0
3805015982715	28						No					0	28	0

**Notes:**

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

### Lift Criteria

CAT I:	
CAT II:	
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2181	15.6

### Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0079: RIPPER FOR MCT

Attachment mounted on the medium crawler tractor.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	152	16
AAO (FY17)	155	
O/H	147	21
Shortfall/Excess	-5	5

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
18	18	15	0	15	12	42	0	24	8	
20	19	15	0	15	12	42	0	24	8	
24	22	11	0	15	3	0	26	22	3	
6	4	-4	0	0	-9	-42	26	-2	-5	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830015626715	21	0%	0%	100%	0%	0%	No	No	No	No	No	0	21	0

**Notes:** This item is an attachment for B0060.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	218	2.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0081: WINCH ATTACHMENT, SINGLE DRUM

Attachment mounted on the medium crawler tractor.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	148	16
AAO (FY17)	153	
O/H	163	25
Shortfall/Excess	15	9

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
30	26	20	0	24	15	13	0	15	5	
32	30	19	0	24	15	13	0	15	5	
30	38	16	0	18	5	0	5	23	3	
0	12	-4	0	-6	-10	-13	5	8	-2	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830015626695	25	0%	50%	50%	0%	0%	No	Yes	No	No	No	0	25	0

**Notes:** This item is used with B0060. Request separate WIRs for B0060 and B0081.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	64	1.5

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

B0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0086: BLADE

The FWMP is an associated TAMCN of the Assault Breacher Vehicle.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	5
AAO (FY17)	0	
O/H	7	5
Shortfall/Excess	7	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1	1	0	0	0	0	0	0	0	0	
1	1	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590991338188	5	0%	100%	0%	0%	0%	No	No	No	No	No	0	5	0

Notes: This equipment is used on B0160.

R2 Distribution Plan

Equipment Assessment Information

if Mission Capable then MCLC  
if Not Mission Capable MEF then MCLC  
if Not Mission Capable then MCLC  
if Condemned then MCLC

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	21	0	0.3

Transportation Information

Redeployment Lift Criteria CAT I:  
A: Critical/Sensitive; M/S - AK or AC  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC  
D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive

☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# B0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0091: TANK,FUEL,PORTABLE

Fuel Containers



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	7
AAO (FY17)	0	
O/H	32	32
Shortfall/Excess	32	25

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2910015879196	32	0%	0%	0%	0%	100%	No	No	Yes	No	Yes	0	0	32

**Notes:** Items in OEF can be DRMO'd - candidate for FMS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	6.3

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0092: TRAILER SET,MINE DE

The three mine detonation trailers are pulled by a single husky vehicle in order to produce large ground pressure in order to initiate pressure plate firing systems in mines and IEDs. The tires of the three trailers are staggered in a manner that ensures pressure is applied to the entire width of the travelled lane.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF	OPERATING FORCES								MCLC			
			I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN		
AAO (FY12)	38	12	2	2	2	0	2	6	6	2	12	4		
AAO (FY17)	35		1	1	1	0	2	6	6	2	12	4		
O/H	44	16	17	9	0	0	0	2	0	0	0	0		
Shortfall/Excess	6	4	15	7	-2	0	-2	-4	-6	-2	-12	-4		

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015294229	16	0%	50%	50%	0%	0%	No	Yes	No	No	Yes	2	14	0

**Notes:** AAO's are being established. Used by B0093.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0093 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0093: MINE DETECTOR SYSTE

The Husky is an armored vehicle that can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. It imparts low ground pressure and can be repaired in the field if it is struck by an explosive device.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	104	40
AAO (FY17)	84	
O/H	76	40
Shortfall/Excess	-28	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
16	16	16	0	4	12	4	4	24	8	
12	12	4	0	4	12	4	4	24	8	
18	6	0	0	0	4	0	8	0	0	
2	-10	-16	0	-4	-8	-4	4	-24	-8	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015602306	40	0%	50%	50%	0%	0%	No	Yes	No	No	Yes	26	14	0

**Notes:** AAO's are being established.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0094 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0094: RED PACK

The Red Pack is a trailer towed by a Husky that provides special tools and parts to repair a damaged Husky in a field environment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	52	15
AAO (FY17)	42	
O/H	31	17
Shortfall/Excess	-21	2

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	8	0	2	6	2	2	12	4	
6	6	2	0	2	6	2	2	12	4	
9	3	0	0	0	2	0	0	0	0	
1	-5	-8	0	-2	-4	-2	-2	-12	-4	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2541015602332	17	50%	25%	25%	0%	0%	No	No	No	No	Yes	4	4	9

**Notes:** AAO's are being established. Used by B0093.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☒ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0096: MINE,ROLLER SYSTEM

The Heavy Scout Mine Roller is a non-articulating mine roller that can attach to any standard mine roller interface bracket. It is lighter than the Generation III roller and is used primarily by Marine Corps Light Armored Vehicles (LAV) and Afghan National Army High Mobility Multi-Wheeled Vehicles (HMMWV).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	23
AAO (FY17)	0	
O/H	32	20
Shortfall/Excess	32	-3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
12	0	0	0	0	0	0	0	0	0	
12	0	0	0	0	0	0	0	0	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590015890393	20	50%	0%	50%	0%	0%	No	No	No	No	Yes	0	10	10

**Notes:** AAO's are being established.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0102: DETECTING SET,MINE

Handheld Low Metallic Signature detector.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	200	230
AAO (FY17)	200	
O/H	295	239
Shortfall/Excess	95	9

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	200	0	0	0
0	0	0	0	0	0	200	0	0	0
6	30	5	0	0	15	0	0	0	0
6	30	5	0	0	15	-200	0	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665123710357	239	0%	0%	0%	100%	0%	Yes	No	No	No	Yes	0	239	0

**Notes:** UUNs requirement only, no AAO established for after the war. FMS is pending - hold in country at MCLC Fwd until determination is made.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B0120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0120: BRIDGE ERECTION SET -MGB

Supports installation of Medium Girder Bridge.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	24	4
AAO (FY17)	26	
O/H	20	4
Shortfall/Excess	-4	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
3	3	0	0	6	2	4	2	3	1	
4	4	0	0	6	2	4	2	3	1	
1	3	2	0	5	1	0	2	2	0	
-2	0	2	0	-1	-1	-4	0	-1	-1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5420001723519	4	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	4	0

**Notes:** Associated with B0152

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	729	3

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# B0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0152: BRIDGE, MEDIUM GIRDER, DRY GAP - (MGB)

MLC 70 standard bridge for we or dry gaps up to 60M.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	44	10
AAO (FY17)	46	
O/H	42	10
Shortfall/Excess	-2	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
3	3	0	0	6	2	4	22	3	1	
4	4	0	0	6	2	4	22	3	1	
0	3	4	0	4	2	0	14	4	1	
-3	0	4	0	-2	0	-4	-8	1	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5420001723520	10	0%	50%	0%	50%	0%	No	Yes	No	Yes	No	0	10	0

**Notes:** Used with B0120 and B1720

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	571	3.5

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B0160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0160: ASSAULT BREACHER VEHICLE

Provides instride or deliberate breaching capability of minefields and complex obstacles.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	50	5
AAO (FY17)	42	
O/H	35	6
Shortfall/Excess	-15	1

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
5	5	8	0	0	10	0	7	15	0	
5	5	0	0	0	10	0	7	15	0	
4	1	0	0	0	9	0	0	15	0	
-1	-4	-8	0	0	-1	0	-7	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2350015117783	6	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	6	0

**Notes:** Remove cameras before washdown and leaving theater.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	312	0	65

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input type="checkbox"/> Multi-Modal
--------------------------------------

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
--

<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
--

# B0171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0171: BUCKET, CLAMSHELL

The Bucket, Clamshell is hydraulically operated and capable of working at, above and below ground level. It is capable of digging loose to medium type soils and suitable for excavating vertical shafts or footings, filling bins or hoppers, and unloading aggregate from flat bottom gondola railroad cars.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	76	2
AAO (FY17)	80	
O/H	84	2
Shortfall/Excess	8	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
13	13	6	0	13	3	0	0	24	4
13	13	10	0	13	3	0	0	24	4
16	13	8	0	5	0	0	19	17	4
3	0	2	0	-8	-3	0	19	-7	0

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3815015515938	2	0%	0%	100%	0%	0%	No	Yes	No	No	No	0	2	0

**Notes:** Used with B0038.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	71	1.4

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0176: BUCKET, CONCRETE

Used by the ATC to support concrete pouring operations.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	35	2
AAO (FY17)	40	
O/H	9	3
Shortfall/Excess	-26	1

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
8	8	5	0	8	4	2	0	0	0
8	8	10	0	8	4	2	0	0	0
2	2	2	0	0	0	0	0	0	0
-6	-6	-3	0	-8	-4	-2	0	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3815012919223	3	0%	0%	0%	0%	100%	No	Yes	yes	No	No	0	0	3

**Notes:** All should be DRMO'd in country - currently purchasing replacements - same TAMCN new NSN.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	86	0.4

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0215: BUCKET, MULTI-PURPOS

The Bucket, Multi-Purpose, 4-in-1, 2.47 Cubic Yard is used as a front end scoop bucket for picking up various types of fill material and loading the same into fill haulers.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	198	56
Shortfall/Excess	198	56

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
6	32	1	4	16	4	0	40	39	0	
6	32	1	4	16	4	0	40	39	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830014828567	56	0%	25%	75%	0%	0%	No	Yes	No	No	No	0	56	0

**Notes:** AAO's are pending. Used with B0063.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	21	0	0.3

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0281: CAMERA SUITE, DIGITAL, ADVANCED (TACPHOTO)

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	34	0
Shortfall/Excess	34	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	3	31	0	0	0	0	0	0	0	
0	3	31	0	0	0	0	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720090004310	0	0%	0%	0%	100%	0%	Yes	No	No	Yes	Yes	0	0	0

**Notes:** This TAMCN is obsolete and is now reflected as A0338 (instructions for the "A" TAMCN is also included in this R2 Playbook).

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then  
if **Not Mission Capable MEF** then  
if **Not Mission Capable** then  
if **Condemned** then

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC  
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

# B0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0282: CAMERA SUITE, DIGITAL, BASIC

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	72	0
Shortfall/Excess	72	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	1	48	7	0	0	0	0	0	0	
0	1	48	7	0	0	0	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720090004311	0	0%	0%	0%	100%	0%	Yes	No	No	No	No	0	0	0

**Notes:** This TAMCN is obsolete and is now reflected as A0339 (instructions for the "A" TAMCN is also included in this R2 Playbook).

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then  
if **Not Mission Capable MEF** then  
if **Not Mission Capable** then  
if **Condemned** then

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC  
D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%



# B0283 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0283: CAMERA SUITE, DIGITAL, VIDEO

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	48	0
Shortfall/Excess	48	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1	6	30	5	5	0	0	0	0	0	
1	6	30	5	5	0	0	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836090004313	0	0%	0%	0%	0%	0%	No	No	No	No	No	0	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then  
 if **Not Mission Capable MEF** then  
 if **Not Mission Capable** then  
 if **Condemned** then

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0360 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0360: COMPRESSOR UNIT,REC

An assembled unit consisting of a commonly mounted reciprocating compressor(s) and a prime mover(s).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	17	3
Shortfall/Excess	17	3

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	6	0	4	2	0	0	0	0	2	
0	6	0	4	2	0	0	0	0	2	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4310012501034	3	0%	0%	0%	100%	0%	No	No	No	No	No	0	3	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

# B0392 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0392: CONTAINER HANDLER, RT, KALMAR

The RTCH is a versatile, rough terrain container handler capable of handling commercial and military 20 and 40 ft. ISO containers weighing up to 53,000 pounds. It will be capable of transporting, handling and stacking these containers over rough terrain.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	163	18
AAO (FY17)	162	
O/H	150	22
Shortfall/Excess	-13	4

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
14	14	12	1	11	6	39	10	42	14	
14	13	12	1	11	6	39	10	42	14	
16	14	12	1	4	7	0	30	41	3	
2	0	0	0	-7	1	-39	20	-1	-11	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3930015227364	22	0%	100%	0%	0%	0%	No	Yes	Yes	Yes	No	0	22	0

**Notes:** All equipment needs to come back through MCLC.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	591	0	59

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B0395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0395: COMPRESSOR, AIR, 260CFM, W/PNEUMATIC TOOLS

The Compressor, Air is a trailer-mounted unit which furnishes compressed air at a rate of 250 cubic feet per minute, at a pressure of 100 pounds per square inch.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	215	19
AAO (FY17)	231	
O/H	234	29
Shortfall/Excess	19	10

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
34	33	24	2	30	6	46	0	30	10	
41	39	25	4	30	6	46	0	30	10	
36	32	13	2	18	10	0	56	28	10	
2	-1	-11	0	-12	4	-46	56	-2	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3820015427652	18	0%	100%	0%	0%	0%	No	Yes	Yes	Yes	No	0	18	0
4310014988886	11	0%	100%	0%	0%	0%	No	Yes	Yes	Yes	No	0	11	0

**Notes:** All equipment needs to come back through MCLC.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	134	0	4.5

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B0446 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0446: AIR MOBILE CRANE, RT, HYDRAULIC, LT (SLEP)

The Crane, Wheel Mounted is an air transportable, self-propelled, diesel engine-driven, rubber-tired, four-wheel drive four-wheel steer, 7-1/2 to 10 ton capacity, hydraulically operated crane.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	188	14
AAO (FY17)	193	
O/H	210	23
Shortfall/Excess	22	9

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
18	17	10	0	25	11	52	7	36	12	
19	18	13	0	25	11	52	7	36	12	
20	17	12	0	19	10	0	67	28	14	
2	0	2	0	-6	-1	-52	60	-8	2	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3810011650646	0	0%	0%	0%	0%	100%	Yes	Yes	No	Yes	No	0	0	0
3810015169718	22	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	22	0
3810015789682	1	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	1	0

**Notes:** NSN ending in 0646 is obsolete.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	210	0	11.3

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B0471 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0471: DEMOLITION EQUIPMENT, ENGINEER SQUAD

The Squad Demolition Kit (SDK) consists of tools and equipment that enable Marines to conduct demolition operations. It includes crimpers, wire reels, pelican case, bandoleers, backpack, electrical circuit test equipment, and blasting machines.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	541	70
AAO (FY17)	536	
O/H	444	76
Shortfall/Excess	-97	6

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
68	72	62	15	74	17	120	0	92	21	
75	75	55	7	74	17	120	0	92	21	
63	43	18	7	53	7	0	48	113	16	
-5	-29	-44	-8	-21	-10	-120	48	21	-5	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1375000473750	43	50%	0%	50%	0%	0%	No	No	No	No	No	0	22	21
1375002124589	33	0%	0%	50%	50%	0%	No	No	No	No	No	0	33	0

**Notes:** This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. No longer using nsn ending in 4589, but will be brought back, use some of the parts and upgrade the rest. This TAMCN is associated with E0359.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0472 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0472: DEMOLITION EQUIPMENT, INDIV

The Demolition Equipment Set, Explosive-Initiating, Nonelectric, Individual is for the use of the individual demolitionist and is comprised of tools and accessories, less explosive items, with specially designed containers and carrying attachments.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,584	37
AAO (FY17)	1,474	
O/H	2,279	32
Shortfall/Excess	695	-5

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
368	360	199	44	331	0	75	0	207	0	
377	308	167	9	331	0	75	0	207	0	
86	192	55	0	215	0	0	1,504	195	0	
-282	-168	-144	-44	-116	0	-75	1,504	-12	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1375000473751	32	50%	0%	50%	0%	0%	No	No	Yes	No	No	16	0	16

**Notes:** This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D


<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# B0475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0475: DETECTING SET, MINE, METALLIC, PORTABLE

The Detecting Set, Mine, Portable, Metallic is a portable device for detecting metallic objects, specifically intended for detecting buried metallic anti-tank and anti-personnel mines.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	165	20
Shortfall/Excess	165	20

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
32	31	2	0	43	7	0	30	0	0
32	31	2	0	43	7	0	30	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665001447655	0	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	0
6665219061023	20	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	20

**Notes:** Item is obsolete - DRMO in theater.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B0476 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0476: DETECTOR, MINE, ADVANCED

The AMD is a battery operated, handheld mine detection device consisting of a battery pack, hand held wand with controls, metallic and GPR sensors and Through the Wall Detection capability.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	812	81
AAO (FY17)	784	
O/H	977	196
Shortfall/Excess	165	115

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
124	142	147	5	132	22	108	0	132	0	
144	136	97	13	132	22	108	0	132	0	
196	143	64	9	127	22	0	92	128	0	
72	1	-83	4	-5	0	-108	92	-4	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665015047769	3	0%	0%	0%	0%	100%	No	Yes	No	No	No	0	0	3
6665015274643	193	0%	25%	25%	0%	50%	No	Yes	No	No	No	72	24	97

**Notes:** NSN ending in 7769 is being replaced by NSN 4643.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0570: DRUM, FABRIC, COLLAPSIBLE, LIQUID FUEL, 500 GAL

The Drum, Fabric, Collapsible, Liquid Fuel, 500 Gallon is a durable, non-vented, hermetically sealed, collapsible fabric container used to store or transport gasoline, oil, lubricants, diesel and jet fuels, and other petroleum products.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	1,684	134
AAO (FY17)	1,670	
O/H	1,103	133
Shortfall/Excess	-581	-1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
352	352	256	8	342	18	24	0	168	164	
395	386	156	17	342	18	24	0	168	164	
231	267	183	0	47	6	14	10	130	82	
-121	-85	-73	-8	-295	-12	-10	10	-38	-82	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
8110009652313	133	100%	0%	0%	0%	0%	No	No	No	No	No			

**Notes:** Item is considered serviceable only if not previously used (new). Items in theater can be DRMO'd and is also a candidate for FMS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF (NEW)**  
 if **Not Mission Capable MEF** then **DRMO (USED)**  
 if **Not Mission Capable** then **DRMO (USED)**  
 if **Condemned** then **DRMO (USED)**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	29	0.2

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0571 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0571: DRUM, FABRIC, COLLAPSIBLE, 500 GAL. CAP., WATER

The Drum, Fabric, Collapsible, Potable Water, 500 gallon is a pillow type, synthetic rubber-impregnated nylon drum. It is designed for use with the Forward Area Water Point Supply System (FAWPSS).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	432	120
AAO (FY17)	493	
O/H	416	51
Shortfall/Excess	-16	-69

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
70	70	60	0	48	16	0	0	126	42	
81	81	99	0	48	16	0	0	126	42	
70	61	58	0	4	0	0	77	95	0	
0	-9	-2	0	-44	-16	0	77	-31	-42	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
8110011220015	27	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	27
8110014089013	0	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	0
8110014090789	24						No					11	1	12

**Notes:** Item is considered serviceable only if not previously used (new). Items in theater can be DRMO'd and is also a candidate for FMS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	112	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0572 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0572: TANK, FABRIC, COLLAPSIBLE, 50K

The Assembly, Fuel, Collapsible c/Chest 50,000 Gallon Capacity, is used to store and to dispense fuel in military operations. The maximum capacity of this tank is 50,000 gallons.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	1,189	44
AAO (FY17)	1,170	
O/H	342	36
Shortfall/Excess	-847	-8

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
126	149	94	0	300	4	45	0	359	112	
149	145	56	0	300	4	45	0	359	112	
42	52	16	0	35	4	0	157	0	0	
-84	-97	-78	0	-265	0	-45	157	-359	-112	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430014795099	6						No					3	0	3
5430014795116	30	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	30

**Notes:** Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	110	0.8

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0573 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0573: TANK, FUEL, FABRIC, COLLAPSIBLE, 3000-GAL CAP

The Fuel Tank Assembly, Fabric, Collapsible is used to store and to dispense fuel in military operations. The maximum capacity of this tank is 3,000 gallons.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	207	51
AAO (FY17)	207	
O/H	153	52
Shortfall/Excess	-54	1

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
36	36	21	0	9	3	30	0	54	18	
36	36	21	0	9	3	30	0	54	18	
24	44	27	0	3	3	0	0	0	0	
-12	8	6	0	-6	0	-30	0	-54	-18	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2910015391071	2	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	2
5430014850103	45	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	45
5430014858340	5	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	5
5430015427938	0	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	0

**Notes:** Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.3

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B0574 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0574: TANK, FABRIC, COLLAPSIBLE, 20K

The Tank Assembly, Fabric, Collapsible w/Chest: 20,000 Gallon Capacity, is used to store and to dispense military fuels in military operations. When filled it has a maximum capacity of 20,000 gallons.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	742	42
AAO (FY17)	764	
O/H	276	39
Shortfall/Excess	-466	-3

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
106	116	80	0	144	6	0	0	220	70	
129	123	72	0	144	6	0	0	220	70	
50	67	43	0	77	0	0	0	0	0	
-56	-49	-37	0	-67	-6	0	0	-220	-70	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430010586293	11	100%	0%	0%	0%	0%	No	No	No	No	No			
5430011267623	28	100%	0%	0%	0%	0%	No	No	No	No	No			

**Notes:** Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF (NEW)**  
 if **Not Mission Capable MEF** then **DRMO (USED)**  
 if **Not Mission Capable** then **DRMO (USED)**  
 if **Condemned** then **DRMO (USED)**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.6

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%



# B0579 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0579: DUMMY LOAD, GENERATOR SET, ELECT, 100KW, TRLR-MTD

The Dummy Load, Generator Set, 100 Kw provides electrical load simulating capabilities for maintenance and operational evaluation of mobile electrical power sources.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	250	33
AAO (FY17)	272	
O/H	279	29
Shortfall/Excess	29	-4

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
48	49	28	2	33	14	56	0	15	5	
56	57	31	5	33	14	56	0	15	5	
52	52	36	2	43	17	0	22	13	13	
4	3	8	0	10	3	-56	22	-2	8	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6150013062943	11	0%	0%	0%	0%	100%	Yes	No	No	N/A	No	0	0	11
6150015571304	18	0%	0%	100%	0%	0%	No	No	No	N/A	No	0	18	0

**Notes:** For NSN 6150-01-306-2943: Dispose of In Theater; Do NOT return to CONUS. For NSN 6150-01-557-1304 (new AVTRON model): Re-distribute within MEF FWD to fill EDL shortages. Upon retrograde, conduct LTI and determine worth returning to CONUS or not. If returned to CONUS, return to Condition Code "A" at Using Unit or IMA and make SL-3 complete. Re-distribute to fill any shortages within the Marine Corps; store any excess at MARCORLOGCOM. Load banks require special consideration for washdown. The internals of a load bank should never be cleaned with running water. Damp cloths can be used to wipe out any residue vacuums won't remove. Water can be used to clean the exterior of a load bank as long as all doors are tightly closed and high pressure water is not directed into any seam or opening on the load bank. SL-3: SL-3-07500C

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	1

☐ Sensitive ☐ CCI

☒ Multi-Modal

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# B0585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0585: NSN NOT PROCURABLE

B0585 is obsolete.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	6	0
Shortfall/Excess	6	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	6	0	0	0	0	0	0	0	0
0	6	0	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110011715398	0	0%	100%	0%	0%	0%	No	No	No	No	No	0	0	0
9999011715398	0	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	0	0

**Notes:**

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

# B0589 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0589: EXCAVATOR COMBAT (M9 ACE)

The M9 Armored Combat Earthmover is a highly mobile, full-tracked, armored earthmover capable of supporting the maneuver element in offensive and defensive operations.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	130	8
AAO (FY17)	122	
O/H	106	12
Shortfall/Excess	-24	4

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
16	16	18	0	20	7	17	20	16	0	
16	16	10	0	20	7	17	20	16	0	
22	15	8	0	4	7	0	20	18	0	
6	-1	-10	0	-16	0	-17	0	2	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2350008087100	12	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	12	0
2430015818572	0	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	0	0

**Notes:** Needs to be refreshed regardless of maintenance condition. Remove IVS cameras before washdown.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	187	0	23

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input type="checkbox"/> Multi-Modal
--------------------------------------

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# B0595 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0595: POWER DISTRIBUTION

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	1,227	0
AAO (FY17)	1,260	
O/H	489	38
Shortfall/Excess	-738	38

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
251	252	162	0	189	6	209	0	120	38	
257	254	187	0	189	6	209	0	120	38	
87	128	68	11	36	4	0	117	0	0	
-164	-124	-94	11	-153	-2	-209	117	-120	-38	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110012732387	38	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	38

**Notes:** This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# B0600 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0600: DISTRIBUTION SYSTEM, POWER, ELECT, 30KW

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	596	0
AAO (FY17)	608	
O/H	188	42
Shortfall/Excess	-408	42

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
100	102	71	0	84	2	125	0	84	28	
103	105	77	0	84	2	125	0	84	28	
34	48	45	2	15	0	0	2	0	0	
-66	-54	-26	2	-69	-2	-125	2	-84	-28	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110012228958	1	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	1
6110012726953	41	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	41

**Notes:** This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	24	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0605: DISTRIBUTION SYSTEM, POWER, ELECT, 100KW

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	269	0
AAO (FY17)	272	
O/H	86	14
Shortfall/Excess	-183	14

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
47	49	31	0	39	1	70	0	24	8	
47	49	34	0	39	1	70	0	24	8	
9	24	28	1	6	1	0	3	0	0	
-38	-25	-3	1	-33	0	-70	3	-24	-8	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110012726952	14	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	14

**Notes:** This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	36	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0608 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0608: WIRING HARNESS,FIEL

The Field Wiring Harness MLK-0000 provides electrical power distribution and illumination through receptacle circuits/power outlets for various field unit complexes. The unit is portable and suitable for use in indoor/outdoor environments.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	2,032	0
AAO (FY17)	2,133	
O/H	896	24
Shortfall/Excess	-1,136	24

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
358	369	184	37	286	5	328	0	351	114	
368	373	267	41	286	5	328	0	351	114	
218	232	144	24	62	2	0	190	0	0	
-140	-137	-40	-13	-224	-3	-328	190	-351	-114	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6230012541666	24	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	24

**Notes:** This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.4

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%



# B0626 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0626: FIRE SUPPRESSION SYSTEM, MOBILE (AVIATION TYPE)

Twin agent fire suppression system mounted on a HMMWV.

Provides fire suppression to base camps, Ammo Supply Points and tactical fueling areas.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	149	9
AAO (FY17)	145	
O/H	38	17
Shortfall/Excess	-111	8

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
21	24	20	0	25	1	22	0	27	9	
25	24	12	0	25	1	22	0	27	9	
2	3	2	0	3	0	0	3	8	0	
-19	-21	-18	0	-22	-1	-22	3	-19	-9	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4210014944642	7	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	7	0
4210015696073	10	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	10	0
4210015791563	0	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	0	0

**Notes:** This equipment is highly pilferable and should not be transported by Local nationals.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	692	4

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B0635 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0635: FLOODLIGHT SET,ELEC

The Floodlight Set is a skid mounted unit designed to accept a 10 kw, 60 Hz, MEP-003A Generator Set or external power with a minimum requirement of 6 kw, single phase, 3 wire 120/240 vac, 60 Hz.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	19	10
Shortfall/Excess	19	10

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1	0	0	0	8	0	0	0	0	0	
1	0	0	0	8	0	0	0	0	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6230011701408	10	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	10

**Notes:** NSN 6230-01-170-1408: DRMO/Dispose of In Theater; do NOT return to CONUS. (Replaced by B0640, NSN 6230-01-530-8890 New Floodlight Set with integral diesel engine & generator.) Eligible for FMS.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	216	1

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B0640 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0640: FLOODLIGHT SET

The Floodlight Set will be a self-contained skid mounted system, utilizing JP/5/8 fuel standard engine that is air, trailer, or truck transportable. It will provide 300k lumens from multiple lamps from a singular mast extendable to at least 30 feet in height when trailer mounted and have four removable mobile masts that provide at least 2k lumens each. The system will be capable of operating eight (8) hours continuously without intervention.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	997	265
AAO (FY17)	1,070	
O/H	1,013	258
Shortfall/Excess	16	-7

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
151	145	85	27	133	34	95	142	141	44	
176	165	110	30	133	34	95	142	141	44	
155	146	85	11	83	45	0	93	122	15	
4	1	0	-16	-50	11	-95	-49	-19	-29	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6230014966523	7	50%	0%	50%	0%	0%	No	No	No	No	No	0	4	3
6230015308890	251	50%	0%	50%	0%	0%	No	No	No	No	No	0	126	125

**Notes:** NSN 6230-01-530-8890: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-11120A

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	207	1

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0675 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0675: FUEL SYSTEM, AIRFIELD, TACTICAL(FIRESTONE)

The Fuel System, Tactical Airfield is comprised of self-contained components that can be assembled without special tools to meet numerous operational requirements in an expeditionary airfield environment.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	69	6
AAO (FY17)	69	
O/H	45	6
Shortfall/Excess	-24	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
12	12	9	0	3	1	8	0	18	6	
12	12	9	0	3	1	8	0	18	6	
4	4	6	0	0	2	0	0	12	11	
-8	-8	-3	0	-3	1	-8	0	-6	5	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930001813272	6	50%	0%	50%	0%	0%	No	No	No	No	No			

**Notes:** This equipment is highly pilferable and should not be transported by Local nationals. If tank has had fuel in it, using unit must WIR as Code H.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MFE**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	16.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:


B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0676 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0676: WATER POINT SUPPLY SYSTEM, FWD AREA

The Forward Area Water Point Supply System is a portable, self-contained water storage and dispensing set for potable water.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	70	19
AAO (FY17)	81	
O/H	83	17
Shortfall/Excess	13	-2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
11	11	1	0	8	4	14	0	21	0
12	12	10	0	8	4	14	0	21	0
13	8	11	0	1	2	0	13	18	0
2	-3	10	0	-7	-2	-14	13	-3	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320011101993	17	50%	0%	50%	0%	0%	No	No	No	No	No	3	6	8

**Notes:** If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. This equipment is highly pilferable and should not be transported by Local nationals.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	120	0.3

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0685: FUEL SYSTEM, AMPHIB ASSAULT, 600K GAL CAP

The Fuels System, Amphibious Assault Is the aggregate of a number of self-contained unit components capable of receiving, storing and dispensing fuels at the rate of 600gpm. Component assemblies consist of individual item assemblies that are interchangeable throughout the system to provide overall flexibility to meet varying conditions.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	44	4
AAO (FY17)	41	
O/H	32	5
Shortfall/Excess	-12	1

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
4	5	2	0	3	0	10	0	15	5	
4	4	0	0	3	0	10	0	15	5	
2	2	1	0	1	0	0	6	10	5	
-2	-3	-1	0	-2	0	-10	6	-5	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930011139173	5	100%	0%	0%	0%	0%	No	Yes	No	No	No	0	0	5

**Notes:** Any equipment returning to CONUS will go through the depot. If tank has had fuel in it, using unit must WIR as Code H. This equipment is highly pilferable and should not be transported by Local nationals.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	70.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0695 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0695: LABORATORY, PETROLEUM, TACTICAL, MEDIUM

The Tactical Petroleum Laboratory-Medium provides the essential testing components integrated into an ISO container to monitor the critical physical and chemical characteristics of aviation and ground fuels.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	16	2
AAO (FY17)	21	
O/H	11	2
Shortfall/Excess	-5	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
3	3	3	0	3	1	0	0	3	0	
6	5	3	0	3	1	0	0	3	0	
0	0	1	0	0	1	0	4	3	0	
-3	-3	-2	0	-3	0	0	4	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6640013990483	2	0%	0%	100%	0%	0%	No	No	No	No	No	2	0	0

**Notes:** If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. New systems are being purchased, but fielding is not complete yet. This equipment is highly pilferable and should not be transported by Local nationals. New TAMCN B0087 will eventually replace this.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# B0696 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0696: TESTER,FLASH POINT

The MARFLASH, Fuel Tester is a fully automatic, microprocessor controlled, flameless flash point tester used by USMC Bulk Fuel Distribution units, to test the flash points of different types of fuels. The device provides direct field test measurements of flash point for fuel acceptance of JP5, JP8/Jet A1, Diesel DF-2, and Non-specification fuels with flash points between 68°F-240°F.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	86	0
AAO (FY17)	86	
O/H	92	6
Shortfall/Excess	6	6

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
24	24	14	0	6	2	16	0	0	0	
24	24	14	0	6	2	16	0	0	0	
18	9	4	0	0	0	0	55	0	0	
-6	-15	-10	0	-6	-2	-16	55	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6630005300987	3						No					2	0	1
6630015341774	3	66%	0%	34%	0%	0%	No	No	No	No	No	1	0	2

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0730 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0730: GENERATOR SET, 3KW, 60HZ, SKID-MTD

The Generator Set, 3 Kw, 60 Hz, Skid-Mounted, MEP-016B is a self-contained, portable unit. It is powered by a diesel engine which is directly coupled to the generator.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	2,237	282
AAO (FY17)	2,238	
O/H	2,170	325
Shortfall/Excess	-67	43

**Influences R2 Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
405	378	232	75	339	34	242	124	318	90	
426	383	243	39	339	34	242	124	318	90	
332	316	181	62	136	37	0	495	276	10	
-73	-62	-51	-13	-203	3	-242	371	-42	-80	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115012853012	325	75%	0%	25%	0%	0%	No	Yes	No	No	No	81	0	244

**Notes:** For NSN 6115-01-150-414- MEP-016B and NSN 6115-01-456-5046: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-285-3012, MEP-831A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	15	0.2

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)  
☐ Sensitive Associated TAMCNs (see Appendix)

# B0891 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0891: GENERATOR SET, SKID MTD, 10KW/60HZ, TQG

The generator set, 10 Kw, 60 Hz, skid-mounted, MEP-003A consists of a revolving field alternator powered by an air-cooled diesel engine.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,765	413
AAO (FY17)	2,800	
O/H	2,290	404
Shortfall/Excess	-475	-9

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
423	402	245	32	324	72	680	475	84	28	
443	416	253	25	324	72	680	475	84	28	
371	375	232	23	170	78	0	530	69	38	
-52	-27	-13	-9	-154	6	-680	55	-15	10	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115012755061	403	50%	0%	50%	0%	0%	No	Yes	No	No	No	92	110	201
6115015617455	1	0%	0%	0%	100%	0%	No	Yes	No	No	No	0	1	0

**Notes:** For NSN 6115-00-465-1030, MEP-003A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-275-5061, MEP-803A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	42	0.6

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0921: GENERATOR SET, SKID MTD, 10KW/400HZ, TQG

The MEP-112A is a 10 Kilowatt, 400 Hertz Generator Set. It consists of a revolving field alternator powered by an air cooled diesel engine. These sets are not designed for parallel operation.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	110	0
AAO (FY17)	114	
O/H	159	4
Shortfall/Excess	49	4

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
19	19	18	0	8	2	12	20	9	3
21	21	18	0	8	2	12	20	9	3
19	24	31	0	9	1	0	61	8	2
0	5	13	0	1	-1	-12	41	-1	-1

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115012747392	4	25%	0%	75%	0%	0%	No	Yes	No	N/A	No	0	3	1

**Notes:** For NSN 6115-00-465-1027, MEP-112A: Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-274-7392, MEP-813A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	42	0.8

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B0930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0930: GENERATOR SET 20KW MMG-25 (REPLACES F60297B)

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	390	52
AAO (FY17)	360	
O/H	259	51
Shortfall/Excess	-131	-1

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
98	98	64	0	24	5	54	47	0	0	
90	90	50	0	24	5	54	47	0	0	
33	60	20	0	24	5	0	66	0	0	
-65	-38	-44	0	0	0	-54	19	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115015310571	51	50%	0%	50%	0%	0%	No	No	No	N/A	No	26	0	25

**Notes:** NSN 6115-01-531-0571: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	86	1.3

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B0953 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0953: GENERATOR SET, SKID MTD, 30KW/60HZ, TQG, MEP005A

The Generator Set, 30 Kw, 60 Hz, Skid-Mounted, MEP-005A is a fully enclosed, self-contained, portable unit. It is equipped with controls, instruments, and accessories which enable it to be operated as a single unit or in parallel with two or more units.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	2,465	400
AAO (FY17)	2,517	
O/H	2,236	391
Shortfall/Excess	-229	-9

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
326	326	220	26	234	84	588	385	207	69
344	334	238	34	234	84	588	385	207	69
288	329	146	26	95	82	0	658	192	29
-38	3	-74	0	-139	-2	-588	273	-15	-40

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115001181240	0	0%	0%	0%	0%	100%	Yes	Yes	No	N/A	No	0	0	0
6115012747389	25	0%	0%	0%	0%	100%	Yes	Yes	No	N/A	No	0	0	25
6115014619335	366	75%	0%	25%	0%	0%	No	Yes	No	N/A	No	92	0	274
6115015617718	0	0%	0%	0%	100%	0%	Yes	Yes	No	N/A	No	0	0	0

**Notes:** For NSN 6115-00-118-1240, MEP-005A and NSN 6115-01-274-7389, MEP-805A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-461-9335, MEP-805B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	91	1.6

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# B0971 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0971: GENERATOR SET, SKID MTD, 30KW/400HZ, TQG

The Generator Set, Diesel Engine, MEP-114A, 30KW 400 Hz Skid Mounted, is a military mobile electric power set for use with requiring 400 Hz input.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	38	1
AAO (FY17)	38	
O/H	41	4
Shortfall/Excess	3	3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
4	4	4	0	4	1	4	17	0	0
4	4	4	0	4	1	4	17	0	0
0	7	1	0	10	1	0	18	0	0
-4	3	-3	0	6	0	-4	1	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115014620290	4	50%	0%	50%	0%	0%	No	No	No	N/A	No	2	0	2

**Notes:** For NSN 6115-00-118-1248, MEP-114A and NSN 6115-01-274-7394, MEP-815A: Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-462-0290, MEP-815B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	1.5

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# B0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B0980: GENERATOR, LTWT, MAN-PORTABLE

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	573	72
AAO (FY17)	582	
O/H	757	95
Shortfall/Excess	184	23

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
192	175	108	0	66	4	28	0	0	0	
198	168	118	0	66	4	28	0	0	0	
153	157	87	2	71	28	0	158	0	6	
-39	-18	-21	2	5	24	-28	158	0	6	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115014351565	95	75%	0%	25%	0%	0%	No	No	No	N/A	No	24	0	71
6115014351567	0	75%	0%	25%	0%	0%	No	No	No	N/A	No	0	0	0

**Notes:** NSN 6115-01-435-1565: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)  
☐ Sensitive Associated TAMCNs (see Appendix)

# B1016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1016: GENERATOR SET, 60KW, 400HZ, SKID-MTD

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	107	10
AAO (FY17)	107	
O/H	162	11
Shortfall/Excess	55	1

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12	12	12	0	16	0	16	19	15	5
12	12	12	0	16	0	16	19	15	5
12	18	12	0	16	6	0	67	14	6
0	6	0	0	0	6	-16	48	-1	1

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115012747395	0	0%	0%	0%	0%	100%	Yes	No	No	N/A	No	0	0	0
6115014620292	11	50%	0%	50%	0%	0%	No	No	No	N/A	No	0	0	11
6115015617895	0	50%	0%	0%	0%	50%	No	No	No	N/A	No	0	0	0

**Notes:** For NSN 6115-00-118-1253, MEP-115A and NSN 6115-01-274-7395, MEP-816A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-462-0292, MEP-816B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	106	2

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# B1021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1021: GENERATOR SET, SKID-MTD, 60KW/60HZ, TQG

The Generator Set, 60 Kw, 60 Hz, Skid-Mounted, MEP-006A is a portable, self-contained unit. It is provided with controls, instruments, and accessories necessary for operation as a single unit or in parallel with up to two other units of the same class.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	1,622	385
AAO (FY17)	1,695	
O/H	1,662	408
Shortfall/Excess	40	23

**Influences R2 Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
215	221	143	29	155	20	472	251	87	29	
238	238	158	47	155	20	472	251	87	29	
221	219	118	10	83	32	0	492	63	16	
6	-2	-25	-19	-72	12	-472	241	-24	-13	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115012747390	56	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	56
6115014620291	351	75%	0%	25%	0%	0%	No	Yes	No	No	No	0	0	351
6115015617788	1	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	1

**Notes:** For NSN 6115-00-118-1243, MEP-006A and NSN 6115-01-274-7390, MEP-806A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-462-0291, MEP-806B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	106	2.5

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# B1045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1045: GENERATOR SET, 100KW, 60HZ, SKID-MTD, TQG

The Generator Set, Diesel Engine Driven, Skid Mounted, MEP-007A/MEP-007B is a transportable source of AC power that is designed for use with any type of equipment that requires an external AC power source.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	614	233
AAO (FY17)	662	
O/H	653	245
Shortfall/Excess	39	12

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
112	112	67	5	49	7	110	72	60	20	
120	118	93	13	49	7	110	72	60	20	
73	113	54	5	39	8	0	63	53	0	
-39	1	-13	0	-10	1	-110	-9	-7	-20	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115001339101	1	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	1
6115010366374	13	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	13
6115012961463	231	50%	0%	50%	0%	0%	No	Yes	No	No	No	52	64	115

**Notes:** For NSN 6115-00-1133-9101, MEP 007A, NSN 6115-01-036-6374, MEP-007B and NSN 6115-01-470-9058: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-296-1463: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	159	3.6

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B1082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1082: GRADER, ROAD, MOTORIZED

The Motorized Road Grader is a self-propelled grading machine powered by a diesel engine. It is rubber-tired, four-wheel drive, and has an articulated frame and front-wheel steer design. The primary use is for building and maintaining roads and airfields.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	0	26
AAO (FY17)	0	
O/H	122	25
Shortfall/Excess	122	-1

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	3	9	0	11	2	0	58	11	1
2	3	9	0	11	2	0	58	11	1

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805002615826	0	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	0
3805011504795	4	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	4
3805013036152	7	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	7
3805015736518	14	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	14

**Notes:** Items in OEF can be DRMO'd - candidate for FMS. Replacement TAMCN is B1078.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	15.6

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B1135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1135: REFUELING SYSTEM, EXPEDIENT, HELO

The Tactical Fuel System will offer increased storage capability for all Marine Corps fuel systems . Amphibious Assault Fuel System, B0685, Reconfigured 1,120K gal Tactical Airfield Fuel Dispensing System (TAFDS) B0675 Reconfigured 320K gal Helicopter expedient Refueling System, B1135, Reconfigured 18K gal.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	70	2
AAO (FY17)	70	
O/H	75	2
Shortfall/Excess	5	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	12	8	0	3	1	10	0	18	6	
12	12	8	0	3	1	10	0	18	6	
10	13	7	0	4	1	0	18	14	6	
-2	1	-1	0	1	0	-10	18	-4	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930011149930	2	50%	0%	50%	0%	0%	No	No	No	No	No	1	0	1

**Notes:** Any drums and hoses that have been used with fuel should be left in theater. If tank has had fuel in it, using unit must WIR as Code H.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	3.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# B1139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1139: HOSE REEL SYSTEM

The Hose Reel System (HRS) provides linear fuel transfer capability and interfaces with other Marine Corps Tactical Fuel System equipment. Each HRS provides a 5 mile reach with 11 reels each containing 2400' of lightweight, layflat hoses and 2 hose reel bases with power units to control the speed and direction of the operation. The HRS is ISO configured to accommodate its transportation requirements and can be stored and transferred in four 8'x8'x20' ISO containers. The HRS will link together elements of the Amphibious Assault Fuel System.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	38	1
AAO (FY17)	36	
O/H	40	4
Shortfall/Excess	2	3

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	5	2	0	3	1	0	2	15	5	
5	5	0	0	3	1	0	2	15	5	
5	2	2	0	2	0	0	10	11	4	
0	-3	0	0	-1	-1	0	8	-4	-1	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930014621304	4	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	4	0

**Notes:** Any drums and hoses that have been used with fuel should be left in theater. If tank has had fuel in it, using unit must WIR as Code H.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32768	7.5

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution


ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# B1140 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1140: HYPOCHLORINATION UNIT, PURIFICATION, 2-100 GPH

The Hypo-chlorination Unit, Purification is designed to mix a proportional amount of hypochlorite solution with water in the Tactical Water Distribution System.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	57	4
AAO (FY17)	59	
O/H	47	4
Shortfall/Excess	-10	0

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
6	6	3	0	5	1	12	0	18	6
6	6	5	0	5	1	12	0	18	6
4	6	5	0	2	0	0	3	17	6
-2	0	2	0	-3	-1	-12	3	-1	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610012503724	1	0%	50%	50%	0%	0%	No	No	No	No	No	1	0	0
4610013644485	3	50%	0%	50%	0%	0%	No	No	No	No	No	1	0	2

**Notes:**

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRNO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B1170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

**TAMCN = B1170:**

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	32	
AAO (FY17)	37	
O/H	8	2
Shortfall/Excess	-24	

**Influences R2  
Distribution**



## REQUIREMENTS

*Representative Picture*

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
8	5	3	0	11	2	0	0	3	0
8	8	5	0	11	2	0	0	3	0
4	2	0	0	0	0	0	0	0	0
-4	-3	-3	0	-11	-2	0	0	-3	0

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675015634405	2	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	2

**Notes:**

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	
CAT II:	
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# B1291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1291: DECONTAMINATION SYSTEM, LTWT

The Lightweight Decontamination System is a compact and lightweight decontamination system capable of applying water or selected decontaminates to chemically and biologically contaminated items of equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	159	38
AAO (FY17)	223	
O/H	243	26
Shortfall/Excess	84	-12

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
30	34	30	4	30	8	11	0	12	0	
52	54	46	10	30	8	11	0	12	0	
2	14	0	0	16	9	0	16	136	15	
-28	-20	-30	-4	-14	1	-11	16	124	15	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4230013463122	2	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	2
4230014921540	24	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	24

**Notes:** WIR in theater. Disposition in accordance with WIR instructions.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	34	0.3

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

B1298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1298: KIT, LAUNCH, LINE CHARGE, TRLR-MTD

Used to clear a lane through a minefield during breaching operations. This system can be mounted on an M353 Trailer Chassis, and will normally be towed by an Assault Amphibious Vehicle (AAVP7A1). It will clear a lane 100 meters long by 16 meters wide and will be the initial minefield breaching asset used.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	291	12
AAO (FY17)	285	
O/H	260	16
Shortfall/Excess	-31	4

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
51	51	44	0	54	13	4	11	54	9	
53	51	36	0	54	13	4	11	54	9	
63	49	18	0	9	13	0	27	56	9	
12	-2	-26	0	-45	0	-4	16	2	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1055012035883	16	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	16	0

Notes: Remove all Class V prior to wash down

R2 Distribution Plan

Equipment Assessment Information

if Mission Capable then MCLC  
if Not Mission Capable MEF then MCLC  
if Not Mission Capable then MCLC  
if Condemned then DRMO

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC  
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	123	0	3.1

☐ Sensitive

☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B1300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1300: PLATFORM, MAINT, CRANE, AIR MOBILE

The Maintenance Platform, Air Mobile Crane, is a boom attached platform that provides a leveling platform intended for raising personnel and equipment to a work situation.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	44	4
AAO (FY17)	44	
O/H	44	7
Shortfall/Excess	0	3

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	6	0	3	0	4	0	9	6
8	8	6	0	3	0	4	0	9	6
7	8	6	0	4	0	0	2	8	2
-1	0	0	0	1	0	-4	2	-1	-4

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320013122616	7	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	7	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	185	0.5

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B1420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1420: TEST KIT, PETROLEUM

The Aviation Fuel Contamination Test Kit is a one-person, portable kit consisting of components and testing equipment for the determination of particulate contaminants, API gravity, temperature, and free water content in aviation fuel samples.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	216	0
AAO (FY17)	228	
O/H	122	11
Shortfall/Excess	-94	11

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
58	58	34	0	24	6	8	0	18	10	
66	64	32	0	24	6	8	0	18	10	
22	33	13	0	8	4	0	14	13	4	
-36	-25	-21	0	-16	-2	-8	14	-5	-6	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6630010085524	1						No					1	0	0
6630013479670	9	75%	0%	25%	0%	0%	No	No	No	No	No	2	0	7
6630013495245	1	75%	0%	25%	0%	0%	No	No	No	No	No	0	0	1

**Notes:** This equipment is highly pilferable and should not be transported by Local nationals. Depot Level Maintenance is NOT part of the maintenance concept for this item.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# B1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1570: PUMP ASSEMBLY, EXPEDIENT REFUELER, FUEL DISPENSING

The Pump Unit is a self contained diesel engine driven 125 GPM unit used for pumping petroleum products. This unit consists of a noise enclosed self-priming centrifugal pump driven by a four-stroke, air cooled diesel engine.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	291	79
AAO (FY17)	287	
O/H	251	67
Shortfall/Excess	-40	-12

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
34	34	18	0	45	0	40	0	90	30	
40	38	4	0	45	0	40	0	90	30	
32	30	8	0	6	0	0	9	66	32	
-2	-4	-10	0	-39	0	-40	9	-24	2	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320013139442	6	75%	0%	25%	0%	0%	No	No	No	No	No	2	0	4
4930011825028	61	75%	0%	25%	0%	0%	No	No	No	No	No	15	1	45

**Notes:** Needs to be certified fuel-free before returning. Depot Level Maintenance is NOT part of the maintenance concept for this item.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	35	1.3

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution


ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# B1580 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1580: PUMP MODULE, FUEL (SIXCON)

The Six Container (SIXCON) Fuel Pump Module is a component of the SIXCON system, a module system consisting of five tank modules and one pump module. The six modules attached together to form an ISO/ANSI configured 8 x 8 x 20 foot module. The SIXCON Fuel Pump Module has the capability for refueling and defueling both aircraft and ground vehicles, it has a 150 GPM pumping rate, aviation grade fuel filtration, 50-foot of 2-inch refueling hose with pressure and open port refueling nozzles, and ancillary components necessary for inter-connecting to the (TAMCN B2085 pg. 2-128) SIXCON Fuel Tank Module. The SIXCON fuel modules can be used as a mobile refueling asset or as a stationary refueling capability.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	830	109
AAO (FY17)	847	
O/H	688	119
Shortfall/Excess	-142	10

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
157	150	88	4	114	28	70	36	144	39	
170	146	95	5	114	28	70	36	144	39	
100	119	63	1	40	32	0	83	131	0	
-57	-31	-25	-3	-74	4	-70	47	-13	-39	

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320013908214	1						No					1	0	0
4320015478729	0	0%	0%	0%	100%	0%	No	Yes	No	Yes	No	0	0	0
4930012404579	118	33%	33%	34%	0%	0%	No	Yes	No	Yes	No	60	19	39

**Notes:** MCLC has repair line established.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.2

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B1581 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1581: PUMP MODULE, WATER

The Pump Module, Water includes and engine and a pump. It is a component of SIXCON. It is mounted in a shipping frame (TAMCN C4905).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	711	62
AAO (FY17)	743	
O/H	418	73
Shortfall/Excess	-293	11

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
100	96	61	3	75	15	174	15	129	43	
101	90	98	3	75	15	174	15	129	43	
68	55	55	2	16	17	0	9	123	0	
-32	-41	-6	-1	-59	2	-174	-6	-6	-43	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320011563873	7	0%	0%	0%	100%	0%	No	Yes	No	Yes	No	7	0	0
4320011900417	0	0%	0%	0%	100%	0%	No	Yes	No	Yes	No	0	0	0
4320013181853	66	33%	33%	34%	0%	0%	No	Yes	No	Yes	No	33	11	22
4320013571930	0	0%	0%	0%	100%	0%	No	Yes	No	Yes	No	0	0	0

**Notes:** MCLC has repair line established.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.5

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B1582 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1582: PUMP SET, 350 GPM

The Pump, Water, 350 GPM is the primary pump within the water supply tank farm. It is trailer mounted, diesel engine driven, centrifugal type pump rated at 350 gpm with 275 foot total dynamic head.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	73	0
AAO (FY17)	65	
O/H	36	1
Shortfall/Excess	-37	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
12	12	6	0	10	2	5	2	18	6	
8	8	6	0	10	2	5	2	18	6	
3	3	0	0	1	1	0	11	16	0	
-9	-9	-6	0	-9	-1	-5	9	-2	-6	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320013359671	1	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	1

**Notes:** Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS. Replaced by B2394.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	214	1.1

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B1583 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1583: PUMP, FUEL 600 GPM

The Pump, Reciprocating, Power Driven is powered by an air-cooled, one cylinder, gasoline engine. The torque from the engine is transferred to the pump through a flexible coupling. The engine and the pump are bolted to a two-wheeled steel trailer.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,213	0
AAO (FY17)	1,157	
O/H	678	73
Shortfall/Excess	-535	73

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
144	159	104	0	72	7	226	0	381	120	
144	144	63	0	72	7	226	0	381	120	
74	116	79	0	47	7	0	282	0	0	
-70	-43	-25	0	-25	0	-226	282	-381	-120	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320015336417	48	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	48	0
4320015889165	15	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	15	0
4930013927579	10	0%	0%	0%	100%	0%	No	Yes	No	No	No	0	10	0

**Notes:** All returning to CONUS should go through the Depot. Replaced by B6417.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	446	3.1

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B1585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1585: SEPARATOR, FILTER, 350 GPM

Filter Separator is designed to remove solid contaminants and water from tactical fuel systems.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	55	0
AAO (FY17)	55	
O/H	354	62
Shortfall/Excess	299	62

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	24	0	0	0	31	0	0	0	
0	0	24	0	0	0	31	0	0	0	
59	34	51	0	26	4	0	118	0	0	
59	34	27	0	26	4	-31	118	0	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4330001778485	12	0%	0%	0%	100%	0%	Yes	No	No	No	No	0	12	0
4330015338221	50	0%	0%	100%	0%	0%	No	No	No	No	No	0	50	0

**Notes:** NSN 8485 can be DRMO'd in country. NSN 8221 can go to MEF if serviceable.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	205	1.3

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B1620 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1620: PUMP UNIT SET

The Pump Unit Set is a compact, base mounted, portable water pump. The set includes: a 125 GPM Pump, and interconnecting adapters are listed to interconnect 125 GPM Pumps with 2 inch 10 ft, and 2 inch 20 ft hoses.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	489	53
AAO (FY17)	515	
O/H	561	51
Shortfall/Excess	72	-2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
69	62	49	0	61	8	112	0	96	32	
80	78	48	0	61	8	112	0	96	32	
59	52	49	0	20	9	0	208	85	23	
-10	-10	0	0	-41	1	-112	208	-11	-9	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320002030197	2	50%	0%	50%	0%	0%	No	No	No	No	No	1	0	1
4320014764795	49	50%	0%	50%	0%	0%	No	No	No	No	No	19	6	24

**Notes:** Depot Level Maintenance is NOT part of the maintenance concept for this item.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# B1645 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1645: REFRIGERATION UNIT, ENHANCED F/RIGID BOX

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	586	0
AAO (FY17)	572	
O/H	194	30
Shortfall/Excess	-392	30

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
136	138	90	9	115	7	91	0	0	0	
139	122	89	9	115	7	91	0	0	0	
47	29	24	0	38	5	0	0	0	21	
-89	-109	-66	-9	-77	-2	-91	0	0	21	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4110011521946	1	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	1
4110014689792	29	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	29

**Notes:** Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%



# B1710 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1710: REFRIGERATOR, RIGID BOX, 350 CUFT

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	778	0
AAO (FY17)	768	
O/H	220	38
Shortfall/Excess	-558	38

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
145	157	101	9	247	3	116	0	0	0	
150	138	105	9	247	3	116	0	0	0	
60	36	19	0	32	7	2	0	0	26	
-85	-121	-82	-9	-215	4	-114	0	0	26	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4110011079078	38	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	38

**Notes:** Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1713: RECLAIMER, REFRIGERATOR

Obsolete kit used by Refrigerant Mechanics (MOS 1161) to recover refrigerant from a variety of Environmental Control Equipment. Replaced by B0061, Cooling and Refrigeration Expeditionary Kit (CREK).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	71	8
Shortfall/Excess	71	8

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
13	20	3	1	20	2	0	0	0	4
13	20	3	1	20	2	0	0	0	4

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4250013382707	0	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	0
4250014117240	8	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	8

**Notes:** Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	21	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B1720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1720: REINFORCEMENT SET - MGB

The B1720 Link Reinforcement Set(LRS) is a SAC-3 Item. The LRS is a component of the Medium Girder Bridge (MGB). This LRS contains all components required to construct any length bridge with reinforced MLC 70(T) MGB up to 150ft. The reinforcement is required to support crossing weight, when building a double story bridge, that spans a gap more then 12 bridge bridge bays long. In a MGB suite, there is one B1720 per two BB0152 MGBs.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	24	3
AAO (FY17)	21	
O/H	19	3
Shortfall/Excess	-5	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	3	0	6	2	2	1	3	1	
3	3	0	0	6	2	2	1	3	1	
1	0	2	0	5	1	0	2	4	1	
-2	-3	-1	0	-1	-1	-2	1	1	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5420011391503	3	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	3	0

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	7.4

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B1775 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1775: RIPPER, TRACTOR, MOUNT

The Ripper Attachment, Three Shank, Rear Mounting is mounted on the Tractor, Medium, Full-Track and is used to break up hard materials too compacted to be cut by the blades of tractors, grades, or scrapers.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	5	2
Shortfall/Excess	5	2

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	2	0	0	0	0
1	0	0	0	0	2	0	0	0	0

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830011715776	2	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	2

**Notes:** OBSOLETE

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	350	2.9

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1785: ROLLER, COMPACTOR, VIBRATORY, SELF-PROPELLED

The roller, Compactor, Vibratory is a diesel-powered, articulated steer item equipped with a padded vibratory drum for compacting cohesive-type soils such as clay, and a smooth drum conversion kit for compacting loose, poorly graded gravel.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	75	19
AAO (FY17)	78	
O/H	74	19
Shortfall/Excess	-1	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
12	12	5	0	10	0	24	0	9	3	
12	12	8	0	10	0	24	0	9	3	
11	11	6	0	6	0	0	13	6	2	
-1	-1	1	0	-4	0	-24	13	-3	-1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3895014538573	2	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	2	0
3895015508369	4	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	4	0
3895015733847	13	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	13	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	149	0	11.9

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B1922 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1922: SCRAPER-TRACTOR, WHEELED

The Scraper-Tractor is an open bowl, pneumatic-tired, 2-axle, 14-18 cubic yard capacity, single diesel-powered, articulated frame-steer scraper. It is employed by engineer units in earthmoving operations in the main battle area.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	115	12
AAO (FY17)	129	
O/H	85	13
Shortfall/Excess	-30	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPNP
21	21	10	0	18	5	18	6	12	4
25	23	18	0	18	5	18	6	12	4
13	17	7	0	9	5	0	10	11	0
-8	-4	-3	0	-9	0	-18	4	-1	-4

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805011531854	6	0%	0%	0%	0%	100%	Yes	Yes	Yes	No	No	0	0	6
3805015507164	2	0%	0%	0%	0%	100%	Yes	Yes	Yes	No	No	0	0	2
3805015820743	5	0%	0%	0%	0%	100%	Yes	Yes	Yes	No	No	0	0	5

**Notes:** Obsolete - candidate for FMS. Currently being replaced by another asset.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	471	0	32.5

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# B1942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1942: SHOP EQUIPMENT KIT, CONSTRUCTION #1

Marine combat engineers rugged/expeditionary tool kits support engineer units in various construction missions (obstacle construction, field fortification construction, carpentry and masonry work).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	58	7
AAO (FY17)	66	
O/H	78	7
Shortfall/Excess	20	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	12	10	0	11	5	0	0	6	2	
15	14	13	0	11	5	0	0	6	2	
12	15	9	0	11	5	0	11	6	2	
0	3	-1	0	0	0	0	11	0	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910015507118	6	75%	0%	25%	0%	0%	No	No	No	No	No	1	1	4
5180010619292	1	0%	0%	0%	100%	0%	No	No	No	No	No	0	1	0

**Notes:** This equipment is highly pilferable and should not be transported by Local nationals.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.6

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# B1951 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B1951: SHOP EQUIPMENT SET, GP, #1

The Shop Equipment, General Purpose Repair, Semi Trailer Mounted is a semi trailer mounted machinist van containing tools and equipment for use in maintenance and repair of mechanical equipment from 1st to 4th echelon.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	39	0
AAO (FY17)	41	
O/H	64	1
Shortfall/Excess	25	1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
8	8	5	0	7	0	7	0	3	1
10	9	4	0	7	0	7	0	3	1
3	4	3	0	4	0	0	46	2	1
-5	-4	-2	0	-3	0	-7	46	-1	0

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940012355080	1	0%	0%	0%	100%	0%	Yes	No	No	No	No	1	0	0

**Notes:** Items in good condition should return to the MEFs to fill shortfalls. If it's non-serviceable, should go back to LOGCOM, but only minimal maintenance should be performed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	15.8

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B2030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2030: SLING, CARGO, AERIAL, 15K

The sling, Cargo, Chain Leg is a 4-legged, nylon-web, strap and steel chain sling assembly for external helicopter lifts of equipment and material.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,447	0
AAO (FY17)	2,518	
O/H	1,416	17
Shortfall/Excess	-1,031	17

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
534	454	256	0	305	9	337	0	417	135	
594	489	202	30	305	9	337	0	417	135	
408	358	86	0	84	3	0	0	395	65	
-126	-96	-170	0	-221	-6	-337	0	-22	-70	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1670009023080	17	0%	0%	100%	0%	0%	No	No	No	No	No	0	17	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B2085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2085: STORAGE TANK MODULE, FUEL (SIXCON)

The Storage Module, Fuel contains a 900-gallon rigid metal tank mounted in a steel frame and is a component of SIXCON.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,191	315
AAO (FY17)	2,239	
O/H	1,804	366
Shortfall/Excess	-387	51

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
394	390	229	10	303	74	351	74	288	78	
436	375	242	18	303	74	351	74	288	78	
336	279	228	8	126	89	0	115	257	0	
-58	-111	-1	-2	-177	15	-351	41	-31	-78	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430012404578	366	25%	50%	25%	0%	0%	No	Yes	No	Yes	No	170	105	91

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.3

#### Transportation Information

Redeployment Lift Criteria CAT I:  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B2086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2086: STORAGE TANK MODULE, WATER (SIXCON)

The Tank, Water Module contains a 900-gallon rigid metal tank mounted in a steel frame and is a component of SIXCON.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	2,519	199
AAO (FY17)	2,694	
O/H	1,825	160
Shortfall/Excess	-694	-39

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
313	332	174	10	279	44	638	61	501	167	
361	328	297	18	279	44	638	61	501	167	
344	302	175	10	70	52	0	243	459	10	
31	-30	1	0	-209	8	-638	182	-42	-157	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430012039971	160	25%	50%	25%	0%	0%	No	Yes	No	Yes	No	30	90	40

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	205	1.4

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	


### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B2120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2120: SURVEY SET, GP

The Surveying Set, General Purpose, provides equipment required for making military plan metric, construction, and topographic surveys.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	49	4
AAO (FY17)	43	
O/H	24	1
Shortfall/Excess	-25	-3

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
12	11	9	0	11	3	3	0	0	0	
10	9	7	0	11	3	3	0	0	0	
5	5	1	0	5	2	0	5	0	0	
-7	-6	-8	0	-6	-1	-3	5	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675012737812	1	0%	0%	0%	100%	0%	No	No	Yes	No	No	0	0	1

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	45	0.2

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# B2127 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2127: SWEEPER, ROTARY, VEHICLE MOUNTING

The Sweeper, Runway, Vacuum is an engine-driven, self-propelled, truck mounted vacuum machine used for cleaning runways and other stabilized areas.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	50	4
AAO (FY17)	50	
O/H	68	2
Shortfall/Excess	18	-2

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
8	8	6	0	6	0	14	0	6	2
8	8	6	0	6	0	14	0	6	2
6	7	3	0	6	1	0	37	6	0
-2	-1	-3	0	0	1	-14	37	0	-2

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830015042618	2	0%	0%	0%	0%	100%	No	Yes	Yes	Yes	No	0	0	2

**Notes:** DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	204	0	7.5

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B2130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2130: TANK, FABRIC, COLLAPSIBLE, WATER, 3000 GAL

The Fabric Collapsible Water Storage Tank (3,000 Gal) provides a means of storing potable drinking water on a temporary basis where permanent water storage facilities are not available.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,167	186
AAO (FY17)	3,200	
O/H	2,491	285
Shortfall/Excess	-676	99

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
543	540	358	4	317	31	1,056	0	225	93	
586	539	343	10	317	31	1,056	0	225	93	
507	605	264	4	138	30	0	445	206	7	
-36	65	-94	0	-179	-1	-1,056	445	-19	-86	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430011706984	38	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	38
5430013594774	0	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	0
5430015405357	247	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	247

**Notes:** For items in OEF that have been used and had fuel in it, using unit must WIR as Code H or FMS candidate. Otherwise, new items go to MEFs. NSN ending in 5357 is FMS.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.3

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%



# B2131 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2131: TANK FARM INTERCONNECTION SET, DUAL TANK

The Dual Tank Connection Kit is designed to join and interconnect two 20k tanks or two 50k gallon tanks to the Water Supply System Tank Farm.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	148	16
AAO (FY17)	171	
O/H	158	17
Shortfall/Excess	10	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
20	20	3	0	19	4	18	0	48	16	
23	22	21	0	19	4	18	0	48	16	
22	20	17	0	11	5	0	21	45	0	
2	0	14	0	-8	1	-18	21	-3	-16	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011207526	17	75%	0%	25%	0%	0%	No	No	No	No	No	0	4	13

**Notes:** If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	78	0.4

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B2133 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2133: TANK FARM INTERCONNECTION SET, 4" HOSE

The four inch Hose Connection Kit is used to provide the medium to high volume discharge point from the water supply support system tank farm.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	102	15
AAO (FY17)	113	
O/H	102	20
Shortfall/Excess	0	5

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
24	24	15	0	7	4	12	0	12	4	
27	26	21	0	7	4	12	0	12	4	
27	26	12	0	0	1	0	6	10	0	
3	2	-3	0	-7	-3	-12	6	-2	-4	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011406775	20	75%	0%	25%	0%	0%	No	No	No	No	No	3	2	15

**Notes:** If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.3

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B2134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2134: TANK FARM INTERCONNECTION SET, 2" HOSE

The 2-inch Hose Connection Kit is designed to provide a low to medium volume discharge point within the water supply support system.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	158	10
AAO (FY17)	177	
O/H	148	14
Shortfall/Excess	-10	4

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
28	28	12	0	18	12	12	0	36	12	
31	30	26	0	18	12	12	0	36	12	
28	24	20	0	6	1	0	25	30	0	
0	-4	8	0	-12	-11	-12	25	-6	-12	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011406776	14	75%	0%	25%	0%	0%	No	No	No	No	No	4	0	10

**Notes:** If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B2135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2135: TANK FARM INTERCONNECTION SET, 4" DISCHARGE HOSE

The 4 inch hose Interconnection Kit is used to provide a main hose line for either input or discharge to the Water Supply Support System.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	52	8
AAO (FY17)	63	
O/H	54	8
Shortfall/Excess	2	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	3	0	7	4	6	0	12	4	
11	10	9	0	7	4	6	0	12	4	
8	8	5	0	3	1	0	11	10	0	
0	0	2	0	-4	-3	-6	11	-2	-4	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011207522	8	75%	0%	25%	0%	0%	No	No	No	No	No	0	2	6

**Notes:** If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B2136 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2136: TANK FARM INTERCONNECTION SET, HOSE NOZZLE

The Connection Kit, Hose Nozzle provides the low volume, hand held nozzle discharge points for the Water Supply System. The kit contains the required 4-inch, 2-inch, and 1-1/2 inch hoses, reducers, couplings, valves, nozzles, and nozzle stands.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	96	11
AAO (FY17)	111	
O/H	95	11
Shortfall/Excess	-1	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
12	12	3	0	11	8	18	0	24	8	
15	14	13	0	11	8	18	0	24	8	
12	12	11	0	3	1	0	25	20	0	
0	0	8	0	-8	-7	-18	25	-4	-8	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011237705	11	75%	0%	25%	0%	0%	No	No	No	No	No	0	3	8

**Notes:** If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B2137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2137: TANK FARM INTERCONNECTION SET, ACCESSORY KIT

Provides replacement parts for overall water supply tank farm connection. The kit contains four, two, and 1 ½-inch hoses; victaulic, threaded, and cam-lock type adapters; required valves; and associated hardware.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	18	4
AAO (FY17)	20	
O/H	20	4
Shortfall/Excess	2	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
2	2	0	0	2	2	2	0	6	2
2	2	2	0	2	2	2	0	6	2
2	2	2	0	0	1	0	4	5	0
0	0	2	0	-2	-1	-2	4	-1	-2

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011207525	4	75%	0%	25%	0%	0%	No	No	No	No	No	0	1	3

**Notes:** If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MWF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	702	1.9

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	


## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B2139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2139: TANK FARM INTERCONNECTION SET, 125 GPM PUMP

The 125 GPM Connection Kit is designed to interconnect the 125 GPM Pump to the suction/discharge side of the water supply support system. The kit includes all required 2-inch hoses, valves, couplings, adapters, and assorted hardware.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	60	11
AAO (FY17)	64	
O/H	55	11
Shortfall/Excess	-5	0

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	3	0	7	2	16	0	12	4	
8	8	7	0	7	2	16	0	12	4	
9	8	5	0	3	1	0	8	10	0	
1	0	2	0	-4	-1	-16	8	-2	-4	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320011207524	11	75%	0%	25%	0%	0%	No	No	No	No	No	0	3	8

**Notes:** If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	13	0.1

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# B2150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2150: TEST SET, SOIL

The Test Set, Soil comes in ruggedized transport cases and provides the ability to analyze soil particle size and can determine the California Bearing Ratio shear strength of soils, and includes chemical and electronic methods of measuring soil moisture.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	51	4
AAO (FY17)	58	
O/H	74	4
Shortfall/Excess	23	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
10	10	6	0	8	2	15	0	0	0	
12	11	10	0	8	2	15	0	0	0	
13	9	6	0	17	6	0	19	0	0	
3	-1	0	0	9	4	-15	19	0	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6635006413643	1	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	1
6635014891524	2	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	2
6635015823197	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:**

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# B2210 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2210: TOOL KIT, CARPENTER, ENGR PLT

The Tool Kit, Carpenter's, Set 2, Engineer Platoon, comprises hand tools for general carpentry work including sawing, drilling, filing, fastening, and shaping wood.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	188	24
AAO (FY17)	177	
O/H	239	25
Shortfall/Excess	51	1

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	44	33	3	38	4	0	0	18	6
42	41	24	4	38	4	0	0	18	6
49	54	22	3	45	4	0	31	0	6
7	10	-11	0	7	0	0	31	-18	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180002932873	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0
5180002932875	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0
5180014472199	0	0%	0%	0%	100%	0%	No	No	No	No	No	0	0	0
5180015518250	23	0%	0%	100%	0%	0%	No	No	No	No	No	9	14	0
5180015877997	0	0%	0%	100%	0%	0%	No	No	No	No	No	0	0	0

**Notes:** This equipment is highly pilferable and should not be transported by Local nationals.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	52	0.1

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# B2238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2238: TOOL KIT, IM, ENG/CHASSIS REPAIR, CATERPILLAR

The Toolkit, Caterpillar consists of tools to perform fourth echelon maintenance.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	30	0
AAO (FY17)	30	
O/H	16	0
Shortfall/Excess	-14	0

*Influences R2 Distribution*



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	5	4	0	4	0	8	0	3	1	
6	6	2	0	4	0	8	0	3	1	
2	2	2	0	3	0	0	4	3	0	
-3	-3	-2	0	-1	0	-8	4	0	-1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180012547723	0	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	0

**Notes:** DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	2.9

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B2250 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2250: TOOL KIT, PIONEER, ENGR PLT

The Tool Kit, Pioneer, Engineer Platoon, is comprised of hand tools and materials required for clearing land, building replacements and fortifications, and other types of manual labor.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	199	24
AAO (FY17)	224	
O/H	243	35
Shortfall/Excess	44	11

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
25	25	21	3	26	4	44	0	39	12	
34	31	31	3	26	4	44	0	39	12	
20	26	17	3	26	4	0	72	33	7	
-5	1	-4	0	0	0	-44	72	-6	-5	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015508112	35	75%	0%	25%	0%	0%	No	No	No	No	No	9	0	26

**Notes:** This equipment is highly pilferable and should not be transported by Local nationals.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.6

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B2394 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2394: PUMP UNIT CENTRIFUGAL

The Pump, Assembly, Water is a 4 cylinder diesel powered engine, two wheel trailer mounted pump.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	102	7
AAO (FY17)	112	
O/H	91	7
Shortfall/Excess	-11	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
18	18	4	0	16	4	0	0	36	6	
18	18	14	0	16	4	0	0	36	6	
18	16	13	0	4	5	0	4	24	0	
0	-2	9	0	-12	1	0	4	-12	-6	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320015336418	7	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	7	0

**Notes:** Add NSN 4320015891113

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	109	0	3.1

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# B2395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2395: SEGMENT KIT 5 MILES

TWDS is composed of components designed to store and pump approximately 700,000 gallons of purified water a day up to 10 miles from its water source.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	13	0
AAO (FY17)	15	
O/H	8	1
Shortfall/Excess	-5	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
2	2	0	0	2	1	2	0	3	1	
2	2	2	0	2	1	2	0	3	1	
1	1	1	0	0	0	0	1	3	0	
-1	-1	1	0	-2	-1	-2	1	0	-1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320013774577	1	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	1

**Notes:** If item is unused (new) can send to a MEF. DRMO if item has been used.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1412	0.5

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B2410 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2410: TOOL KIT, M9 ACE, 2D ECH, OM

This tool kit supports organizational level maintenance for the M9 Armored Combat Earthmover. The tool kit contains general and special tools required to perform maintenance.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	55	6
AAO (FY17)	50	
O/H	35	5
Shortfall/Excess	-20	-1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
10	10	11	0	10	2	8	0	3	1	
10	10	6	0	10	2	8	0	3	1	
9	8	3	0	4	1	0	2	3	0	
-1	-2	-8	0	-6	-1	-8	2	0	-1	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180014280959	5	0%	0%	100%	0%	0%	No	No	No	No	No	5	0	0

**Notes:** The MEF will order necessary parts to complete the tool kit. This equipment is highly pilferable and should not be transported by Local nationals.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# B2420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2420: TOOL KIT, M9 ACE, 3D/4TH ECH, IM

This tool kit supports organizational level maintenance for the M9 Armored Combat Earthmover. The tool kit contains general and special tools required to perform maintenance.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	31	1
AAO (FY17)	37	
O/H	24	2
Shortfall/Excess	-7	1

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
6	8	4	0	2	1	6	0	3	1	
10	10	4	0	2	1	6	0	3	1	
8	6	2	0	1	1	0	1	3	0	
2	-2	-2	0	-1	0	-6	1	0	-1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180014292683	2	0%	0%	100%	0%	0%	No	No	No	No	No	2	0	0

**Notes:** The MEF will order necessary parts to complete the tool kit. This equipment is highly pilferable and should not be transported by Local nationals.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B2460 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2460: TRACTOR, FT, W/ANGLE BLADE

The Tractor, Full-Track, W/Angle Blade, T-5 is a full-tracked, diesel engine driven tractor with a hydraulically operated angle blade and winch. It is air transportable.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	238	5
AAO (FY17)	249	
O/H	215	19
Shortfall/Excess	-23	14

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
32	32	9	0	23	18	64	12	36	12	
32	32	20	0	23	18	64	12	36	12	
35	29	11	0	10	18	0	47	37	9	
3	-3	2	0	-13	0	-64	35	1	-3	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2410012541667	7	0%	0%	50%	50%	0%	No	Yes	No	Yes	No	3	4	0
3805015735861	12	0%	0%	50%	50%	0%	No	Yes	No	Yes	No	0	12	0

Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	145	0	12.6

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B2462 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2462: TRACTOR, MEDIUM, FULL-TRACKED, D7G

The Tractor, Medium, Full-Track is a diesel-powered, full-tracked, medium size tractor (Model D7G) for earthmoving and general construction work.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	15	3
Shortfall/Excess	15	3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	3	0	8	0	0
1	0	0	0	0	3	0	8	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2410011551588	2	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	2
2430015330934	1	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	1

**Notes:** OBSOLETE

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	208	0	23.7

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B2464 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2464: TRACTOR, FT, W/MULTIPURPOSE BUCKET

The Tractor, Full-Track with Multi-purpose Bucket is a diesel engine driven, hydraulically operated, crawler-type front end loader. The multipurpose bucket is capable of performing operations of clamshell, dozer, and scraper, as well as front end shovels.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	107	4
AAO (FY17)	112	
O/H	105	15
Shortfall/Excess	-2	11

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
8	8	0	0	9	2	56	4	15	5
8	8	5	0	9	2	56	4	15	5
7	9	5	0	5	2	0	43	14	5
-1	1	5	0	-4	0	-56	39	-1	0

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805013151091	4	0%	0%	50%	50%	0%	No	Yes	No	Yes	No	1	3	0
3805015735867	11	0%	0%	50%	50%	0%	No	Yes	No	Yes	No	0	11	0

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	111	0	13.3

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B2483 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2483: ARMORED, BACKHOE, LOADER (BHL)

The Backhoe Loader is a highly mobile, lightweight rubber-tired tractor equipped with a front-end loader and backhoe excavator. It can maintain pace with other wheeled vehicles of the maneuver force and can reach road speeds in excess of 20 miles per hour.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	197	22
AAO (FY17)	197	
O/H	295	19
Shortfall/Excess	98	-3

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
36	36	36	2	18	18	23	0	21	7	
40	39	27	4	18	18	23	0	21	7	
49	39	24	2	23	23	0	90	18	8	
13	3	-12	0	5	5	-23	90	-3	1	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015147166	6	0%	0%	0%	100%	0%	No	Yes	Yes	Yes	No	0	0	6
3805015733850	13	0%	0%	0%	100%	0%	No	Yes	Yes	Yes	No	0	0	13

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	172	0	10.8

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B2561 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2561: TRK, FORKLIFT, VARIABLE REACH

The Truck, Forklift, Extendable Boom is a diesel-powered, four-wheel drive, rubber-tired forklift with two-wheel, four-wheel and crab steering.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	746	88
AAO (FY17)	751	
O/H	801	97
Shortfall/Excess	55	9

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
91	91	61	2	75	22	156	64	138	46	
96	89	60	5	75	22	156	64	138	46	
89	92	51	4	66	23	0	212	120	47	
-2	1	-10	2	-9	1	-156	148	-18	1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3930014862151	4	0%	0%	0%	0%	100%	Yes	Yes	Yes	No	No	0	0	4
3930015080886	57	0%	100%	0%	0%	0%	No	Yes	Yes	No	No	0	57	0
3930015735868	36	0%	100%	0%	0%	0%	No	Yes	Yes	No	No	0	36	0

**Notes:** All need to come back to MCLC

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	231	0	15.3

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B2565 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2565: TRLR ENGR EQUIPMENT

The Engineer Equipment Trailer identifies a requirement for a Medium Tactical Vehicle Replacement trailer capable of transporting the Light Capability, Rough Terrain Forklift, and Backhoe Loader.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	386	100
AAO (FY17)	387	
O/H	445	65
Shortfall/Excess	59	-35

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
90	93	61	7	66	22	19	0	21	7	
100	83	62	7	66	22	19	0	21	7	
108	68	59	2	61	20	0	17	25	20	
18	-25	-2	-5	-5	-2	-19	17	4	13	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015183809	13	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	13
2330015470272	52	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	52	0

Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	250	0	5.8

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# B2566 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2566: FORKLIFT, RT, LT CAPABILITY (LRTF)

The Truck, Forklift, Rough-Terrain, 4000-pound is a self-propelled, four-wheel drive, rubber-tired, diesel-powered forklift with a modified mast and enhanced side shift capability. It is air transportable.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	790	62
AAO (FY17)	797	
O/H	806	59
Shortfall/Excess	16	-3

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
116	112	78	5	87	39	206	45	78	24	
125	109	74	10	87	39	206	45	78	24	
85	101	61	9	73	41	0	277	67	33	
-31	-11	-17	4	-14	2	-206	232	-11	9	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3930012756420	1	0%	0%	0%	0%	100%	No	Yes	Yes	Yes	No	0	0	1
3930014783519	12	0%	0%	0%	100%	0%	No	Yes	Yes	Yes	No	0	12	0
3930015330855	23	0%	0%	50%	50%	0%	No	Yes	Yes	Yes	No	0	23	0
3930015735873	23	0%	0%	50%	50%	0%	No	Yes	Yes	Yes	No	0	23	0

**Notes:** NSN 3930015735873 should not be sent to the MEFs, only send to MCLC. NSN 3930015330855 can be redistributed to the fields.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	128	0	5.5

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B2567 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2567: LOADER,SCOOP TYPE

The Tractor, Rubber-Tired, Articulated Steering, Multi-Purpose is a diesel-powered, four-wheel drive, rubber-tired, articulated steering tractor capable of operating in rough terrain and in 60 inches of water.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	145	29
Shortfall/Excess	145	29

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1	0	0	1	5	4	0	105	0	0	
1	0	0	1	5	4	0	105	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805012793635	26	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	26
3805015735881	3	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	3

**Notes:** OBSOLETE - must be DEMILed before disposal

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	192	0	16.7

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B2605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2605: PURIFICATION SYSTEM, WATER, TACTICAL

The Tactical Water Purification System (TWPS) is a skid mounted, generator powered system capable of producing potable water from any available raw water source at a rate of 1200-1500 gallons of water per hour in expeditionary environments. The TWPS replaces the aging 600-GPH ROWPUs at a 1 for 2 ratio.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	241	25
AAO (FY17)	263	
O/H	238	25
Shortfall/Excess	-3	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
40	40	16	0	33	11	0	21	60	20	
43	43	32	0	33	11	0	21	60	20	
35	36	33	0	15	13	0	8	53	20	
-5	-4	17	0	-18	2	0	-13	-7	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610014886961	25	25%	50%	25%	0%	0%	No	Yes	No	Yes	No	0	19	6

**Notes:** MCLC has repair line established. This equipment is highly pilferable and should not be transported by Local nationals.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6.4

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# B2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2628: WATER PURIFIER, LIGHTWEIGHT, LMT3000

The Water Purification System provides a fully portable and completely self-contained water purification system for purifying turbid and bacteria polluted water at the rate of 1500 to 3000 gph.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	125	0
AAO (FY17)	65	
O/H	21	0
Shortfall/Excess	-104	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
42	42	11	0	22	8	0	0	0	0	
12	12	11	0	22	8	0	0	0	0	
7	4	5	0	5	0	0	0	0	0	
-35	-38	-6	0	-17	-8	0	0	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610013664640	0	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	0

**Notes:** Obsolete - DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting. Being replaced by B0071.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	67	0.3

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# B2630 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2630: ANALYSIS SET, QUALITY, PURIFICATION, WATER

The Water Quality Analysis Set is a one-person portable suitcase kit containing equipment for testing water quality. The kit is self-contained in a gasketed waterproof case. Foam inserts secure equipment in the case and protect sensitive instruments.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	53	16
AAO (FY17)	71	
O/H	78	11
Shortfall/Excess	25	-5

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
13	13	8	1	10	6	2	0	0	0	
19	17	14	3	10	6	2	0	0	0	
21	11	5	0	16	6	0	8	0	0	
8	-2	-3	-1	6	0	-2	8	0	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6630014772395	11	75%	0%	25%	0%	0%	No	No	No	No	No	3	0	8

**Notes:** This equipment is highly pilferable and should not be transported by Local nationals.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# B2631 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2631: TANK, WATER, 50K GAL

The 50,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	91	18
AAO (FY17)	95	
O/H	136	20
Shortfall/Excess	45	2

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
4	4	0	0	4	1	6	0	54	18
4	4	4	0	4	1	6	0	54	18
7	3	2	0	0	3	0	49	52	0
3	-1	2	0	-4	2	-6	49	-2	-18

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430011069677	18	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	18
5430012004831	2	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	2
5430013861544	0	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	0

**Notes:** If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H. NSNs ending in 4831 and 1544 are FMS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	117	0.9

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B2632 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2632: TANK ASSEMBLY, WATER, FABRIC, COLLAPSIBLE

The 20,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	188	27
AAO (FY17)	194	
O/H	209	23
Shortfall/Excess	21	-4

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
38	38	24	0	12	4	8	0	48	16	
38	38	30	0	12	4	8	0	48	16	
51	38	12	0	10	4	0	27	44	0	
13	0	-12	0	-2	0	-8	27	-4	-16	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430013517813	22	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	22
5430013726902	1	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	1

**Notes:** If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.6

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# B2685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2685: WELDING SHOP, MARINE CORPS TACTICAL

The Marine Corps Tactical Welding Shop (MCTWS) consists of selected tools and equipment integrated with an enclosure mounted on a 1 1/2-ton modified two-wheel military trailer chassis model M103A3.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	288	24
AAO (FY17)	283	
O/H	217	23
Shortfall/Excess	-71	-1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
43	41	27	2	35	5	80	0	45	10	
44	40	19	5	35	5	80	0	45	10	
33	25	19	2	31	7	0	39	38	0	
-10	-16	-8	0	-4	2	-80	39	-7	-10	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3431014984423	23	0%	0%	100%	0%	0%	No	Yes	No	No	No	23	0	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	104	0	3.3

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# B2686 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2686: KIT, WELDING, ARMOR

The Armor Welding Kit is used to perform field-welding repairs of armor plate equipment, when integrated with existing equipment on the MCTWS.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	52	7
AAO (FY17)	41	
O/H	37	13
Shortfall/Excess	-15	6

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
10	8	7	0	8	5	6	0	6	2	
7	5	2	0	8	5	6	0	6	2	
7	4	4	0	1	0	0	2	6	0	
-3	-4	-3	0	-7	-5	-6	2	0	-2	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3431015050248	13	0%	0%	100%	0%	0%	No	No	No	No	No	10	3	0

**Notes:** Associated with B2685 - If they come back together, two WIRs need to be completed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	708	3.1

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# B2687 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B2687: KIT, WELDING, TITANIUM

The Titanium Kit consists of selected tools and equipment integrated into existing equipment on the MCTWS. This kit is used to perform field-expedient repairs of titanium-based metals and equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	42	3
AAO (FY17)	32	
O/H	30	3
Shortfall/Excess	-12	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
6	6	5	0	6	5	6	0	6	2	
3	3	1	0	6	5	6	0	6	2	
2	4	2	0	0	8	0	6	5	0	
-4	-2	-3	0	-6	3	-6	6	-1	-2	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3431015050888	3	0%	0%	100%	0%	0%	No	No	No	No	No	3	0	0

**Notes:** Associated with B2685 -If they come back together, two WIRs need to be completed.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# B5000 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B5000: CONTROL MINE DETECT (SWEEP MONITORING SYSTEM)

Training apparatus for the B0476



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	46	0
AAO (FY17)	48	
O/H	21	1
Shortfall/Excess	-25	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12	12	7	0	11	2	0	2	0	0
13	12	8	0	11	2	0	2	0	0
8	3	4	0	4	0	0	1	0	0
-4	-9	-3	0	-7	-2	0	-1	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665015314689	1	100%	0%	0%	0%	0%	No	No	No	No	No	0	0	1

**Notes:** Anticipating that all items will washout.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# B7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B7001: ANALYZER, ELECTRICAL PULSE

The Analyzer, Electrical Pulse (Fluke 41/43B-AV) is a hand-held, liquid crystal display power analyzer with the capability of measuring and displaying power harmonics in three different views: waveform, bar graph (showing harmonic levels), and numeric values.



434/AN

43B

Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	653	6
AAO (FY17)	612	
O/H	63	7
Shortfall/Excess	-590	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
182	178	122	0	127	44	0	0	0	0	
173	169	99	0	127	44	0	0	0	0	
9	29	0	0	0	13	0	5	0	0	
-173	-149	-122	0	-127	-31	0	5	0	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014385312	5	0%	0%	0%	0%	100%	No	No	No	No	No	0	0	5
6625015260788	2	30%	0%	70%	0%	0%	No	No	No	No	No	1	0	1

Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# B7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = B7900: INTERMEDIATE LEVEL ELECTRICIANS TOOL KIT

The I-Level Tool Kit is comprised of various hand tools and accessories to aide Marines in Military Occupational Specialty (MOS) 1141 in the installation, repair, and replacement of structural electrical wiring.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	27	3
AAO (FY17)	28	
O/H	24	3
Shortfall/Excess	-3	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
8	8	6	0	5	0	0	0	0	0	
8	8	7	0	5	0	0	0	0	0	
4	6	5	0	4	1	0	1	0	0	
-4	-2	-1	0	-1	1	0	1	0	0	

## Reset Strategy & Plan (Product Group: 16)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015468026	3	0%	0%	100%	0%	0%	No	No	No	No	No	3	0	0

### Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.3

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# D0002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0002: TRLR, EQUIP TRANSPORTER, SEMI-TRLR, LOWBED, 50T

The M870A2E1, is a 10-ft wide lowbed semi trailer capable of transporting cargo up to 50 tons.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	34	32
AAO (FY17)	44	
O/H	40	31
Shortfall/Excess	6	-1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
5	8	8	0	8	2	3	0	0	0	
12	12	7	0	8	2	3	0	0	0	
0	0	0	0	0	2	0	7	0	0	
-5	-8	-8	0	-8	0	-3	7	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330014838000	31	0%	50%	50%	0%	0%	No	Yes	No	Yes	Yes	21	10	0

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP. Currently no allowance for CONUS units for this TAMCN. Allowances must be identified prior to shipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11.7

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# D0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0003: MTRV, TRK ARMD, CARGO, 7T W/O, NON REDUCIBLE (AMK23)

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,252	273
AAO (FY17)	3,289	
O/H	2,383	295
Shortfall/Excess	-869	22

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
615	619	333	42	231	141	114	85	957	115	
677	546	372	51	231	141	114	85	957	115	
383	354	191	0	66	118	0	217	748	2	
-232	-265	-142	-42	-165	-23	-114	132	-209	-113	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305676	269	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	202	67	0
2320015520273	26	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	20	6	0

**Notes:** If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. All items eventually need to go to MCLC for upgrades and repairs. If an item comes back in serviceable condition, it will be sent to the MEF to fill shortfalls. When MCLC has sufficient capacity, that item will be sent for refresh.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	214	0	16.7

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D0004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0004: MTVR, TRK ARMD, CARGO, 7T W/W, NON REDUCIBLE (AMK25)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	127
AAO (FY17)	14	
O/H	209	96
Shortfall/Excess	209	-31

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
1	1	0	12	0	0	0	0	0	0	
46	2	0	0	14	51	0	0	0	0	
46	2	0	0	14	51	0	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305677	54	0%	50%	50%	0%	0%	No	Yes	Yes	No	No	0	54	0
2320015519433	42	0%	50%	50%	0%	0%	No	Yes	Yes	No	No	0	42	0

**Notes:** If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	230	0	17.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# D0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0005: TRK, ARMORED, 7T, EXTRA LONG WHEELBASE, W/O WINCH (AMK27)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	762	134
AAO (FY17)	702	
O/H	473	135
Shortfall/Excess	-289	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
146	139	81	23	49	12	17	7	216	72	
117	115	74	23	49	12	17	7	216	72	
15	59	25	6	0	18	0	24	142	0	
-131	-80	-56	-17	-49	6	-17	17	-74	-72	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305678	106	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	53	53	0
2320015522762	29	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	15	14	0

**Notes:** If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	262	0	17.9

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

# D0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0006: MTRV, TRK ARMD, XLWB CARGO, 7T W/W NON REDUCIBLE, AMK28

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	55
AAO (FY17)	12	
O/H	6	0
Shortfall/Excess	6	-55

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	12	0	0	0	0	0	0
2	3	0	0	0	0	0	0	0	0
2	3	0	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305681	0	0%	50%	50%	0%	0%	No	Yes	No	No	No	0	0	0
2320015519434	0	0%	50%	50%	0%	0%	No	Yes	No	No	No	0	0	0
2320015534118	0	0%	50%	50%	0%	0%	No	Yes	No	No	No	0	0	0

**Notes:** If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	279	0	18.4

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# D0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0007: MTVR, TRK DUMP, ARMD, 7T, W/O WINCH, AMK29

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	307	60
AAO (FY17)	325	
O/H	225	86
Shortfall/Excess	-82	26

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
40	48	38	0	29	0	14	8	111	19	
47	44	53	0	29	0	14	8	111	19	
10	22	3	0	0	2	0	3	86	0	
-30	-26	-35	0	-29	2	-14	-5	-25	-19	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305684	55	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	41	14	0
2320015520250	31	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	23	8	0

**Notes:** If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	16

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# D0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0008: MTVR, TRK DUMP, ARMD, 7T, NON REDUCIBLE, AMK30

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	0	26
AAO (FY17)	0	
O/H	9	0
Shortfall/Excess	9	-26

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	1	0	0	0	0	0	0	0	0
0	1	0	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305685	0	0%	50%	50%	0%	0%	No	Yes	No	No	No	0	0	0
2320015520269	0	0%	50%	50%	0%	0%	No	Yes	No	No	No	0	0	0

**Notes:** If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	217	0	16.4

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# D0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0011: CARRIER, TROOP, ARMORED, MTRV (ARMADILLO)

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	893	165
AAO (FY17)	817	
O/H	406	161
Shortfall/Excess	-487	-4

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
131	156	71	4	46	33	356	10	65	21	
119	105	49	13	46	33	356	10	65	21	
55	41	14	0	0	0	0	123	12	0	
-76	-115	-57	-4	-46	-33	-356	113	-53	-21	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2510015352385	13	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	13	0
2510015380714	148	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	148	0

**Notes:** If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	720	2.5

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# D0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0013: TRK TRACTOR, ARMD, 7T, 5TH WHEEL, NONREDUCIBLE, AMK31

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	262	76
AAO (FY17)	312	
O/H	343	79
Shortfall/Excess	81	3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
44	44	35	0	10	7	7	8	81	26	
59	59	55	0	10	7	7	8	81	26	
28	41	24	0	23	20	0	11	106	11	
-16	-3	-11	0	13	13	-7	3	25	-15	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305687	44	0%	50%	50%	0%	0%	No	Yes	Yes	No	No	30	14	0
2320015520282	35	0%	50%	50%	0%	0%	No	Yes	Yes	No	No	0	35	0

**Notes:** If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	201	0	15.3

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# D0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0015: MTRV, TRK WRECKER, ARMD, 7T W/W, NON-REDUCIBLE, AMK36

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	332	45
AAO (FY17)	351	
O/H	283	62
Shortfall/Excess	-49	17

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
59	59	44	1	47	18	11	5	66	22	
67	62	47	6	47	18	11	5	66	22	
42	58	35	2	2	21	0	6	54	1	
-17	-1	-9	1	-45	3	-11	1	-12	-21	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320014652300	0	0%	0%	0%	0%	100%	Yes	Yes	Yes	No	No	0	0	0
2320015305691	45	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	27	18	0
2320015520268	2	0%	50%	50%	0%	0%	No	Yes	Yes	No	No	0	2	0
2355015535400	0	0%	0%	0%	0%	100%	Yes	Yes	Yes	No	No	0	0	0
2355015902719	15	0%	50%	50%	0%	0%	No	No	No	No	No	0	15	0

**Notes:** If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	264	0	24.4

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# D0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0016: TRLR, CARGO

The M1102H is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It is used to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with a tailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	2,823	57
AAO (FY17)	2,701	
O/H	2,008	152
Shortfall/Excess	-815	95

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
650	614	319	75	419	73	673	0	0	0	
642	522	296	76	419	73	673	0	0	0	
384	319	186	48	115	66	0	738	0	0	
-266	-295	-133	-27	-304	-7	-673	738	0	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330013875426	152	0%	0%	50%	50%	0%	No	No	No	No	No	152	0	0

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	82	0	0.7

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# D0017 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0017: LIGHT TACTICAL TRAILER, MARINE CORPS CHASSIS (LTT-MCC)

The Light Tactical Trailer is an adaptation of the Army LTT-HC, this trailer is being modified to Marine Corps requirements. Key differences are the solid flat bed and holes to secure the towed equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,690	17
AAO (FY17)	2,622	
O/H	2,356	103
Shortfall/Excess	-334	86

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
474	468	343	22	383	54	437	0	386	123	
458	446	313	22	383	54	437	0	386	123	
541	507	360	8	61	59	0	281	328	108	
67	39	17	-14	-322	5	-437	281	-58	-15	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015435794	103	50%	0%	50%	0%	0%	No	No	No	No	No	0	52	51

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	82	0	0.6

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# D0022 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0022: TRUCK UTILITY

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	469	0
AAO (FY17)	463	
O/H	1,644	2
Shortfall/Excess	1,175	2

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
97	110	41	31	43	147	0	0	0	0	
94	107	44	28	43	147	0	0	0	0	
496	437	132	21	227	193	0	135	0	1	
399	327	91	-10	184	46	0	135	0	1	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015187332	2	0%	0%	100%	0%	0%	No	Yes	No	Yes	No	0	2	0

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	122	0	4.4

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0023: MINE RESISTANT AMBUSH PROTECTED (MRAP), AMBULANCE

The Cougar HEV is a versatile, diesel powered, pneumatic tired, heavily armored, multi-purpose vehicle that is urgently needed by Explosive Ordnance Disposal teams deployed in support of Operation Enduring Freedom and Operation Iraqi Freedom (OIF) to increase their survivability against Improvised Explosive Devices (IED). The Cougar HEV has adequate armor protection and possesses the capability to carry all required EOD equipment. The Cougar HEVs are also required for contingency operations in support of the Global War on Terrorism by Engineer Mine Clearing teams against IEDs.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	47	23
AAO (FY17)	47	
O/H	20	10
Shortfall/Excess	-27	-13

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1	1	2	0	0	2	41	0	0	0	
1	1	2	0	0	2	41	0	0	0	
0	1	0	0	0	1	0	6	0	0	
-1	0	-2	0	0	-1	-41	6	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015626152	0	0%	0%	0%	100%	0%	Yes	No	No	No	Yes	0	0	0
2355015831029	10	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	10	0

**Notes:** This item has an organic depot strategy. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. NSN ending in 6152 is obsolete.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	20

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☒ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**



# D0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0025: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT I

USMC HST Cougar



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	605	792
AAO (FY17)	624	
O/H	997	838
Shortfall/Excess	392	46

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
68	69	48	0	9	120	179	24	66	22	
79	80	45	0	9	120	179	24	66	22	
23	27	17	0	0	85	0	7	0	0	
-45	-42	-31	0	-9	-35	-179	-17	-66	-22	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015322174	1	0%	0%	0%	0%	100%	Yes	Yes	No	No	Yes	0	0	1
2355015525565	67	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	67	0
2355015798929	35	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	35	0
2355015812392	735	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	735	0

**Notes:** All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	174	0	16

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)



# D0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0027: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT II

The Cougar HEV 6x6 is a member of the Mine Resistant Ambush Protected (MRAP) Family of Vehicles (FOV) which is capable of transporting personnel and cargo within the current theater of operations.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	359	257
AAO (FY17)	338	
O/H	422	274
Shortfall/Excess	63	17

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
68	68	40	8	7	17	22	25	78	26	
68	68	19	8	7	17	22	25	78	26	
46	61	29	0	0	12	0	0	0	0	
-22	-7	-11	-8	-7	-5	-22	-25	-78	-26	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015198172	5	0%	0%	0%	0%	100%	Yes	Yes	No	No	Yes	0	0	5
2355015525199	7	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	7	0
2355015643423	3	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	3	0
2355015798920	54	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	54	0
2355015798931	165	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	165	0
2355015811076	40	0%	0%	0%	100%	0%	No		No	No	Yes	0	40	0

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	220	0	20.6

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

**Notes:** All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage.

R2 Distribution Plan

Equipment Assessment Information			
if	Mission Capable	then	MCLC
if	Not Mission Capable MEF	then	MCLC
if	Not Mission Capable	then	MCLC
if	Condemned	then	DRMO

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

Lift Criteria				Transportation Information			
CAT I:	A or B	Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC		Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D			
CAT II:	A or B						
CAT III							
EMBARK TYPE	IND SQFT	IND CUFT	IND STON	<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI		
SQFT	220	0	20.6	<input checked="" type="checkbox"/> Multi-Modal			
				<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)			
				<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)			

# D0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0030: TRUCK, UTIL, EXPANDED CAPACITY ARMT CARRIER, M1151

The M1151A1 provides mounting and firing of the MK19 automatic grenade launcher; M2 .50 Caliber machine gun; M60, 7.62mm machine gun; M240G, 7.62mm machine gun; and M249, 5.56mm Squad Assault.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,400	28
AAO (FY17)	3,366	
O/H	3,819	96
Shortfall/Excess	419	68

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
840	863	427	29	429	245	184	131	189	63	
884	745	450	46	429	245	184	131	189	63	
706	822	447	15	310	253	0	1,037	132	1	
-134	-41	20	-14	-119	8	-184	906	-57	-62	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320014133739	0	0%	0%	100%	0%	0%	No	Yes	No	Yes	No	14	0	5
2320015187330	9	0%	0%	0%	100%	0%	No	Yes	No	Yes	No	9	0	0
2320015231316	0	0%	0%	0%	100%	0%	No	Yes	No	Yes	No	0	0	0
2320015402038	87	0%	0%	100%	0%	0%	No	Yes	No	Yes	No	87	0	0

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	6

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0033: TRUCK, UTILITY: ENHANCED CAPACITY, ENH, ARMOR (M1152A1B2)

The M1152A1 can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,714	149
AAO (FY17)	3,648	
O/H	1,753	175
Shortfall/Excess	-1,961	26

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
970	933	510	26	315	84	196	140	405	135	
995	843	491	44	315	84	196	140	405	135	
378	253	148	0	263	107	0	245	183	1	
-592	-680	-362	-26	-52	23	-196	105	-222	-134	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015402007	175	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	131	44	0

**Notes:** All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armored version. New armored NSN is 2320-01-581-8566.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	5.8

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0034: TRUCK, UTIL, EXP CAPACITY, C2/GP, ARMORED 4-DOOR (M1165A1B3)

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	6,380	26
AAO (FY17)	6,456	
O/H	1,906	69
Shortfall/Excess	-4,474	43

**Influences R2 Distribution**



OPERATING FORCES						MCLC					
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN		
991	982	618	43	1,514	427	264	189	1,014	338		
1,048	969	654	36	1,514	430	264	189	1,014	338		
172	136	114	67	147	344	0	106	750	1		
-819	-846	-504	24	-1,367	-83	-264	-83	-264	-337		

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015402017	69	0%	0%	100%	0%	0%	No	Yes	No	Yes	No	69	0	0

**Notes:** All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armoured version. New armored NSN is 2320-01-581-8787.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	5.8

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0035: TRAILER, PALLETIZED LOADING SYSTEM

The Palletized Load System (PLS) Trailer is designed to carry loads behind the LVSR with minor preparation. The trailer may also be towed behind other USMC heavy tactical trucks. The PLS Trailer is used in conjunction with the M1077/MK1077 flatracks. The M1076 trailer, capable of carrying payloads up to 16.5 tons, is equipped with a flatrack that is interchangeable between truck and trailer.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	658	94
AAO (FY17)	407	
O/H	68	31
Shortfall/Excess	-590	-63

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
172	150	95	0	100	35	65	15	0	26	
73	60	33	0	100	35	65	15	0	26	
5	11	0	0	0	20	0	1	0	0	
-167	-139	-95	0	-100	-15	-65	-14	0	-26	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330013035197	31	0%	25%	75%	0%	0%	No	Yes	Yes	No	No	27	4	0

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP. Coordinating with Army to use their Depot. Send WIR to LOGCOM Albany, GA for disposition instructions.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# D0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0036: MATV

The primary mission of the M-ATV is to provide protected ground mobility. The MATV is capable of operating in a threat environment involving ambushes employing the use of mines, Improvised Explosive Devices, Rocket Propelled Grenades, Explosively Formed Penetrators, and Small Arms Fire. The M-ATV was designed to enhance the effectiveness of ground combat forces with a focus on stability operations against unconventional enemy forces engaged in irregular warfare on a non-linear battlefield.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	294	1051
AAO (FY17)	294	
O/H	1,427	1220
Shortfall/Excess	1,133	169

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
40	40	10	112	0	92	0	0	0	0	
40	40	10	112	0	92	0	0	0	0	
39	40	20	2	0	86	0	20	0	0	
-1	0	10	-110	0	-6	0	20	0	0	

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015759632	1135	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	1135	0
2355015961330	85	0%	100%	0%	0%	0%	No	Yes	No	No	Yes	0	85	0

**Notes:** Use a high pressure washer for cleaning exterior of engine, capsule and body. Rinse with hot water, if available. An ordinary garden hose, with nozzle, may be used if other equipment is not available. Ensure a complete rinsing. Do not allow a stream of water to contact Dash, Dashboard Components and other Electrical connections.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	12.3

☒ Sensitive ☒ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# D0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0040: MINE RESISTANT VEH

The SABER system with TOW missiles are a proven highly accurate and effective weapon with a very low collateral damage against point targets at distances longer (3,750m max effective range) than the enemy can effectively engage friendly forces with direct fire weapons. The ability to employ the SABER TOW missile system from an MRAP CAT I or II Independent Suspension System (ISS) equipped MRAPs allows Commanders to provide greater protection for their gun crews and engage the enemy with a precision, low collateral damage weapon system at long ranges.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	64	48
AAO (FY17)	64	
O/H	52	42
Shortfall/Excess	-12	-6

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	8	56	0	0	0	
0	0	0	0	0	8	56	0	0	0	
0	0	0	0	0	10	0	0	0	0	
0	0	0	0	0	2	-56	0	0	0	

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015891279	42	0%	100%	0%	0%	0%	No	No	No	No	Yes	0	42	0

**Notes:** Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☒ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

# D0080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0080: CHASSIS, TRLR, GP, 3 1/2T, 2-WHL

The M353 is a single axle, 2-wheel, heavy-duty chassis designed to be towed by 2-1/2 or 5-ton trucks equipped with towing pintles. It is designed to haul general payloads of up to 7,000 pounds such as generators, air compressors or welders.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	2,394	94
AAO (FY17)	2,371	
O/H	2,128	145
Shortfall/Excess	-266	51

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
427	441	289	0	379	39	242	200	261	116	
422	436	276	0	379	39	242	200	261	116	
452	455	267	19	187	39	0	215	206	143	
25	14	-22	19	-192	0	-242	15	-55	27	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330005422831	145	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	22	123	0

**Notes:** Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	125	0	1.3

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0085: CHASSIS, TRLR, 3/4T, 2-WHL (Many Variants)

The M116A2 and M116A3 are single axle, 2-wheeled, general-purpose chassis designed to be towed by 3/4-ton to 1-1/4-ton vehicles equipped with towing pintles. They are constructed to transport electric power generators but can be configured to haul items such as motorcycles and satellite dishes by adding different beds to the chassis.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1,072	19
Shortfall/Excess	1,072	19

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
74	41	32	0	111	9	0	784	0	2
74	41	32	0	111	9	0	784	0	2

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330011018434	4	0%	0%	0%	0%	100%	Yes	No	No	Yes	No	0	0	4
2330013590080	15	0%	0%	0%	0%	100%	Yes	No	No	Yes	No	0	0	15
2330014731623	0	0%	0%	0%	0%	100%	Yes	No	No	Yes	No	0	0	0

**Notes:** Obsolete trailer - a candidate for FMS. No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	86	0	0.7

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# D0100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0100: DEGREASER, PORTABLE, 20 GAL CAP.

A device designed to remove grease and foreign matter from mechanical parts and like items, usually metallic, by purging action in vaporized or liquid solvent or solvent-free solution confined in a tank or similar vessel. It usually includes a circulating pump, heating mechanism, and may include an auxiliary supply tank and spray equipment, and/or an ultrasonic generator.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	551	0
AAO (FY17)	493	
O/H	238	1
Shortfall/Excess	-313	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
156	148	81	11	131	0	2	0	3	19	
139	120	70	9	131	0	2	0	3	19	
95	59	52	3	20	5	0	0	3	0	
-61	-89	-29	-8	-111	5	-2	0	0	-19	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940004496689	1	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	1

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# D0187 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0187: TRUCK,UTILITY

The M1097A2, Heavy HMMWV will replace the M1037, M1042, M1097 and M1097A1 heavy shelter variants. It is designed to carry heavy electronic systems or weapons platforms. This variant may be configured to act as a command post shelter from which battlefield traffic may be monitored and a communication center from which personnel may monitor incoming and outgoing radio and telecommunication traffic during operations. The M1097A2 can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	225	0
Shortfall/Excess	225	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
18	4	45	0	0	3	0	154	0	0	
18	4	45	0	0	3	0	154	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320013469317	0	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	0	0

**Notes:** All mission capable systems M1097A2s, D0187, should be returned to Depot for program platforms and FMS sales. No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	120	0	3

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input type="checkbox"/> Multi-Modal
--------------------------------------

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# D0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0195: LOAD SYSTEM, PALLETIZED, (PLS) FLATRACK

The Palletized Load System Flatrack MK1077 is a 20 foot long by 8 foot wide welded steel flat cargo body with a front wall equipped with a lifting point.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,098	217
AAO (FY17)	4,691	
O/H	1,521	199
Shortfall/Excess	-2,577	-18

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
928	874	488	4	578	246	218	110	540	112	
1,074	899	898	16	578	246	218	110	540	112	
374	387	147	6	46	115	0	43	204	0	
-554	-487	-341	2	-532	-131	-218	-67	-336	-112	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3990013077676	37	50%	0%	50%	0%	0%	No	No	No	No	No	19	0	18
3990015371045	162	50%	0%	50%	0%	0%	No	No	No	No	No	81	0	81

**Notes:** Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with Flatrack. No special Agriculture wash down instruction apply. Apply standard local SOP. No repair beyond Field Level Maintenance.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# D0201 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0201: MULTI-FUEL MOTORCYCLE

The M1030M1 provides a lightweight, highly mobile means of transportation to the MAGTF commander. The MCM program replaces the existing fleet of M1030 motorcycles with a commercial, state-of-the-art, 584 cc militarized motorcycle capable of transporting an operator, one passenger, documents, and light cargo.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	388	0
AAO (FY17)	373	
O/H	90	1
Shortfall/Excess	-298	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
77	50	62	0	132	19	4	0	33	11	
58	52	64	0	132	19	4	0	33	11	
14	1	0	0	28	2	0	9	31	4	
-63	-49	-62	0	-104	-17	-4	9	-2	-7	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2340014652533	1	0%	0%	0%	100%	0%	No	No	No	No	No	0	1	0

**Notes:** Return all mission capable vehicles to LOGCOM. All BII should remain with MILMO. No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	95	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# D0209 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0209: POWER UNIT, FRONT, 12 1/2T, 4X4, LVS ARMORED

The MK48/MK48A1 and their associated rear body units (RBU) form the Logistics Vehicle system (LVS). Used primarily by combat service support motor transport units to haul supplies in large quantities from beachheads, ports, railheads or airfields to combat areas.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	45	0
AAO (FY17)	0	
O/H	659	80
Shortfall/Excess	614	80

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	3	42	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
54	107	120	5	89	53	0	38	89	24
54	104	78	5	89	53	0	38	89	24

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320011775167	76	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	76
2320014173180	3	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	3
2320015797851	1						No					0	0	1

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP. Being Replaced by LVSR MKR15, MKR16, MKR18. Will require a D0209 FPU for each D0877 and D0878 RBU being sent back.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	159	0	12.7

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# D0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0215: TRLR SEMI 5000GL REFUELER, MK970 (ARMORED PACKAGE)

The MK970 is a 5,000-gallon fuel dispensing semi-trailer is designed for under/over wing refueling of aircraft. It is equipped with a filter/separator, recirculation system and two refueling systems, one for under wing and one for over wing servicing.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	472	80
AAO (FY17)	502	
O/H	481	98
Shortfall/Excess	9	18

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
75	75	56	0	63	6	37	56	78	26	
76	76	84	0	63	6	37	56	78	26	
72	61	52	0	20	14	0	43	82	39	
-3	-14	-4	0	-43	8	-37	-13	4	13	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330010505635	1	0%	0%	0%	0%	100%	No	Yes	No	Yes	No	0	0	1
2330015378217	49	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	21	28	0
2330015593657	48	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	0	48	0

**Notes:** All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	246	0	7.7

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D0235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0235: SEMI-TRLR, LOWBED, 40T

The M870A2 is three axle Medium Heavy Equipment Transporter that is replacing the M870A1 and is designed to haul a payload of 80,000 lbs (40-tons) in conjunction with a LVS MK48/MK16 fifth wheel truck tractor, LVSR tractor, or a M931A2 truck tractor.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	329	55
AAO (FY17)	342	
O/H	343	60
Shortfall/Excess	14	5

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
64	70	46	1	52	10	16	15	45	10	
64	65	61	4	52	10	16	15	45	10	
50	52	30	2	39	22	0	55	29	4	
-14	-18	-16	1	-13	12	-16	40	-16	-6	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330014424975	4	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	2	2	0
2330015344570	56	0%	80%	20%	0%	0%	No	Yes	No	Yes	No	34	22	0

**Notes:** NSN 2330015344570 - Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. NSN 2330014424975 - Return all non mission capable trailers to LOGCOM for system upgrade. All Basic Issue Items. No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	331	0	9.6

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D0475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0475: TOOL KIT, OM, 2D ECH, HMMWV

The Toolkit, Organizational Maintenance, Second Echelon, is comprised of special tools used in installation, removal, repair, and testing of components of the High Mobility Multi-Purpose Wheeled Vehicle.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	792	19
AAO (FY17)	779	
O/H	680	20
Shortfall/Excess	-112	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
160	156	80	14	134	7	48	0	171	22	
160	143	79	15	134	7	48	0	171	22	
123	131	69	9	138	10	0	0	154	26	
-37	-25	-11	-5	4	3	-48	0	-17	4	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180012168655	20	0%	0%	100%	0%	0%	No	No	No	No	No	0	20	0

**Notes:** Return mission capable systems to LOGCOM for tool swap out with new tool box. No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# D0478 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0478: TOOL KIT, OM, 2D ECH, LVS

The Tool Kit, Organizational Maintenance for Logistics Vehicle System (LVS), is composed of special tools, gages, and lifting devices required for maintenance personnel to perform maintenance on LVS vehicles.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	178	0
AAO (FY17)	178	
O/H	119	8
Shortfall/Excess	-59	8

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
37	35	20	0	36	1	11	0	30	8	
38	34	20	0	36	1	11	0	30	8	
16	14	18	0	26	0	0	0	29	8	
-21	-21	-2	0	-10	-1	-11	0	-1	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180009991166	0	0%	0%	100%	0%	0%	No	No	No	Yes	No	0	0	0
5180012471046	8	0%	0%	100%	0%	0%	Yes	No	No	Yes	No	8	0	0

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# D0850 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0850: TRLR, CARGO

The M101A3 is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It is used to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with atailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover. A steel A-frame is bolted to the frame with an attached one -position lunette, landing gear and two hand brake levers. The M101A3 is designed to operate on all types of roads, cross-country terrain and in all weather conditions. There are no restrictions on the M101A3 for movement over primary and secondary roads; however, it is restricted to a maximum speed of 15-mph cross-country when towed by the M998/M1123 series trucks or other prime movers. System is archived.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	679	37
Shortfall/Excess	679	37

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
138	179	68	6	198	4	0	49	0	0
138	179	68	6	198	4	0	49	0	0

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330008986779	0	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	0
2330013725641	37	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	37

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP. FMS candidate.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	75	0	0.7

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# D0860 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0860: TRLR, CARGO, 1 1/2T, 2-WHL

The M105A2 is a 2-wheel, single axle trailer with a leaf-spring suspension designed to be towed by 2-1/2 ton and larger vehicles equipped with towing pintles. It has a welded box cargo body mounted on a welded steel frame.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,234	197
AAO (FY17)	3,070	
O/H	2,025	172
Shortfall/Excess	-1,209	-25

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
667	634	364	0	539	106	267	14	594	49	
615	522	364	0	539	106	267	14	594	49	
431	438	228	22	284	94	0	51	305	0	
-236	-196	-136	22	-255	-12	-267	37	-289	-49	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330001418050	172	0%	0%	50%	0%	50%	No	Yes	No	No	No	86	0	86

**Notes:** All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. Item to be replaced in FY 12.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	95	0	1.4

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# D0861 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0861: TRLR, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing (GS/GSR) precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	82	6
AAO (FY17)	94	
O/H	78	6
Shortfall/Excess	-4	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
36	0	0	0	36	4	6	0	0	0	
48	0	0	0	36	4	6	0	0	0	
36	0	0	0	36	0	0	0	0	0	
0	0	0	0	0	-4	-6	0	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015045014	6	33%	33%	34%	0%	0%	No	No	No	No	No	0	4	2

**Notes:** No Special Requirements. Must be packed and shipped by owning unit before sending to CONUS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# D0876 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0876: TRLR, POWERED, 22 1/2T, CONTAINER HAULER, 4X4

The MK14/14A1 combines with the MK48/48A1 Power Unit (D0209) to form the container hauler variant of the Logistics Vehicle System.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	26	0
AAO (FY17)	0	
O/H	299	30
Shortfall/Excess	273	30

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	6	20	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
40	40	54	1	44	28	0	43	0	19	
40	34	34	1	44	28	0	43	0	19	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320011760469	25	0%	0%	0%	0%	100%	Yes	Yes	No	Yes	No	0	0	25
2320014175294	5	0%	0%	0%	0%	100%	Yes	Yes	No	Yes	No	0	0	5

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	160	0	8

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# D0877 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0877: TRLR, POWERED, WRECKER/RECOVERY, 4X4

The MK15/15A1 Rear Body Unit combines with the MK48/48A1 Front Power unit (D0209) to form the wrecker/recovery variant of the Logistics Vehicle System. It is a fully equipped wrecker for recovery of disabled vehicles and Material Handling Equipment.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	146	0
AAO (FY17)	179	
O/H	98	16
Shortfall/Excess	-48	16

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
32	31	17	3	16	11	12	10	12	2	
44	40	27	5	16	11	12	10	12	2	
16	15	12	0	9	12	0	8	10	0	
-16	-16	-5	-3	-7	1	-12	-2	-2	-2	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320011766928	3	0%	0%	0%	0%	100%	Yes	Yes	No	Yes	No	0	0	3
2320014178144	13	0%	0%	0%	0%	100%	Yes	Yes	No	Yes	No	0	0	13

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR15 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	160	0	14.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# D0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0878: TRLR, POWERED, 5TH WHL, SEMI-TRLR ADAPTER, 4X4

The MK16/16A1 combines with the MK48/48A1 Power unit (D0209) to form the fifth wheel semi-trailer variant of the Logistics Vehicle System. The MK16/16A1 is used to transport semi-trailers equipped with a 3.5-inch diameter kingpin.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	446	0
AAO (FY17)	507	
O/H	268	53
Shortfall/Excess	-178	53

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
80	79	90	3	39	11	58	29	45	12	
83	79	147	4	39	11	58	29	45	12	
27	40	34	2	35	20	0	23	30	4	
-53	-39	-56	-1	-4	9	-58	-6	-15	-8	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320011760467	48	0%	0%	0%	0%	100%	Yes	Yes	No	Yes	No	0	0	48
2320014175293	5	0%	0%	0%	0%	100%	Yes	Yes	No	Yes	No	0	0	5

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR16 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	124	0	8.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

# D0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

**TAMCN = D0880: TRLR, TANK, WATER, 400 GAL, 1 1/2T, 2-WHL**

The M149A2 transports potable or non-potable water on highways and cross-country terrain. The water tank is constructed of stainless steel with double walls. Two inches of urethane foam is used as insulation between the walls.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,177	140
AAO (FY17)	2,158	
O/H	1,644	144
Shortfall/Excess	-533	4

**Influences R2 Distribution**



## REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
365	350	217	0	268	122	226	215	327	87	
355	310	248	0	268	122	226	215	327	87	
294	266	175	11	192	163	0	91	308	0	
-71	-84	-42	11	-76	41	-226	-124	-19	-87	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330005422039	10	0%	0%	0%	100%	0%	No	Yes	No	Yes	No	10	0	0
2330011087367	134	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	101	33	0

**Notes:** All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	100	0	1.3

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D0881 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0881: TRLR, RIBBON BRIDGE MK18A1

The MK18 combines with the MK48/48A1 Power Unit (D0209) to form the ribbon bridge/container transporter variant of the Logistics Vehicle System.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	5	0
AAO (FY17)	0	
O/H	61	3
Shortfall/Excess	56	3

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	5	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
5	4	11	1	11	4	0	22	0	0
5	4	6	1	11	4	0	22	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320013920293	3	0%	0%	0%	0%	100%	Yes	Yes	No	Yes	No	0	0	3

**Notes:** This TAMCN is obsolete and should be DRMOd or disposed of in theater. No special Agriculture wash down instruction apply. Apply standard local SOP. Possible FMS candidate.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	203	0	10

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	100%

# D0886 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0886: TRK, CARGO 22.5 TON, 10X10, LVSR - MKR18

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, breakbulk, palletized cargo, and bridging equipment.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,375	184
AAO (FY17)	1,633	
O/H	1,068	180
Shortfall/Excess	-307	-4

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
292	281	154	1	189	88	30	40	270	30	
373	307	302	4	189	88	30	40	270	30	
219	289	21	2	47	82	0	8	209	11	
-73	8	-133	1	-142	-6	-30	-32	-61	-19	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015427628	174	25%	50%	25%	0%	0%	No	Yes	Yes	No	No	87	44	43
2320015927347	6						No					5	1	0

**Notes:** FSR required for equipment assessment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	290	0	26.5

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# D0887 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D0887: TRUCK TRACTOR LVSR

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, breakbulk, palletized cargo, and bridging equipment.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	332	60
AAO (FY17)	347	
O/H	11	2
Shortfall/Excess	-321	-58

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
64	68	46	0	52	20	12	15	45	10	
68	67	58	0	52	20	12	15	45	10	
3	2	0	0	0	4	0	0	0	0	
-61	-66	-46	0	-52	-16	-12	-15	-45	-10	

Representative Picture

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015429941	0	25%	50%	25%	0%	0%	No	Yes	Yes	No	No	0	0	0
2320015927353	2						No					2	0	0

**Notes:** FSR Required for assessment of equipment at MCLC FWD

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	278	0	20.8

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# D1001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D1001: 997 FIELD AMBULANCE

The M997 is capable of transporting up to four litter patients, eight ambulatory patients or a combination of litter and ambulatory patients. Additionally, medical personnel and equipment and a driver can be accommodated in the vehicle.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	639	11
AAO (FY17)	641	
O/H	467	13
Shortfall/Excess	-172	2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
117	115	62	9	91	44	61	27	87	26	
120	109	66	10	91	44	61	27	87	26	
91	94	47	6	82	41	0	14	79	0	
-26	-21	-15	-3	-9	-3	-61	-13	-8	-26	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2310013723934	1	0%	100%	0%	0%	0%	No	Yes	No	No	No	1	0	0
2310013808225	12	0%	50%	50%	0%	0%	No	Yes	No	No	No	9	3	0

**Notes:** All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Current NSN is 8225, the other is old

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	128	0	3.8

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D1063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D1063: TRK, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	89	6
AAO (FY17)	101	
O/H	78	6
Shortfall/Excess	-11	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
36	0	0	0	36	4	6	7	0	0	
48	0	0	0	36	4	6	7	0	0	
36	0	0	0	36	0	0	0	0	0	
0	0	0	0	0	-4	-6	-7	0	0	

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015045218	6	0%	50%	50%	0%	0%	No	No	Yes	No	No	0	6	0

**Notes:** All items should be wash IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	20

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
--

<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
---

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# D1064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D1064: TRK, FIRE FIGHTING, AIRCRAFT AND STRUCTURE

The Truck, Fire, Crash, A/S 32-P-19A, is primarily designed for aircraft crash and rescue operations.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	157	13
AAO (FY17)	157	
O/H	94	14
Shortfall/Excess	-63	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
32	32	22	0	24	0	10	5	24	8	
32	32	22	0	24	0	10	5	24	8	
16	17	9	0	9	0	0	3	25	1	
-16	-15	-13	0	-15	0	-10	-2	1	-7	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4210011379943	14	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	14	0

**Notes:** Return all trailers to LOGCOM for further evaluation. All Basic Issue Items (BII) are to remain with truck. No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	219	0	16.8

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# D1125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D1125: TRK, UTIL, TOW CARR, W/SA, 2 1/4T, HMMWV (DELETED RFF 1081)

The M1045 is the Tube Launched, Optically-Tracked, Wire-Guided missile carrier (with supplemental armor) model of the M998 series of tactical truck is designed to provide added ballistic protection to the crew, equipment and ammunition.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	478	2
Shortfall/Excess	478	2

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
46	39	8	0	99	14	0	234	0	36	
46	39	8	0	99	14	0	234	0	36	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320013808229	2	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	2	0

**Notes:** No special Agriculture wash down instruction apply. Apply standard local SOP.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	111	0	3.6

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# D1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = D1214: TRK, WRECK, LVSR

The Logistics Vehicle System Replacement (LVSR) is a 10-wheel tactical vehicle offers greater mobility and off-road payload capability that the existing Logistics Vehicle System (LVS). It can carry 22.5 tons on the highway, transport 16.5 tons off road, travel up to 65 miles per hour on paved surfaces, and has a cruising range of 300 miles. It can ford 5 feet of water.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	153	51
AAO (FY17)	160	
O/H	12	12
Shortfall/Excess	-141	-39

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
30	30	18	0	19	15	6	15	18	2	
35	33	17	0	19	15	6	15	18	2	
0	0	0	0	0	0	0	0	0	0	
-30	-30	-18	0	-19	-15	-6	-15	-18	-2	

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015430651	12	25%	50%	25%	0%	0%	No	Yes	Yes	No	No	6	6	0

**Notes:** FSR Required for assessment of equipment at MCLC FWD

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	306	0	33.9

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0001: THERMAL LASER SPOT IMAGER TLSI

AN/PAS 25 Thermal Laser Spot Imager.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	298	88
AAO (FY17)	244	
O/H	410	141
Shortfall/Excess	112	53

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
30	30	31	109	53	15	0	30	0	0	
27	27	28	64	53	15	0	30	0	0	
58	74	28	57	39	13	0	0	0	0	
28	44	-3	-52	-14	-2	0	-30	0	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015629999	141	0%	0%	100%	0%	0%	No	No	No	No	No	3	138	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
--

<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# E0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0005: IMAGE INTENSIFIER,N

An item designed to act on an optical input image in such a way as to cause an increase in radiant intensity level in a visible optical output image. In the direct type, the visible image appears on the viewing surface of the item. In the remote type, the visible image appears on a remote display.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	45
AAO (FY17)	0	
O/H	95	50
Shortfall/Excess	95	5

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
4	2	0	1	30	8	0	0	0	0
4	2	0	1	30	8	0	0	0	0

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855014199429	3	0%	0%	0%	100%	0%	Yes	No	No	No	Yes	0	3	0
6230015493979	47	0%	0%	0%	100%	0%	No	No	No	No	No	0	47	0

**Notes:** Category 3 Equipment - (as extracted from TFSMS) "E00057B There has never been an approved UUNS for this item, no requirement has ever been generated from DC, CD&I to procure this equipment, and this gear has never been procured by MCSC.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0010: ADAPTER, TEST F/TOW VEH POWER

An adapter which provides facilities for electrically connecting an item to be tested and a piece of test equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	30	0
AAO (FY17)	46	
O/H	25	0
Shortfall/Excess	-5	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
7	7	8	0	3	2	3	0	0	0	
15	15	8	0	3	2	3	0	0	0	
10	4	0	0	3	1	0	7	0	0	
3	-3	-8	0	0	-1	-3	7	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625011123068	0	0%	0%	100%	0%	0%	No	No	No	No	No	0	0	0

**Notes:** T/E already established by CD

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

**TAMCN = E0018: SCOUT SNIPER URBAN NIGHT SIGHT**

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	800	
AAO (FY17)	800	
O/H	315	201
Shortfall/Excess	-485	

**Influences R2  
Distribution**



## REQUIREMENTS

*Representative Picture*

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
20	20	20	4	0	40	696	0	0	0	
20	20	20	4	0	40	696	0	0	0	
20	20	17	2	0	55	0	0	0	0	
0	0	-3	-2	0	15	-696	0	0	0	

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1010015912226	201	0%	0%	0%	100%	0%	No					3	198	0

**Notes:**

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	
CAT II:	
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0019: TEST SET, GUN TUBE

Commonly referred to as the BG-10. Used to measure the wear of M242 25mm chain gun barrels by measuring the internal diameter of various spaces in the barrel.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	25	0
AAO (FY17)	25	
O/H	3	1
Shortfall/Excess	-22	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
4	2	2	0	6	4	2	2	3	0	
4	2	2	0	6	4	2	2	3	0	
1	0	0	0	0	1	0	0	0	0	
-3	-2	-2	0	-6	-3	-2	-2	-3	0	

## Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4933014418678	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** Mission Capable equipment should be sent to the MEF for re-distribution.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0028: SEMI AUTO SNIPER RIFLE MK11 MOD 1

The sniper rifle is a rifle used to ensure accurate placement of bullets at longer ranges than small arms. A typical sniper rifle is built for optimal levels of accuracy, fitted with a telescopic sight and chambered for a military center fire cartridge.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	180	0
AAO (FY17)	180	
O/H	98	77
Shortfall/Excess	-82	77

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
17	17	9	0	0	13	112	12	0	0	
17	17	9	0	0	13	112	12	0	0	
17	0	1	0	0	2	0	1	0	0	
0	-17	-8	0	0	-11	-112	-11	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005015389643	77	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	77

**Notes:** UUNs - replaced by E0103 - DRMO all items regardless of condition. Serviceable items will go to fill shortfalls in FIS and FMS/disposal - dispose of by attrition.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0036: MARINE ARTILLERY SURVEY SET (MASS)

The MASS is the streamlined replacement for the Field Artillery Regiment Surveying Set and the Field Artillery Battalion Surveying Set. It consists of legacy equipment and components from those sets, a vehicle, and the Defense Advanced Global Positioning System (GPS) Receiver (DAGR). MASS consist of theodolites which are used to measure angular deviation and vertical interval, range measuring devices and the necessary ancillary equipment required to support the mission.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	38	2
AAO (FY17)	34	
O/H	38	2
Shortfall/Excess	0	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
10	12	8	0	8	0	0	0	0	0	
10	8	8	0	8	0	0	0	0	0	
12	8	8	0	8	0	0	0	0	0	
2	-4	0	0	0	0	0	0	0	0	

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675015637465	2	0%	0%	100%	0%	0%	No	No	No	No	No	2	0	0

**Notes:** Using Unit owned assets return to home station. Item is at the tail end of it's life cycle. No direct water contact on electrical components

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	776	6

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0042: RANGE FINDER, LASER, AN/PEQ-17 (RPLCS E10457B)

The Portable Lightweight Designator Rangefinder (PLDR) is an Electro-Optic unit, allowing observation, identification and designation of target. The PLDR is a robust compact, low-cost, very lightweight laser designation system, which can be easily carried and operated by an individual Marine.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	288	88
AAO (FY17)	281	
O/H	331	97
Shortfall/Excess	43	9

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
30	30	31	98	53	16	0	30	0	0	
27	27	28	100	53	16	0	30	0	0	
40	61	41	49	32	11	0	0	0	0	
10	31	10	-49	-21	-5	0	-30	0	0	

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240015666510	62	0%	0%	100%	0%	0%	No	No	No	No	No	0	62	0
1240015921355	3	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	3
5860090004433	32	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	32

Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# E0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0043: TRUCK, MAINTENANCE (C7007 REPLACED)

E0043 is the Ordnance Support Vehicle.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	21	2
AAO (FY17)	24	
O/H	5	2
Shortfall/Excess	-16	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
9	0	0	0	9	0	3	0	0	0
12	0	0	0	9	0	3	0	0	0
3	0	0	0	0	0	0	0	0	0
-6	0	0	0	-9	0	-3	0	0	0

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015535269	2	0%	0%	100%	0%	0%	No	No	No	No	No	2	0	0

**Notes:** Do Not Spray or wet any Electronic Components.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0044: EOD SEARCH KIT

Provides specialized tools and equipment to perform interior and exterior search operations involving IED, UXO and WMD.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	298	64
AAO (FY17)	306	
O/H	236	65
Shortfall/Excess	-62	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
76	80	60	12	3	37	30	0	0	0	
76	80	68	12	3	37	30	0	0	0	
44	58	38	7	0	24	0	0	0	0	
-32	-22	-22	-5	-3	-13	-30	0	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5850015592664	65	50%	50%	0%	0%	0%	No	No	No	No	No	0	33	32

**Notes:** Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input checked="" type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input checked="" type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# E0045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0045: EOD DISPOSAL KIT

Disposal Kit provides the EOD Team's Command and Response Elements with the necessary tools and equipment to perform electric and non-electric demolition operations.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	341	15
AAO (FY17)	349	
O/H	219	15
Shortfall/Excess	-122	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
76	80	60	24	3	43	15	0	30	10	
76	80	68	24	3	43	15	0	30	10	
60	61	34	6	0	18	0	0	16	9	
-16	-19	-26	-18	-3	-25	-15	0	-14	-1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385015594872	15	50%	50%	0%	0%	0%	No	No	No	No	No	0	8	7

**Notes:** Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0046: EOD DISASSEMBLY KIT

The EOD Disassembly Kit provides the EOD Team with a variety of hand tools, bench equipment, and limited safety equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	60	5
AAO (FY17)	61	
O/H	46	5
Shortfall/Excess	-14	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	13	9	6	0	19	1	0	0	0	
12	13	10	6	0	19	1	0	0	0	
13	13	7	0	0	8	0	0	0	0	
1	0	-2	-6	0	-11	-1	0	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385015595502	5	50%	50%	0%	0%	0%	No	No	No	No	No	0	3	2

**Notes:** Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0047: EOD GENERAL PURPOSE KIT

Equips EOD technicians with a modern set of tools to support EOD operations such as locating, identifying and rendering safe.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	121	5
AAO (FY17)	114	
O/H	86	7
Shortfall/Excess	-35	2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
20	22	16	12	3	23	5	0	15	5	
17	19	15	12	3	23	5	0	15	5	
19	21	14	2	0	11	0	0	9	3	
-1	-1	-2	-10	-3	-12	-5	0	-6	-2	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015592933	7	50%	50%	0%	0%	0%	No	No	No	No	No	0	4	3

**Notes:** Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0049: EOD IED KIT

The EOD Improvised Explosive Device (IED) Kit provides the EOD Team's Command and Response Elements with the necessary tools and equipment to support operation involving IEDs and Weapons of Mass Destruction (WMD).



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	347	29
AAO (FY17)	351	
O/H	215	30
Shortfall/Excess	-132	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
76	80	64	12	3	43	29	0	30	10	
76	80	68	12	3	43	29	0	30	10	
52	61	32	4	0	18	0	0	18	0	
-24	-19	-32	-8	-3	-25	-29	0	-12	-10	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015594338	30	50%	50%	0%	0%	0%	No	No	No	No	No	0	15	15

**Notes:** Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0051: SPECIAL PURPOSE RIFLE, MK12 5.56

This weapon system is a heavily modified light sniper/designated marksman variation of the AR-15/M16 line of infantry weapons, and is chambered for NATO standard 5.56 x 45 mm caliber ammunition.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF	OPERATING FORCES								MCLC			
			I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN		
AAO (FY12)	400	0	30	30	20	0	30	20	270	0	0	0		
AAO (FY17)	390		30	20	20	0	30	20	270	0	0	0		
O/H	372	225	10	4	10	0	57	0	0	66	0	0		
Shortfall/Excess	-28	225	-20	-26	-10	0	27	-20	-270	66	0	0		

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005070001255	225	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	225

**Notes:** Serviceable items will go to fill shortfalls in FIS - dispose of by attrition.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# E0053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0053: GREEN BEAM DAZZLER

The Green Beam Dazzler is a non-lethal visual disruption device that is used to distract threats.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,645	747
AAO (FY17)	1,705	
O/H	919	683
Shortfall/Excess	-726	-64

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
15	15	15	180	0	15	1,405	0	0	0	
15	15	15	240	0	15	1,405	0	0	0	
38	18	16	1	0	7	0	156	0	0	
23	3	1	-179	0	-8	-1,405	156	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5860015447175	683	0%	0%	0%	100%	0%	No	No	No	No	Yes	0	683	0

**Notes:** No wash down required

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0054 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0054: RANGE FINDER,LASER

Component of E1048 CLRF



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2	0
AAO (FY17)	6	
O/H	52	1
Shortfall/Excess	50	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	2	0	0	0	0	0	0	0
2	2	2	0	0	0	0	0	0	0
1	0	1	0	0	0	0	49	0	0
1	0	-1	0	0	0	0	49	0	0

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240015723753	1	0%	25%	75%	0%	0%	No	No	No	No	No	0	1	0

**Notes:** Do not wash. Clean with damp cloth. TAMCN should be associated with E1048.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0055: TOW IMPROVED SABER

The M41A4 Saber Weapon System consists of subassemblies described on the following pages and is used by Anti-Armor Assault personnel to engage and/or mark targets per mission requirements. The system can be operated from a ground mount position on the tripod or from the HMMWV configuration.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	969	57
AAO (FY17)	947	
O/H	632	44
Shortfall/Excess	-337	-13

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
164	144	26	0	124	119	192	44	156	0
165	121	26	0	124	119	192	44	156	0
96	113	26	0	73	76	0	105	99	0
-68	-31	0	0	-51	-43	-192	61	-57	0

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015598728	44	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	33	11	0

**Notes:** Everybody in CONUS is using WRMR assets so needs to go back to MCLC. The PADS (NSN 1240-01-557-1923) which is a subcomponent of the Saber can receive a crypto fill. Crypto should be dumped before shipping of system.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0056 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0056: MK41 ADVANCED RADIOGRAPHIC SYSTEM (EOD)

Provides EOD technicians a portable, fully-digital, X-ray systems with ground level imaging.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	160	10
AAO (FY17)	164	
O/H	91	14
Shortfall/Excess	-69	4

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
39	41	31	12	3	23	11	0	0	0	
39	41	35	12	3	23	11	0	0	0	
26	20	17	4	0	10	0	0	0	0	
-13	-21	-14	-8	-3	-13	-11	0	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6635015459905	14	25%	75%	0%	0%	0%	No	Yes	No	Yes	No	0	11	3

**Notes:** Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0060: SABER ELECTRICAL CIRCUIT TEST SET (ECIRTS)

The ECIRTS (Type IV) is the primary component of the Saber ECIRTS Tool Kit (ETK). The equipment is intended to be used in both the Pre-fire Inspection and semiannual maintenance inspections of the Saber and TOW systems. The functional use of the Saber ECIRTS is to test the Traversing Unit (TU) and Saber system for Missile type verification, Wire Cut signal and electronic Umbilical continuity of connection.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	93	7
AAO (FY17)	96	
O/H	50	8
Shortfall/Excess	-43	1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
17	17	5	0	13	38	0	0	3	0	
20	17	5	0	13	38	0	0	3	0	
9	10	3	0	6	14	0	0	0	0	
-8	-7	-2	0	-7	-24	0	0	-3	0	

Representative Picture

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4935015688417	1	0%	50%	50%	0%	0%	No	No	No	No	No	1	0	0
6625015756647	7	0%	0%	100%	0%	0%	No	No	No	No	No	7	0	0

**Notes:** Repairs are done at Army Facility in Huntsville, Alabama. T/E already established by CD&I.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)  
☐ Sensitive Associated TAMCNs (see Appendix)

# E0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0062: SIGHT, THERMAL

The IWNS-T is a clip-on, battery-operated style sight to be used in conjunction with the AN/PVQ-31A/B Rifle Combat Optic (RCO), to observe/orient, detect and recognize targets, conduct surveillance and engage targets during all lighting conditions and battlefield obscuration such as smoke, fog, and sandstorms without additional bore sighting or battle sight zero operations, other than that required by the primary optic.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,170	1957
AAO (FY17)	2,170	
O/H	2,048	1348
Shortfall/Excess	-122	-609

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	307	1,863	0	0	0	
0	0	0	0	0	307	1,863	0	0	0	
115	85	176	0	0	324	0	0	0	0	
115	85	176	0	0	17	-1,863	0	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015597064	1348	0%	100%	0%	0%	0%	No	Yes	Yes	Yes	Yes	0	1348	0

**Notes:** This is a deployment asset - should be brought in and out of theater with the unit. Send all to LOGCOM - will be replaced but still have value to the field through FMS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0063: MINI THERMAL IMAGER (MTI)

The Mini Thermal Imager is a dual field of view, lightweight hand held/helmet mountable, pocket sized thermal imaging system.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	882	1130
AAO (FY17)	882	
O/H	800	720
Shortfall/Excess	-82	-410

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	52	830	0	0	0
0	0	0	0	0	52	830	0	0	0
7	27	0	0	0	40	0	6	0	0
7	27	0	0	0	-12	-830	6	0	0

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015531162	14	0%	0%	0%	100%	0%	No	Yes	Yes	No	Yes	0	14	0
5855015544673	706	0%	100%	0%	0%	0%	No	Yes	Yes	No	Yes	0	706	0

**Notes:** This is a deployment asset - should be brought in and out of theater with the unit. Send all to LOGCOM - will be replaced but still have value to the field through FMS.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# E0064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0064: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (PACBOT)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	114	34
AAO (FY17)	116	
O/H	171	36
Shortfall/Excess	57	2

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
19	20	15	12	0	24	24	0	0	0	
19	20	17	12	0	24	24	0	0	0	
27	24	12	6	0	66	0	0	0	0	
8	4	-3	-6	0	42	-24	0	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385015349828	36	25%	75%	0%	0%	0%	No	Yes	No	No	Yes	0	27	9

**Notes:** Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1484	4.8

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0066: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (TALON)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	304	118
AAO (FY17)	320	
O/H	278	119
Shortfall/Excess	-26	1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
38	40	32	24	3	49	118	0	0	0	
44	46	36	24	3	49	118	0	0	0	
37	36	27	10	0	49	0	0	0	0	
-1	-4	-5	-14	-3	0	-118	0	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385015349826	119	50%	50%	0%	0%	0%	No	Yes	No	No	Yes	0	60	59

**Notes:** Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	25	0.1

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0067: ELECTRO OPTICAL MAINTENANCE SHELTER COMPLEX

The EOMSC is a transportable facility that provides a sheltered environment for operator/crew and field-level maintenance of optical, electro-optical, fire-control and laser range-finder equipment.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF	OPERATING FORCES								MCLC			
			I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN		
AAO (FY12)	16	1	3	3	3	0	2	0	0	2	3	0		
AAO (FY17)	21		6	6	2	0	2	0	0	2	3	0		
O/H	15	1	3	3	3	0	2	0	0	0	3	0		
Shortfall/Excess	-1	0	0	0	0	0	0	0	0	-2	0	0		

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5410015511127	1	0%	0%	100%	0%	0%	No	No	No	No	No	0	1	0

**Notes:** Category 1 Equipment

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0

☒ **Sensitive** ☐ **CCI**

☒ **Multi-Modal**

☒ **Associated TAMCNs (See Appendix)**

☒ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0069: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS)SHELTE

An expandable 20'x8'x8' ISO certified shelter and trailer combination used to house the DSESTS for the M1A1 Tank. It provides a mobile maintenance capability for the Tank Bn and MLG, capable of effecting repairs on all LRUs in all types of weather and terrain. The shelter and trailer can be transported by the MTRV or LVS/MK14 variant.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	22	2
AAO (FY17)	20	
O/H	21	2
Shortfall/Excess	-1	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
5	5	1	0	2	0	0	3	6	0
4	4	1	0	2	0	0	3	6	0
4	4	1	0	2	0	0	2	6	0
-1	-1	0	0	0	0	0	-1	0	0

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015528270	2	40%	0%	60%	0%	0%	No	No	No	No	No	1	0	1

**Notes:** Item will be repaired through CLS. No equipment conditions; however, care should be taken when utilizing high pressure wash around generator/ECU area. SL-3 should remain with PEI.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	8.5

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E0070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0070: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS) TRAILER

An expandable 20'x8'x8' ISO certified shelter and trailer combination used to house the DSESTS for the M1A1 Tank. It provides a mobile maintenance capability for the Tank Bn and MLG, capable of effecting repairs on all LRUs in all types of weather and terrain. The shelter and trailer can be transported by the MTRV or LVS/MK14 variant.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	43	2
AAO (FY17)	57	
O/H	41	2
Shortfall/Excess	-2	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
9	9	5	0	6	1	0	3	9	1	
16	16	5	0	6	1	0	3	9	1	
15	7	4	0	1	0	0	2	9	1	
6	-2	-1	0	-5	-1	0	-1	0	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015528661	2	40%	0%	60%	0%	0%	No	No	No	No	No	1	0	1

**Notes:** MCLC Stores pending redistribution. Associated with E0069. Ship with the System.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	223	0	4.2

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0076: MULTI-PURPOSE TANK BLADE

This multipurpose tank blade is a bulldozer blade that can be attached to an M1A1 and can be operated by the tank's driver. The blade provides for obstacle/rubble moving/removing and earthmoving activities such as digging defensive positions for the host vehicle.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	92	4
AAO (FY17)	90	
O/H	77	4
Shortfall/Excess	-15	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
10	8	0	0	6	4	6	10	48	0	
8	8	0	0	6	4	6	10	48	0	
8	9	0	0	6	4	0	5	41	0	
-2	1	0	0	0	0	-6	-5	-7	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590995933083	4	25%	0%	75%	0%	0%	No	Yes	No	No	No	2	1	1

**Notes:** No equipment condition; however care should be taken around any and all electrical connections. SL-3 should remain with PEI.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E0083 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0083: LAV UNDERBODY ARMOR

LAV Underbelly Armor, D Kit. Approx 9ft x 6ft x 4ft wooden crate, 3200 lbs, when not installed on a FOLAV.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	154
AAO (FY17)	0	
O/H	157	124
Shortfall/Excess	157	-30

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
33	0	0	0	0	0	0	0	0	0
33	0	0	0	0	0	0	0	0	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590015738437	124	0%	100%	0%	0%	0%	No	No	No	No	No	0	124	0

**Notes:** Create MWS for Blast, SL-3/4 Complete, Paint and Package for Storage (Item Manager Control).

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	2.3

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



E0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0085: M1021 DIAL BORE GAGE (M1021)

The Digital Bore Gauge (DBG) is used with the 60mm and 81mm mortar cannons.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	79	9
AAO (FY17)	87	
O/H	64	10
Shortfall/Excess	-15	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
12	11	9	8	7	6	20	0	6	0
17	16	9	6	7	6	20	0	6	0
10	11	9	1	7	9	0	4	3	0
-2	0	0	-7	0	3	-20	4	-3	0

Representative Picture

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650015629944	10	25%	0%	75%	0%	0%	No	No	No	No	No	2	6	2

Notes: Mission Capable equipment should be sent to the MEF for re-distribution.

R2 Distribution Plan

Equipment Assessment Information			
if	Mission Capable	then	MEF
if	Not Mission Capable	then	MEF
if	Not Mission Capable	then	MCLC
if	Condemned	then	DRMO

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

<input type="checkbox"/> Associated TAMCNs (See Appendix)
---

<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
---

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

E0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0086: EOD MARINE AIR SYSTEM (MAS) REMOTE FIRING DEVICE (RFD)

The MAS RFD is designed to command detonate explosives by UHF digital radio signals.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	334	22
AAO (FY17)	338	
O/H	155	27
Shortfall/Excess	-179	5

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
76	80	64	48	3	41	22	0	0	0	
76	80	68	48	3	41	22	0	0	0	
40	40	23	5	0	20	0	0	0	0	
-36	-40	-41	-43	-3	-21	-22	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1375982065633	27	0%	100%	0%	0%	0%	No	No	No	No	No	0	27	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if Mission Capable then MCLC  
if Not Mission Capable MEF then MCLC  
if Not Mission Capable then MCLC  
if Condemned then DRMO

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:  
A: Critical/Sensitive; M/S - AK or AC  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
B: Sensitive - MultiModal; M/S - AD to SE  
C: Critical Non-Sensitive; M/S - AD to SC  
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0088: M240 DAY OPTIC (MDO)

The MDO is a magnified day optic that mounts to the M240 Medium Machine Gun and aids the machine gunner in target detection, recognition, identification, and engagement, thereby increasing the combat effectiveness and lethality of the machine gun team.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	11,331	1211
AAO (FY17)	11,148	
O/H	4,750	1372
Shortfall/Excess	-6,581	161

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1,856	1,808	670	245	1,371	1,348	2,513	1,397	123	0	
1,863	1,583	670	280	1,371	1,348	2,513	1,397	123	0	
1,058	925	335	190	365	401	0	104	0	0	
-798	-883	-335	-55	-1,006	-947	-2,513	-1,293	-123	0	

Representative Picture

## Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240015780211	1372	33%	0%	33%	34%	0%	No	No	Yes	No	No	919	0	453

**Notes:** Category 1 Equipment

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

E0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0090: AN/PLT-5 CITADEL 2 (EOD)

The CITADEL II was procured as a special purpose Explosive Ordnance Disposal (EOD) tool



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	215	65
AAO (FY17)	217	
O/H	155	65
Shortfall/Excess	-60	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
38	40	32	48	3	24	30	0	0	0	
38	40	34	48	3	24	30	0	0	0	
38	23	2	16	0	11	0	0	0	0	
0	-17	-30	-32	-3	-13	-30	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015623004	65	0%	100%	0%	0%	0%	No	No	No	No	No	0	65	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if Mission Capable then MCLC  
if Not Mission Capable MEF then MCLC  
if Not Mission Capable then MCLC  
if Condemned then DRMO

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ Sensitive

☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

**TAMCN = E0091: AN/PLT-4 CITADEL 1 (EOD)**

AN/PLT-6448(V)1



Citadel II

Representative Picture

**TFSMS (Sept 2011)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

## REQUIREMENTS

	Total	OEF
AAO (FY12)	191	38
AAO (FY17)	193	
O/H	151	38
Shortfall/Excess	-40	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
38	40	32	24	3	24	30	0	0	0	
38	40	34	24	3	24	30	0	0	0	
17	40	27	11	0	18	0	0	0	0	
-21	0	-5	-13	-3	-6	-30	0	0	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014686173	38	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	38	0

**Notes:** Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

### Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**


## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0104: DRY POWDER SERVICING UNIT (DPSU)

The DPSU is a self contained dry powder servicing unit with ports for nitrogen and shop pressure air. The unit has onboard gages and flow switches which support the recharging evolution. The DPSU provides a stable hold-down platform during bottle recharge



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	16	1
AAO (FY17)	19	
O/H	6	1
Shortfall/Excess	-10	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
2	2	0	0	1	2	0	3	6	0
3	3	1	0	1	2	0	3	6	0
0	2	0	0	0	1	0	2	0	0
-2	0	0	0	-1	-1	0	-1	-6	0

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4210014889655	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** Item should be utilized for OPFOR T/E deficiencies. No equipment condition. SL-3 should remain with PEI.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0108: GLARE MOUNT 532-P (MINI GRN DAZZLER) LASER

Mini-Green is a Class 3B laser that emits a green beam which is visible when focused on surfaces and extremely bright when directly viewed and used for hail and warning.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	948	245
AAO (FY17)	948	
O/H	555	375
Shortfall/Excess	-393	130

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	948	0	0	0
0	0	0	0	0	0	948	0	0	0
0	0	0	68	0	0	0	112	0	0
0	0	0	68	0	0	-948	112	0	0

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1265015585814	71	0%	100%	0%	0%	0%	No	No	No	No	Yes	0	0	71
1265015838057	304	0%	0%	0%	100%	0%	No	No	No	No	Yes	0	304	0

Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

Redeployment Lift Criteria CAT I:  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)  
☐ Sensitive Associated TAMCNs (see Appendix)



# E0129 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0129: PUBLICATION SYSTEM, EOD, AUTOMATED

The AEODPS is the classified document management and retrieval software system for the EOD procedures database.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	102	8
AAO (FY17)	143	
O/H	105	16
Shortfall/Excess	3	8

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
5	7	16	13	3	38	20	0	0	0	
24	26	20	12	3	38	20	0	0	0	
25	24	13	13	0	14	0	0	0	0	
20	17	-3	0	-3	-24	-20	0	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7610001305356	16	0%	0%	0%	0%	100%	No	No	No	No	No	0	16	0

**Notes:** Item is not going to be reset - send all to MCLC - item is being removed. E0077 to replace E0129.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC


**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> <b>Sensitive</b>	<input type="checkbox"/> <b>CCI</b>
<input type="checkbox"/> <b>Multi-Modal</b>	
<input type="checkbox"/> <b>Associated TAMCNs (See Appendix)</b>	
<input type="checkbox"/> <b>Sensitive Associated TAMCNs (see Appendix)</b>	

# E0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0139: BORESCOPE, 58MM 8 IN.

The M3 Bore scope is a light weight, inspection device, designed to check various types of cannon bores for defects and damages. It is a straight tube telescope with a mirror that is set at an angle to offer a view of the bore being inspected.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	133	8
AAO (FY17)	142	
O/H	205	8
Shortfall/Excess	72	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
20	22	15	6	15	30	16	0	9	0
28	25	15	4	15	30	16	0	9	0
25	25	17	6	29	15	0	71	9	0
5	3	2	0	14	-15	-16	71	0	0

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650010630035	5	0%	0%	0%	100%	0%	Yes	No	No	No	No	0	5	0
6650015629886	3	10%	0%	90%	0%	0%	No	No	No	No	No	0	3	0

**Notes:** NSN ending in 0035 is obsolete but still used by MEFs - use to fill shortfalls.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0149: BRIDGE, SCISSOR F/AVLB

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	30	2
AAO (FY17)	30	
O/H	20	2
Shortfall/Excess	-10	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
5	5	0	0	0	2	8	4	6	0	
5	5	0	0	0	2	8	4	6	0	
4	3	0	0	2	2	0	1	6	0	
-1	-2	0	0	2	0	-8	-3	0	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5420005229599	2	0%	50%	50%	0%	0%	No	Yes	No	No	No	0	2	0

**Notes:** Item should be utilized for OPFOR T/E deficiencies. No equipment condition. SL-3 should remain with PEI.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2557	14.7

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input type="checkbox"/> Multi-Modal
--------------------------------------

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# E0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0150: ARMORED VEHICLE, LAUNCHER, BRIDGE

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	30	2
AAO (FY17)	30	
O/H	28	2
Shortfall/Excess	-2	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
5	5	0	0	0	3	8	3	6	0
5	5	0	0	0	3	8	3	6	0
4	4	0	0	2	0	0	10	6	0
-1	-1	0	0	2	-3	-8	7	0	0

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5420008892020	2	0%	50%	50%	0%	0%	No	Yes	No	No	No	2	0	0

**Notes:** Item should be disassociated from E0149. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	468	0	49

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# E0165 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0165: CHARGER,BATTERY

A device consisting of one or more components utilizing an alternating or direct current source to reactivate batteries in which reversible chemical reactions occur.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	3
AAO (FY17)	0	
O/H	7	2
Shortfall/Excess	7	-1

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	1	0	0	1	1	0	0	0	0
2	1	0	0	1	1	0	0	0	0

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130010189786	2	0%	0%	0%	100%	0%	No	No	No	No	No	0	2	0

**Notes:** Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0180: CIRCLE, AIMING

The Aiming Circle, M2A2, with its accessory equipment, has the general characteristics of a surveyor's transit. It is used for precise measurement of azimuth and elevation angles of a ground or aerial target.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	714	65
AAO (FY17)	664	
O/H	948	63
Shortfall/Excess	234	-2

**Influences R2  
Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
154	158	62	0	100	67	34	34	87	18	
154	113	57	0	100	67	34	34	87	18	
139	128	75	0	87	72	0	288	78	18	
-15	-30	13	0	-13	5	-34	254	-9	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675010670687	63	0%	75%	25%	0%	0%	No	Yes	No	Yes	No	39	24	0

**Notes:** It will be repaired and recalibrated at Barstow if necessary.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

☒ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**


### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# E0205 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0205: COLLIMATOR, INFINITY AIMING, REFERENCE

Tripod mounted primary aiming reference point for indirect laying operations for artillery/mortar. Illuminated with two C cell lithium battery pack -- 31 inches x 13 inches, weight 32 pounds.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	418	21
AAO (FY17)	376	
O/H	524	38
Shortfall/Excess	106	17

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
84	98	28	0	56	28	16	0	90	18	
84	63	21	0	56	28	16	0	90	18	
88	80	74	0	39	28	0	99	60	18	
4	-18	46	0	-17	0	-16	99	-30	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240003321780	0	0%	0%	0%	0%	100%	Yes	Yes	No	Yes	No	0	0	0
1240014655452	38	0%	75%	25%	0%	0%	No	Yes	No	Yes	No	18	20	0

**Notes:** Do not wash. Clean with damp cloth.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%



# E0207 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0207: JAVELIN

The M98A1 Command Launch Unit is the reusable portion of the Javelin system. It contains a day sight, night vision sight, controls, and indicators.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	624	56
AAO (FY17)	600	
O/H	368	62
Shortfall/Excess	-256	6

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
96	96	24	0	72	34	285	17	0	0	
96	72	24	0	72	34	285	17	0	0	
83	72	24	0	58	27	0	42	0	0	
-13	-24	0	0	-14	-7	-285	25	0	0	

## Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1430015328900	62	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	62	0

**Notes:** Units in CONUS are currently using WRMR assets. Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E0330 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0330: EQUIPMENT SET, NIGHT VISION

The Equipment Set, Night Vision, mounts on top of the day sight and enables the operator to track targets in darkness, heavy fog, and smoke, and during electro-optical countermeasures.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	560	16
AAO (FY17)	566	
O/H	605	60
Shortfall/Excess	45	44

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
43	23	3	0	28	78	350	23	12	0	
46	26	3	0	28	78	350	23	12	0	
56	30	0	0	25	25	0	409	0	0	
13	7	-3	0	-3	-53	-350	386	-12	0	

## Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855013010158	60	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	3	57	0

**Notes:** Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	10	0.1

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0359 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0359: FIRING DEVICE, DEMOLITION

The Remote Demolition Firing Device is a collection of equipment necessary for firing electric demolitions remotely.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	3
AAO (FY17)	0	
O/H	135	4
Shortfall/Excess	135	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
25	47	8	5	27	11	0	0	8	0	
25	47	8	5	27	11	0	0	8	0	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1375010210606	1	0%	50%	50%	0%	0%	No	No	No	No	No	0	1	0
1375014684400	3	0%	0%	100%	0%	0%	No	Yes	No	No	No	0	3	0

**Notes:** All items need to return to MCLC - not obsolete - need them back b/c they are being used in squad demolition kits for engineers.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0500: ACCESSORY OUTFIT FO

The Pullover Gage Kit is used to measure the wear of the bore diameter of artillery weapons. A separate pullover gage assembly is required for each bore size.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	77	4
AAO (FY17)	93	
O/H	74	12
Shortfall/Excess	-3	8

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
18	17	13	0	10	6	5	0	7	1	
27	24	13	0	10	6	5	0	7	1	
22	6	18	0	6	8	0	0	0	2	
4	-11	5	0	-4	2	-5	0	-7	1	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4933003488652	12	0%	0%	100%	0%	0%	No	No	No	No	No	11	1	0

**Notes:** Do Not Spray or wet any Electronic Components

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E0671 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0671: HOWITZER, LTWT, TOWED, 155MM

The M198 Medium Towed Howitzer is a 155mm field artillery howitzer. It is constructed of aluminum and steel, and is air transportable by CH-53E helicopter, and C-130 or larger fixed-wing aircraft.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	511	18
AAO (FY17)	475	
O/H	357	18
Shortfall/Excess	-154	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
72	84	30	0	48	45	125	17	90	0	
72	54	24	0	48	45	125	17	90	0	
60	74	39	0	48	25	0	9	72	12	
-12	-10	9	0	0	-20	-125	-8	-18	12	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1025014450991	0	0%	0%	0%	100%	0%	Yes	Yes	No	No	No	0	0	0
1025994637551	18	0%	50%	50%	0%	0%	No	Yes	No	No	No	0	18	0

**Notes:** Barstow is setup to do any type of reset - IRON and rebuild line is already setup.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	283	0	4.3

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0720: KIT, HOOK & LINE F/EOD

The Hook & Line Kit includes components for attaching lines, anchoring pulleys, and maneuvering objects.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	218	27
AAO (FY17)	234	
O/H	125	31
Shortfall/Excess	-93	4

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
38	40	32	12	3	23	30	0	30	10	
44	46	36	12	3	23	30	0	30	10	
22	24	16	12	0	10	0	0	7	3	
-16	-16	-16	0	-3	-13	-30	0	-23	-7	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385996952988	7	50%	0%	50%	0%	0%	No	No	No	No	No	4	0	3
1385999911200	24	50%	0%	50%	0%	0%	No	No	No	No	No	12	0	12

**Notes:** Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0759 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0759: KIT, DISASSEMBLY, FUZE, MECHANICAL, REMOTE (MK121 MOD0)

The MRFDK is used for conducting disassembly/inserting of fuses/ordnance items for either training or exploitation in combat environments. The MRFDK will provide operator safety during hazardous operations by allowing the operator to disassemble small munitions components and fuses from a remote distance of 6 to 10 ft.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	60	5
AAO (FY17)	59	
O/H	48	5
Shortfall/Excess	-12	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
12	13	9	6	0	19	1	0	0	0	
12	13	8	6	0	19	1	0	0	0	
11	10	9	2	0	10	0	0	0	1	
-1	-3	0	-4	0	-9	-1	0	0	1	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385012073619	5	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	5

**Notes:** Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☒ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%



# E0915 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0915: LAUNCHER, ROCKET, ASSAULT, 83MM, MK153

The SMAW is an 83mm man-portable weapon system consisting of the MK153 Mod 0 launcher, the MK 3 Mod 0 encased HEDP rocket, the MK 6 Mod 0 encased HEAA rocket, and the MK217 Mod 0 spotting rifle cartridge.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	1,766	138
AAO (FY17)	1,706	
O/H	1,376	143
Shortfall/Excess	-390	5

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
342	297	90	40	270	163	510	54	0	0	
342	243	72	52	270	163	510	54	0	0	
256	279	72	0	224	115	0	287	0	0	
-86	-18	-18	-40	-46	-48	-510	233	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1055011644608	143	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	143	0

**Notes:** Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM. Although this item is being replaced with a new version all launchers in theatre will need to be recovered as the new launcher is not in production yet.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E0935 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0935: LAUNCHER, TUBULAR, F/GM TOW WPN SYSTEM

The Launcher, Tubular is designed to attack and defeat tanks and other armored vehicles. It is primarily used in antitank warfare, and is a command to line of sight, wire-guided weapon.



TFSMS (Sept 2011)

☒ MARES
☐ MEE
☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	414	16
AAO (FY17)	415	
O/H	379	29
Shortfall/Excess	-35	13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
42	22	2	0	24	75	192	45	12	0
43	23	1	0	24	75	192	45	12	0
46	19	0	0	48	23	0	183	31	0
4	-3	-2	0	24	-52	-192	138	19	0

Representative Picture

### Reset Strategy & Plan (Product Group: 13)

												Forecasted Categories		
NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1440014118942	29	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	29	0

**Notes:** Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	79	0.2

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0942: LAV, ANTI-TANK

The LAV-AT is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	118	16
AAO (FY17)	118	
O/H	103	15
Shortfall/Excess	-15	-1

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
40	20	0	0	24	7	7	8	12	0	
40	20	0	0	24	7	7	8	12	0	
33	7	0	0	18	7	0	13	10	0	
-7	-13	0	0	-6	0	-7	5	-2	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015393618	15	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	15	0

**Notes:** Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	173	0	13.8

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# E0946 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0946: LAV, COMMAND & CONTROL (BN)

The LAV-C2 is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	69	8
AAO (FY17)	69	
O/H	43	8
Shortfall/Excess	-26	0

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
18	9	0	0	10	3	21	5	3	0
18	9	0	0	10	3	21	5	3	0
17	1	1	0	2	2	0	9	3	0
-1	-8	1	0	-8	-1	-21	4	0	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355014947611	0	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	0	0
2355015393589	8	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	8	0

**Notes:** Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	172	0	14

☒ Sensitive ☒ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☒ Associated TAMCNs (See Appendix)  
☐ Sensitive Associated TAMCNs (see Appendix)

# E0947 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0947: LAV, LIGHT ASSAULT, 25MM

The LAV-25 is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	548	60
AAO (FY17)	548	
O/H	432	60
Shortfall/Excess	-116	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
148	74	0	0	88	40	127	29	42	0
148	74	0	0	88	40	127	29	42	0
116	47	6	0	75	39	0	55	34	0
-32	-27	6	0	-13	-1	-127	26	-8	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355014947606	0	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	0	0
2355015393639	60	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	60	0

**Notes:** Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	176	0	13.9

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0948 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0948: LAV, LOGISTICS

The LAV-L is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E. When combat loaded there are 200 ready rounds and 800 stowed rounds of 7.62mm ammunition.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	136	16
AAO (FY17)	136	
O/H	102	16
Shortfall/Excess	-34	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
38	19	0	0	22	6	33	9	9	0	
38	19	0	0	22	6	33	9	9	0	
30	10	3	0	9	6	0	19	9	0	
-8	-9	3	0	-13	0	-33	10	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015393634	16	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	16	0

**Notes:** Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	175	0	14.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# E0949 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0949: LAV, MORTAR

The LAV-M is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E. When combat loaded there are 5 ready and 94 stowed 81mm bombs as well as 200 ready rounds and 800 stowed rounds of 7.62mm.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	71	8
AAO (FY17)	71	
O/H	56	8
Shortfall/Excess	-15	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
20	10	0	0	12	4	14	5	6	0	
20	10	0	0	12	4	14	5	6	0	
15	3	0	0	10	3	0	11	6	0	
-5	-7	0	0	-2	-1	-14	6	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015393578	8	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	8	0

**Notes:** Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	173	0	13.5

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)



# E0950 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0950: LAV, MAINT/RECOVERY

The LAV-R is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	49	6
AAO (FY17)	49	
O/H	37	6
Shortfall/Excess	-12	0

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
14	7	0	0	8	5	8	4	3	0	
14	7	0	0	8	5	8	4	3	0	
10	3	0	0	5	5	0	6	2	0	
-4	-4	0	0	-3	0	-8	2	-1	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015393601	6	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	6	0

**Notes:** Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	197	0	14.2

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# E0955 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0955: INFRARED EQUIPMENT.

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	825	0
Shortfall/Excess	825	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
25	112	85	0	603	0	0	0	0	0	
25	112	85	0	603	0	0	0	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855013984315	0	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	0

**Notes:** Category 3 Equipment. Item is obsolete and has been replaced.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	0%	0%

# E0958 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0958: ADVANCED ORDNANCE LOCATOR, EOD

Used for locating ferromagnetic explosives in the earth or at the bottom of inshore waters.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	154	9
AAO (FY17)	193	
O/H	92	9
Shortfall/Excess	-62	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
38	40	30	12	3	22	9	0	0	0	
51	51	45	12	3	22	9	0	0	0	
22	20	22	5	0	12	0	2	0	0	
-16	-20	-8	-7	-3	-10	-9	2	0	0	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385011360131	9	0%	100%	0%	0%	0%	No	No	No	No	No	0	9	0
6665015037886	0	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	0

**Notes:** Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E0961 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0961: MACHINE GUN M240E1

The 7.62mm machine gun is a lightweight, air-cooled, disintegrating metallic link-belt fed, portable or tripod mounted machine gun designed for ground operations. It is gas operated with fixed headspace and timing which permits rapid changing of barrels.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF	OPERATING FORCES								MCLC			
			I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN		
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0		
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0		
O/H	339	57	30	29	0	0	28	1	0	172	22	0		
Shortfall/Excess	339	57	30	29	0	0	28	1	0	172	22	0		

**Influences R2 Distribution**

### Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005012524288	57	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	0	57	0

**Notes:** Items are being shipped back to the MEFs

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0980: MACHINE GUN, CAL .50, BROWNING, HB FLEXIBLE

The Browning M2 .50 Caliber Machine Gun, Heavy barrel is an automatic, recoil operated, air-cooled machine gun with adjustable headspace and is crew transportable with limited amounts of ammunition over short distances.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	5,783	799
AAO (FY17)	5,644	
O/H	5,787	808
Shortfall/Excess	4	9

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
808	809	408	176	585	373	1,630	877	117	0	
786	718	390	168	585	373	1,630	877	117	0	
804	816	476	136	505	367	0	1,765	110	0	
-4	7	68	-40	-80	-6	-1,630	888	-7	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005007265636	808	0%	75%	25%	0%	0%	No	Yes	No	No	No	4	804	0

**Notes:** Items are being shipped back to the MEFs

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

E0984 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0984: MACHINE GUN, CAL .50

The M48 Turret Type .50 Caliber Machine Gun is a belt fed recoil-operated, air-cooled, crew-served machine gun. This gun is capable of firing single-shot and is fully automatic.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	517	19
AAO (FY17)	503	
O/H	558	19
Shortfall/Excess	41	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
80	66	0	0	84	37	34	27	189	0	
66	66	0	0	84	37	34	27	189	0	
76	79	0	0	46	36	0	118	184	0	
-4	13	0	0	-38	-1	-34	91	-5	0	

Representative Picture

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005009573893	19	0%	75%	25%	0%	0%	No	Yes	Yes	Yes	No	4	15	0

Notes: This TAMCN is associated with the Tank and should return with it.

R2 Distribution Plan

Equipment Assessment Information			
if	Mission Capable	then	MEF
if	Not Mission Capable	then	MEF
if	Not Mission Capable	then	MCLC
if	Condemned	then	DRMO

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0.1

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

E0989 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0989: MACHINE GUN, M240B

The M240G Machine Gun is the ground version of the original M240/M240E1, 7.62mm medium class weapon designed as a coaxial/pintle mounted machine gun for tanks and light armored vehicles.



TFSMS (Sept 2011)

☒ MARES

☐ MEE

☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	10,961	1337
AAO (FY17)	10,764	
O/H	10,486	1411
Shortfall/Excess	-475	74

Influences R2  
Distribution



REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1,869	1,808	670	242	1,371	1,333	2,562	983	123	0	
1,863	1,583	666	280	1,371	1,333	2,562	983	123	0	
1,752	1,675	682	209	1,108	1267	0	2,295	87	0	
-117	-133	12	-33	-263	-66	-2,562	1,312	-36	0	

Representative Picture

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005014123129	1411	0%	75%	25%	0%	0%	No	Yes	No	Yes	No	250	1161	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information			
if	Mission Capable	then	MEF
if	Not Mission Capable	then	MEF
if	Not Mission Capable	then	MCLC
if	Condemned	then	DRMO

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive

☐ CCI

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# E0994 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0994: MACHINE GUN, GRENADE (MK 19 40MM MOD 3 W/BKT)

The MK19 40mm machine gun, MOD 3 is an air-cooled, disintegrating metallic link-belt fed, blowback operated, fully automatic weapon and is crew transportable over short distances with limited amounts of ammunition. It can fire a variety of 40mm grenades.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	4,961	626
AAO (FY17)	4,861	
O/H	4,744	663
Shortfall/Excess	-217	37

**Influences R2  
Distribution**

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
680	731	388	108	549	323	1,586	503	93	0	
682	619	402	104	549	323	1,586	503	93	0	
735	719	450	95	409	304	0	1,284	85	0	
55	-12	62	-13	-140	-19	-1,586	781	-8	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1010011269063	17	0%	100%	0%	0%	0%	No	Yes	No	No	No	9	8	0
1010014909697	646	0%	75%	25%	0%	0%	No	Yes	No	Yes	No	4	642	0

**Notes:** Items are being shipped back to the MEFs

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

<input type="checkbox"/> Associated TAMCNs (See Appendix)
---

<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E0996 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E0996: BLADE, MINE CLEARING

The Mine Clearing Blade, when mounted to the front of the M1 or M1A1 Abrams Tank, is used to clear tank track path of mines which lie in front of the tracks from depths of 8, 10, and 12 inches.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	115	3
AAO (FY17)	113	
O/H	68	3
Shortfall/Excess	-47	0

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
10	8	0	0	6	4	34	29	24	0	
8	8	0	0	6	4	34	29	24	0	
8	10	0	0	5	4	0	18	20	0	
-2	2	0	0	-1	0	-34	-11	-4	0	

Representative Picture

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590012308862	3	0%	0%	0%	100%	0%	No	Yes	No	No	No	0	3	0

**Notes:**

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	289	3.6

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

E0998 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0998: MACHINE GUN, 7.62MM, LH (M240)

The Machine Gun, 7.62mm, M240 is a lightweight, air cooled, disintegrating metallic link belt fed, vehicle mounted gun designed as a coaxial weapon for tanks and 7.62mm firepower for lighter vehicles.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,568	91
AAO (FY17)	1,540	
O/H	2,051	91
Shortfall/Excess	483	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
292	190	0	0	260	99	195	142	390	0	
264	190	0	0	260	99	195	142	390	0	
312	193	7	0	198	97	0	771	382	0	
20	3	7	0	-62	-2	-195	629	-8	0	

Representative Picture

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005010258095	91	0%	75%	25%	0%	0%	No	Yes	Yes	No	No	0	91	0

Notes: Item is associated with the Tank and LAV, should return with it.

R2 Distribution Plan

Equipment Assessment Information		
if Mission Capable	then	MEF
if Not Mission Capable	MEF then	MEF
if Not Mission Capable	then	MCLC
if Condemned	then	DRMO

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
---

<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
---

# E1030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1030: TARGET DESIGNATOR II, LASER, GROUND (GLTD II)

The GLTD II is a compact, lightweight, man portable, laser designator and rangefinder. Developed to enable combat soldiers to direct laser-guided munitions, such as Hellfire missiles and Laser Spot Tracking munitions. The GLTD II can be implemented as part of a sophisticated digitized fire control system with thermal or image-intensified sights.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	61	10
Shortfall/Excess	61	10

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
10	8	13	14	2	4	0	0	0	0
10	8	13	14	2	4	0	0	0	0

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5860070000768	10	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	10

**Notes:** Obsolete item.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E1035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1035: SYSTEM GROUP, METEOROLOGICAL (MSG), AN/TMQ49

The MSG consists of the Meteorological Measuring Set AN/TMQ-41, Surface Met Sensor AN/TPQ-50, and Electronic Met Theodolite. The MSG and its components are used to measure upper air conditions in order to determine met corrections for artillery.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	21	2
AAO (FY17)	21	
O/H	19	2
Shortfall/Excess	-2	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
4	4	3	0	5	3	0	2	0	0	
4	4	3	0	5	3	0	2	0	0	
3	3	3	0	4	2	0	2	0	0	
-1	-1	0	0	-1	-1	0	0	0	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6660014289218	2	0%	0%	100%	0%	0%	No	No	No	No	No	2	0	0

**Notes:** Using unit owned assets return to home station. No direct water contact on electrical components.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.3

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E1047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1047: BINOCULAR EYE SAFE

This eye safe Binocular is a device utilizing Erbium Glass Laser technology. The Optic Long Distance Laser Rangefinder Binocular unit is easy to use and withstands the harshest environmental conditions.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	8
AAO (FY17)	0	
O/H	32	9
Shortfall/Excess	32	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
9	9	5	0	0	0	0	0	0	0	
9	9	5	0	0	0	0	0	0	0	

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240090001994	9	0%	0%	0%	0%	100%	Yes	No	No	No	Yes	0	0	9

**Notes:** Obsolete item

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E1048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1048: RANGE FINDER, LASER

The Common Laser Range Finder, formerly called the Laser Infrared Observation Set Replacement, is a set of small, lightweight, and eye-safe laser range finders and azimuth and inclination sensors that export targeting data.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,423	332
AAO (FY17)	2,294	
O/H	2,038	414
Shortfall/Excess	-385	82

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
573	560	196	280	480	151	68	115	0	0	
565	427	181	307	480	151	68	115	0	0	
383	336	107	92	499	139	0	68	0	0	
-190	-224	-89	-188	19	-12	-68	-47	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240015615149	199	0%	0%	0%	100%	0%	No	No	No	No	No	199	0	0
1240015723753	0	0%	0%	0%	100%	0%	Yes	No	No	No	Yes	1	0	0
1240090003576	61	0%	0%	0%	100%	0%	Yes	No	No	No	Yes	61	0	0
1240090003759	154	0%	0%	0%	100%	0%	Yes	No	No	No	Yes	154	0	0

Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# E1065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1065: MORTAR, 60MM, LWCMS

Mortar, 60 mm, Lightweight, Company, M224 is a smooth bore, muzzle-loading, high-angle-of-fire weapon. The cannon assembly is composed of a barrel, combination base cap, and firing mechanism.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	841	78
AAO (FY17)	816	
O/H	778	89
Shortfall/Excess	-63	11

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
116	116	33	98	81	122	198	77	0	0	
116	89	35	98	81	122	198	77	0	0	
120	124	42	29	77	151	0	146	0	0	
4	8	9	-69	-4	29	-198	69	0	0	

## Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1010010205626	83	0%	0%	0%	100%	0%	Yes	Yes	No	Yes	No	0	83	0
1010010445883	2	0%	100%	0%	0%	0%	No	No	No	No	No	0	2	0
1010015862874	4	0%	0%	100%	0%	0%	No	No	No	No	No	0	4	0

**Notes:** All items must return to Depot.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.1

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# E1070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1070: MORTAR, 120MM

Rifled-towed 120mm mortar, designated XM326, Weight 1798 lbs, transportable in MV-22 Osprey or CH-53 Helo.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	72	0
AAO (FY17)	60	
O/H	33	3
Shortfall/Excess	-39	3

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
24	24	12	0	0	6	0	6	0	0	
24	12	12	0	0	6	0	6	0	0	
6	23	0	0	0	1	0	0	0	0	
-18	-1	-12	0	0	-5	0	-6	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1015015309102	0	0%	0%	100%	0%	0%	No	No	No	No	No	0	0	0
1220011196049	3						No	No	No	No	No	2	1	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	0.8

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E1095 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1095: MORTAR, MEDIUM, 81MM, EXTENDED RANGE

Mortar, Medium, Extended Range, 81 mm, M252 is a crew-served, lightweight mortar that is highly accurate and provides for a range of 4,500 meters to 5,650 meters.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	725	72
AAO (FY17)	701	
O/H	524	73
Shortfall/Excess	-201	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
116	106	24	20	84	121	177	71	6	0	
116	82	24	20	84	121	177	71	6	0	
96	97	24	2	85	104	0	37	6	0	
-20	-9	0	-18	1	-17	-177	-34	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1015011646651	73	0%	50%	50%	0%	0%	No	Yes	No	Yes	No	29	44	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	16	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
--

<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
---

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E1145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1145: VELOCITY SYSTEM, MUZZLE (MVS)

The Radar Chronograph Set, M36 is a continuous wave doppler radar transmitter-receiver system. Its function is the measurement of velocity of artillery projectiles ranging in size from 40 to 280 mm, and encompassing the velocity range from 250 to 6100 fps.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	265	12
AAO (FY17)	229	
O/H	156	12
Shortfall/Excess	-109	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
74	86	30	0	18	16	5	0	30	6	
74	56	24	0	18	16	5	0	30	6	
28	32	21	0	19	2	0	12	24	6	
-46	-54	-9	0	1	-14	-5	12	-6	0	

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1290014125760	12	0%	0%	0%	100%	0%	No	No	No	No	No	12	0	0

**Notes:** Do not wash. Clean with damp cloth.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

# E1156 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1156: NIGHT VISION IMAGING SYSTEM

The night vision sight is a sight with a super-fast front lens system for optimal brightness and easy push-button operation and reticule brightness adjustment. It comes with a powerful, detachable Infrared Illuminator with dedicated windage and elevation adjustments.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	22	3
Shortfall/Excess	22	3

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
7	9	0	0	2	1	0	0	0	0	
7	9	0	0	2	1	0	0	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015264703	3	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	3

**Notes:** Obsolete - disposal plan is published (DP 11085A)- DRMO in country. If serviceable hold in country - candidate for FMS or gifting.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **DRMO**  
 if **Not Mission Capable MEF** then **DRMO**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

### Forecasted Reset Strategy for Distribution


ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	0%	100%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# E1159 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1159: SIGHT, NIGHT VISION, WEAPON, CREW SERVED

The AN/PVS-7B/D Night Vision Goggle is a lightweight optical night vision device with third generation image intensifier technology. The AN/PVS-7 uses prisms and lenses to provide the Marine with simulated binocular vision and can be used as a binocular with neck strap or mounted to a head or helmet mount. The AN/PVS-7 weighs less than two pounds and is powered by two AA alkaline or lithium batteries.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,345	133
AAO (FY17)	2,296	
O/H	1,116	130
Shortfall/Excess	-1,229	-3

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
624	680	302	0	444	55	237	3	0	0	
650	616	291	0	444	55	237	3	0	0	
145	208	97	0	251	13	0	272	0	0	
-479	-472	-205	0	-193	-42	-237	269	0	0	

## Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855010202211	1	0%	0%	75%	25%	0%	No	Yes	No	No	No	1	0	0
5855014228777	129	0%	0%	75%	25%	0%	No	Yes	No	No	No	129	0	0

**Notes:** Category 1 Equipment

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E1378 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1378: RECOVERY VEHICLE, FT, HEAVY, W/EQUIP (M88)

The M88A2 Medium Recovery Vehicle (MRV) is a full tracked armored vehicle used to perform battlefield rescue and recovery missions.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	97	12
AAO (FY17)	107	
O/H	64	13
Shortfall/Excess	-33	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
24	22	7	0	6	5	6	6	21	0	
29	29	5	0	6	5	6	6	21	0	
11	13	0	0	6	4	0	1	16	0	
-13	-9	-7	0	0	-1	-6	-5	-5	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2350013904683	13	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	13	0

**Notes:** Vehicle equipped with SL-3 to include SSRI items which should be packaged up and shipped such that it can marry up with his host vehicle. All need to go back to MCLC for full depot repair due to high number of miles on the equipment. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	319	0	64.2

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%



# E1379 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1379: REGULATOR, CHARGING ACCUMULATOR

A pressure charging kit, the E1379 consists of: plug, PN 8762813, valve assembly, PN 8762772, valve, PN 8687044, adapter, PN 10870258; assembly hose, PN 9338049, socket, PN 8762812, gauge, PN 8743890, adapter assembly, PN 11668842, hose assembly, PN 9338048, manifold, PN 8762771, nipple, PN 190413, and regulator, PN 11668061.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	77	2
AAO (FY17)	74	
O/H	56	4
Shortfall/Excess	-21	2

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
16	12	3	0	14	4	3	0	25	0	
15	12	1	0	14	4	3	0	25	0	
16	12	0	0	5	1	0	0	18	0	
0	0	-3	0	-9	-3	-3	0	-7	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940010467109	4	0%	0%	100%	0%	0%	No	No	No	No	No	3	1	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E1385 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1385: NEUTRALIZATION DEVICE, ORDNANCE, REMOTE

The MK 36 Tool Set consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	53	0
AAO (FY17)	55	
O/H	44	3
Shortfall/Excess	-9	3

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
11	13	7	0	3	18	1	0	0	0	
11	13	9	0	3	18	1	0	0	0	
11	13	8	0	0	9	0	0	0	0	
0	0	1	0	-3	-9	-1	0	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385014569129	3	0%	0%	100%	0%	0%	No	No	No	No	Yes	0	3	0

#### Notes:

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	37	0.6

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E1441 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1441: RIFLE, 5.56 MILLIMET

The Rifle, 5.56mm, M16A2 is a lightweight, air-cooled, gas operated, magazine fed, shoulder or hip fired weapon designed for either automatic or semi-automatic fire.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	92,638	0
Shortfall/Excess	92,638	0

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1,617	139	498	2	2,155	796	0	87,431	0	0	
1,617	139	498	2	2,155	796	0	87,431	0	0	

Representative Picture

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005011289936	0	0%	0%	0%	0%	100%	Yes	Yes	No	No	No	0	0	0

**Notes:** TAMCN is Obsolete. This is a deployment asset - should be brought in and out of theater with the unit. If there are any in theater they are FMS candidate.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1500: ROCKET SYSTEM, ARTY, HIGH MOB (HIMARS)

HIMARS is a ground-based, precision indirect fire support system which accurately engages targets at long ranges, under all weather conditions.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	46	6
AAO (FY17)	52	
O/H	42	12
Shortfall/Excess	-4	6

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
18	0	0	0	18	4	6	0	0	0	
24	0	0	0	18	4	6	0	0	0	
12	0	0	0	18	0	0	0	0	0	
-6	0	0	0	0	-4	-6	0	0	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1055015367106	12	0%	100%	0%	0%	0%	No	Yes	No	Yes	No	6	6	0

**Notes:** All should be brought back through the MEF, then MCLC. Do Not Spray or wet any Electronic Components

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	17.5

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☒ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1570: SET, GROUND HOP SUPPORT (GHSS)

The Ground Hop Support Set is utilized to operate, control, and monitor engine and transmission functions on the powerpack when removed from the M1A1 Tank for maintenance.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	25	0
AAO (FY17)	26	
O/H	16	1
Shortfall/Excess	-9	1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
4	4	0	0	2	4	2	0	9	0	
4	4	1	0	2	4	2	0	9	0	
2	2	0	0	2	2	0	2	5	0	
-2	-2	0	0	0	-2	-2	2	-4	0	

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910012310343	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** Mainly field or CLS repair - brain box needs to go up to Ohio for repair if necessary. No high pressure wash. All POLs removed. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	133	0.6

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E1712 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1712: SHOP EQUIPMENT, ARTILLERY

The Shop Set, Equipment, Artillery Set is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of artillery equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	26	0
AAO (FY17)	29	
O/H	22	1
Shortfall/Excess	-4	1

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
5	4	4	0	4	1	0	4	3	1	
6	6	4	0	4	1	0	4	3	1	
6	4	4	0	2	0	0	2	3	0	
1	0	0	0	-2	-1	0	-2	0	-1	

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4933015606595	1	0%	0%	100%	0%	0%	No	Yes	No	No	No	0	1	0

**Notes:** Using Unit owned assets return to home station. Do Not Spray or wet any Electronic Components

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	7.5

☐ Sensitive ☐ CCI

☒ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1713: ELECTRO-OPTICS MAIN

The Shop Set, Maintenance, Electro-Optics, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of optic, electro-optic, fire control and laser range finder equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	30	0
AAO (FY17)	36	
O/H	6	1
Shortfall/Excess	-24	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
5	7	4	0	4	2	4	0	3	1	
9	9	4	0	4	2	4	0	3	1	
0	3	1	0	0	1	0	0	0	0	
-5	-4	-3	0	-4	-1	-4	0	-3	-1	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4931012732389	1	0%	0%	100%	0%	0%	Yes	No	No	No	No	0	1	0

**Notes:** Obsolete - Disposal plan is place, replacement TAMCN is already fielded.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.5

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# E1714 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1714: SHOP SET, MAINT, SMALL ARMS

The Shop Set, Maintenance, Small Arms, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of small arms and mortars.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	33	0
AAO (FY17)	45	
O/H	35	4
Shortfall/Excess	2	4

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
6	6	5	3	4	0	5	0	3	1	
12	12	5	3	4	0	5	0	3	1	
6	6	4	0	4	0	0	8	3	0	
0	0	-1	-3	0	0	-5	8	0	-1	

## Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015712584	4	1%	0%	99%	0%	0%	No	No	No	No	No	1	3	0

**Notes:** No Special Requirements

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.5

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☐ Multi-Modal

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

E1762 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1762: SHOTGUN 12 GA

The Shotgun, 12 Gauge, Riot Type, is a pump action, manually operated magazine fed (tubular), shoulder type weapon.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,732	23
AAO (FY17)	4,648	
O/H	3,309	50
Shortfall/Excess	-1,423	27

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES							MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1,037	1,717	449	74	459	169	827	0	0	0	
1,048	1,656	425	64	459	169	827	0	0	0	
582	1,374	314	28	200	167	0	594	0	0	
-455	-343	-135	-46	-259	-2	-827	594	0	0	

Representative Picture

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005012518578	2	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	2
1005013715639	48	0%	0%	100%	0%	0%	No	No	No	No	No	48	0	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit.

R2 Distribution Plan

Equipment Assessment Information		
if Mission Capable	then	MEF
if Not Mission Capable	then	MEF
if Not Mission Capable	then	MEF
if Condemned	then	DRMO

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
---

<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)
---

# E1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1785: SYNCHRONIZATION SET, SIGHT, F/LAV

The Sight Synchronization Set provides a simplified means of synchronizing the LAV-25A1 DIM 36TH gunsights and eliminates the necessity of sloping the vehicle to detect and measure sighting elevation errors with the use of the following Major Components:

1. Adjustment Set Eccentric
2. Fixture Assembly, Sight Synchronization
3. Gunners Quadrant



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	52	3
AAO (FY17)	54	
O/H	61	3
Shortfall/Excess	9	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	7	2	0	8	12	5	0	6	0	
13	8	2	0	8	12	5	0	6	0	
13	10	1	0	7	6	0	17	4	0	
1	3	-1	0	-1	-6	-5	17	-2	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650015385130	3	75%	0%	25%	0%	0%	No	No	No	No	No	1	0	2

**Notes:** Cannot be repaired - reset needs to assure all SL-3 components are included.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E1834 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1834: STAND MAINTENANCE A

The Stand, Maintenance, Automotive Power Train Assemblies is used to hold automotive power trains during repair or maintenance.

10699291  
POWER PAK  
GROUND HOP  
STAND



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	36	2
AAO (FY17)	36	
O/H	17	2
Shortfall/Excess	-19	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
5	3	1	0	7	15	0	2	3	0	
5	3	1	0	7	15	0	2	3	0	
4	2	0	0	5	2	0	2	0	0	
-1	-1	-1	0	-2	-13	0	0	-3	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910219200678	2	50%	50%	0%	0%	0%	No	No	No	No	No	0	1	1

**Notes:** No Special Requirements

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)  
☐ Sensitive Associated TAMCNs (see Appendix)

# E1888 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1888: TANK, COMBAT, FT, 120MM GUN

The M1A1 is an improved version of the M1 Main Battle Tank. It includes a 120mm smoothbore main gun, an NBC overpressure protection system, and an improved armor package.



TFSMS (Sept 2011) ☒ MARES ☒ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	595	14
AAO (FY17)	581	
O/H	372	17
Shortfall/Excess	-223	3

**Influences R2 Distribution**

### OPERATING FORCES

I MEF	II MEF	III MEF	SOC	RES	SE
72	58	0	0	48	28
58	58	0	0	48	28
60	52	0	0	46	26
-12	-6	0	0	-2	-2

Representative Picture

### MCLC

WRMR	DMFA	MPF	MCPN
162	53	174	0
162	53	174	0
0	1	170	0
-162	-52	-4	0

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2350010871095	17	0%	100%	0%	0%	0%	No	Yes	No	No	No	0	17	0

**Notes:** All M1A1's be shipped directly to Anniston Army Depot (Anniston, Alabama) for refurb/repair. Disposition for PEI's will be established Armor deck removed. FUPP (full-up Power Pack) removed. V-Packs (air cleaners (three/3)) removed. Electrical connectors on FUPP and Tank Covered from water exposure. Air inlet on Tank covered. Final drives on Tank and FUPP covered. NO High pressure wash for crew compartment. No high pressure wash for main gun (interior) No high pressure wash for NBC seal (Turret and hull mate) All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	387	0	61.9

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E1900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1900: TELESCOPE, OBSERVATION W/EQUIP

The Telescope, Observation, M49 is an erect image instrument of the prism offset type, the image being erected by means of two prisms and magnified by the lenses in the eyepiece.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,255	155
AAO (FY17)	2,189	
O/H	1,741	167
Shortfall/Excess	-514	12

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
232	374	132	0	222	1,025	270	0	0	0	
219	326	127	0	222	1,025	270	0	0	0	
151	327	91	138	256	611	0	0	0	0	
-81	-47	-41	138	34	-414	-270	0	0	0	

## Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650005300960	167	0%	0%	100%	0%	0%	No	No	No	No	No	167	0	0

**Notes:** Category 1 Equipment

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
------------------------------------	------------------------------

<input checked="" type="checkbox"/> Multi-Modal
---

## Forecasted Reset Strategy for Distribution


ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

<input type="checkbox"/> Associated TAMCNs (See Appendix)
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

# E1904 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1904: TEST SET, AMPLIFIER

The Amplifier Test Set is used to isolate a fault in the post amplifier assembly to a single replaceable subassembly, to gain balance the Video buffers, and to align the Night Sight eyepiece reticule assembly.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	63	4
AAO (FY17)	75	
O/H	33	1
Shortfall/Excess	-30	-3

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
13	12	8	0	8	10	6	0	6	0	
19	18	8	0	8	10	6	0	6	0	
6	3	0	0	3	11	0	3	6	0	
-7	-9	-8	0	-5	1	-6	3	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855011444837	1	0%	0%	0%	100%	0%	No	Yes	No	No	No	0	1	0

**Notes:** Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)  
☐ Sensitive Associated TAMCNs (see Appendix)



# E1906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1906: TEST SET, ELECT SYSTEM, DIRECT SUPPORT

The Test Set, Electronic, AN/USM-615 is made up of the Direct Support Electric Systems Test Set Shelter System. The Shelter is a Mobile Expandable Container Configuration of an International Standards Organization container.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	33	2
AAO (FY17)	43	
O/H	22	2
Shortfall/Excess	-11	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
6	6	1	3	3	4	4	0	6	0	
10	10	3	3	3	4	4	0	6	0	
5	4	0	0	2	2	0	1	6	0	
-1	-2	-1	-3	-1	-2	-4	1	0	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625011200764	2	40%	0%	60%	0%	0%	No	No	No	No	No	1	0	1

**Notes:** No High Pressure wash.. Use compressed air (low pressure) for cleaning. All SL-3 components removed for/Agricultural Inspection. SL-3 should remain with PEI for shipment.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	28	0.2

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%


☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E1909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1909: TEST SET, BORESIGHT COLLIMATOR

The Bore sight Collimator Test Set is used for testing and alignment of the bore sight collimator.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	58	3
AAO (FY17)	70	
O/H	29	2
Shortfall/Excess	-29	-1

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
12	11	8	0	7	9	5	0	6	0	
18	17	8	0	7	9	5	0	6	0	
6	4	0	0	2	8	0	2	5	0	
-6	-7	-8	0	-5	-1	-5	2	-1	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855011333587	2	0%	0%	0%	100%	0%	No	No	No	No	No	0	2	0

**Notes:** Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0.1

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E1910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1910: TEST CENTRAL GROUP

The Analyzer Set, Vehicular (STE-M1), consists of two major groups, the Common Hardware Group and M1 Peculiar Group. The Common Hardware Group includes the items used for testing several vehicles types.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	53	1
AAO (FY17)	54	
O/H	13	2
Shortfall/Excess	-40	1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
11	13	1	0	11	2	6	0	9	0	
12	12	2	0	11	2	6	0	9	0	
0	2	0	0	3	0	0	1	5	0	
-11	-11	-1	0	-8	-2	-6	1	-4	0	

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625011354389	2	0%	0%	0%	100%	0%	Yes	No	No	No	No	0	2	0

**Notes:** OBSOLETE PEI. Disposal Plan in place. DRMO in theater is authorized.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)


## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E1911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1911: TEST SET, MISSILE GUIDANCE

A test set specifically designed for use in making examinations of a Missile Guidance Set.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	177	6
AAO (FY17)	183	
O/H	76	5
Shortfall/Excess	-101	-1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
39	37	14	0	28	12	29	0	18	0	
45	37	14	0	28	12	29	0	18	0	
17	12	1	0	14	9	0	0	18	0	
-22	-25	-13	0	-14	-3	-29	0	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4935011475999	5	0%	50%	50%	0%	0%	No	Yes	No	No	No	4	1	0

**Notes:** Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
100%	0%	0%	0%	0%

E1912 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1912: TEST SET, GM

AN/TSM-140B. The Test Set, Guided Missile System provides capability for test, checkout, alignment, and fault isolation of TOW Launcher, Tubular, GM M-70A2.

TFSMS (Sept 2011)

☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	161	3
AAO (FY17)	167	
O/H	95	2
Shortfall/Excess	-66	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
39	37	14	0	28	14	23	3	3	0	
45	37	14	0	28	14	23	3	3	0	
14	11	2	0	10	11	0	41	4	0	
-25	-26	-12	0	-18	-3	-23	38	1	0	

Representative Picture

Reset Strategy & Plan (Product Group: 13)

												Forecasted Categories		
NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4935011735016	2	0%	0%	0%	100%	0%	No	No	No	No	No	0	2	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if Mission Capable then MCLC  
if Not Mission Capable MEF then MCLC  
if Not Mission Capable then MCLC  
if Condemned then DRMO

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D
--	---

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	37	0.3

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E1947 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1947: TEST SET, NIGHT VISION

The Night Vision Sight Set (AN/TAM-3) provides direct support for the AN/TAS-4, 5 and 6 Night Sights. The test set has three storage containers, one for the thermal sight collimator, special tools and electronic test equipment.

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	70	5
AAO (FY17)	86	
O/H	46	0
Shortfall/Excess	-24	-5

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				Representative Picture	
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN		
14	13	7	0	8	11	8	0	9	0		
22	21	7	0	8	11	8	0	9	0		
11	7	0	0	1	9	0	11	7	0		
-3	-6	-7	0	-7	-2	-8	11	-2	0		

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855012449784	0	0%	0%	0%	100%	0%	No	No	No	No	No	0	0	0

**Notes:** Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E1975 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1975: SIGHT, WEAPON, THERMAL, MEDIUM (MTWS) AN/PAS-13CV2

The AN/PAS-13D (V)2 Thermal Weapon Sight is a second generation FLIR for use on 240B & 249 MGs. The AN/PAS-13D (V)2 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.



TFSMS (Sept 2011) ☒ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	8,804	1311
AAO (FY17)	8,621	
O/H	7,908	1318
Shortfall/Excess	-896	7

**Influences R2 Distribution**



OPERATING FORCES					MCLC					
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1,856	1,808	670	245	1,371	1,317	1,330	84	123	0	
1,863	1,583	670	280	1,371	1,317	1,330	84	123	0	
1,555	1,452	629	272	1,351	1331	0	0	0	0	
-301	-356	-41	27	-20	14	-1,330	-84	-123	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855013836558	4	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	4
5855014643150	0	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	0	0
5855014643152	93	0%	0%	0%	100%	0%	Yes	No	No	No	No	93	0	0
5855015244313	1221	0%	0%	100%	0%	0%	No	No	No	No	No	605	616	0

**Notes:** Only the NSN ending in 4313 should be sent to the MEFs - all others should be sent to MCLC for either disposal or return to the Army.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)



# E1976 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E1976: SIGHT, WEAPON, THERMAL, HVY (HTWS)

The AN/APS-13 Thermal Weapon Sight is a second generation FLIR for use on rifles, surveillance missions and shoulder-launched missiles. The PAS-13 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.



Representative Picture

TFSMS (Sept 2011) ☒ MARES ☐ MEE ☒ Top 50 TAMCN

	Total	OEF
AAO (FY12)	9,441	864
AAO (FY17)	9,226	
O/H	3,249	717
Shortfall/Excess	-6,192	-147

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
1,470	1,540	796	286	1,134	698	3,216	91	210	0	
1,468	1,337	800	272	1,134	698	3,216	91	210	0	
454	584	417	252	393	430	0	2	0	0	
-1,016	-956	-379	-34	-741	-268	-3,216	-89	-210	0	

## Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855014643151	143	0%	0%	0%	100%	0%	No	No	No	No	No	143	0	0
5855015244314	574	0%	0%	100%	0%	0%	No	No	No	No	No	574	0	0

**Notes:** Only the NSN ending in 4314 should be sent to the MEFs - all others should be sent to MCLC for either disposal or return to the Army.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E2070: TOOL KIT, BORESIGHT, FIXTURE, ROCKET LAUNCHER

The Toolkit, Bore sight Fixture, MK-145 MOD 0, consists of special tools used by field maintenance personnel to perform maintenance and bore sight adjustments to the 83mm SMAW MK-150 MOD 0 Assault Rocket Launcher.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	123	14
AAO (FY17)	130	
O/H	112	15
Shortfall/Excess	-11	1

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
27	25	10	5	20	9	19	0	6	2	
33	28	8	5	20	9	19	0	6	2	
27	28	5	4	10	14	0	1	6	2	
0	3	-5	-1	-10	5	-19	1	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4933015685726	15	0%	0%	100%	0%	0%	No	No	No	No	No	5	10	0

**Notes:** TAMCN is not classified. No classified SSRI. Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

Redeployment Lift Criteria CAT I:  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E2208 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E2208: TOOL KIT, ELECTRO-OPTICAL

The Tool Kit, E2208, is a general-purpose field and repair kit comprising various hand tools and accessories to aid in the repair of electronic and mechanical equipment.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	15
AAO (FY17)	0	
O/H	118	13
Shortfall/Excess	118	-2

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
14	33	3	3	43	4	0	0	0	0	
14	33	3	3	43	4	0	0	0	0	

### Reset Strategy & Plan (Product Group: 13)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180013821335	13	0%	0%	100%	0%	0%	No	No	No	No	No	0	13	0

**Notes:** TAMCN is not classified. No classified SSRI. Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E2231 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E2231: TOOL & EQUIPMENT KIT, FLD ARTY F/M777

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	68	9
AAO (FY17)	60	
O/H	61	8
Shortfall/Excess	-7	-1

**Influences R2  
Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
15	18	6	0	10	1	0	0	18	0	
15	11	5	0	10	1	0	0	18	0	
9	17	7	0	3	3	0	0	14	0	
-6	-1	1	0	-7	2	0	0	-4	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015174962	8	25%	0%	75%	0%	0%	No	No	No	No	No	6	0	2

**Notes:** No Special Requirements

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E2235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E2235: TOOL KIT, INT MAINT

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

	Total	OEF
AAO (FY12)	3	4
AAO (FY17)	3	
O/H	15	1
Shortfall/Excess	12	-3

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	3	0	0	0	0
0	0	0	0	0	3	0	0	0	0
5	5	0	0	0	1	0	0	3	0
5	5	0	0	0	-2	0	0	3	0

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015250194	1	25%	0%	75%	0%	0%	No	No	No	No	No	0	1	0

**Notes:** No Special Requirements

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☒ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E2650 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E2650: TOOL KIT, HAND, NON-MAGNETIC

The MK 36 Tool set (Rigging and Digging) consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	62	8
AAO (FY17)	68	
O/H	66	8
Shortfall/Excess	4	0

**Influences R2 Distribution**



OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
8	9	7	3	0	15	0	0	15	5	
11	12	7	3	0	15	0	0	15	5	
8	13	11	6	0	9	0	0	8	3	
0	4	4	3	0	-6	0	0	-7	-2	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385011118220	8	50%	0%	50%	0%	0%	No	No	No	No	No	0	4	4

**Notes:** All items return to the MEF. If unserviceable MEF will use to fill shortfalls in other kits.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E2658 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E2658: TOOL KIT, LAV, 3RD ECHELON

The Toolkit Third Echelon is used for maintenance on Light Armored Vehicles.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	29	1
AAO (FY17)	39	
O/H	17	1
Shortfall/Excess	-12	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	7	3	0	2	4	2	0	3	0	
13	12	3	0	2	4	2	0	3	0	
4	1	1	0	1	4	0	2	3	0	
-4	-6	-2	0	-1	0	-2	2	0	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180011762542	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	



# E2660 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E2660: TOOL KIT, OM, LAV-25, 2D ECH

The Toolkit Second Echelon is used for maintenance on Light Armored Vehicles.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	44	3
AAO (FY17)	46	
O/H	29	3
Shortfall/Excess	-15	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
14	10	1	0	8	2	3	0	6	0	
15	11	1	0	8	2	3	0	6	0	
8	3	1	0	6	2	0	1	5	0	
-6	-7	0	0	-2	0	-3	1	-1	0	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180011755559	3	0%	0%	100%	0%	0%	No	No	No	No	No	3	0	0

**Notes:** Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

**Redeployment Lift Criteria CAT I:**  
 A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

**Retrograde Lift Criteria CAT II:**  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E2929 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E2929: TOOL KIT, FULL TRACK

The Tool Kit, Full Tracked Vehicle, Intermediate Maintenance, Third Echelon, is comprised of special tools, gages, and lifting devices required for mechanics use in third echelon field maintenance support of the vehicles.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	23	1
AAO (FY17)	24	
O/H	10	1
Shortfall/Excess	-13	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
4	4	0	0	0	2	1	0	12	0
4	4	1	0	0	2	1	0	12	0
4	3	0	0	2	0	0	0	0	0
0	-1	0	0	2	-2	-1	0	-12	0

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180006746823	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** IAW MCO P4790.2 if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E2931 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E2931: TOOL SET, M1A1 TANK, 4TH ECH,ORD MAINT KIT

The Tool Set, M1A1 Tank, Fourth Echelon, Ordnance is comprised of tools used by mechanics at the intermediate maintenance level in support of the M1A1 Battle Tank.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	1
AAO (FY17)	23	
O/H	12	1
Shortfall/Excess	-3	0

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
3	3	0	0	2	1	0	0	6	0	
6	6	2	0	2	1	0	0	6	0	
0	2	0	0	1	0	0	3	5	0	
-3	-1	0	0	-1	-1	0	3	-1	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180013379983	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

**Notes:** IAW MCO P4790.2 if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E2932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2932: TOOL SET, M1A1 HULL



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	
AAO (FY17)	16	
O/H	11	1
Shortfall/Excess	-4	

**Influences R2 Distribution**



## REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
3	3	0	0	2	1	0	0	6	0
3	3	1	0	2	1	0	0	6	0
2	1	0	0	1	0	0	0	6	0
-1	-2	0	0	-1	-1	0	0	0	0

## Reset Strategy & Plan (Product Group: )

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180013362879	1	0%	0%	100%	0%	0%	No	No	No	No	No	1	0	0

Notes:

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

### Lift Criteria

CAT I:	
CAT II:	
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

### Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E3021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E3021: STANDOFF DISRUPTOR, IED (EOD)

The Tool Kit, IED is a Percussion Actuated Neutralization (PAN) device that utilizes specially designed 12 gauge ammunition to disrupt IEDs.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	319	11
AAO (FY17)	333	
O/H	116	18
Shortfall/Excess	-203	7

**Influences R2 Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
76	80	61	12	3	37	10	0	30	10	
79	83	69	12	3	37	10	0	30	10	
23	23	16	13	0	12	0	1	7	3	
-53	-57	-45	1	-3	-25	-10	1	-23	-7	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385014826168	15	50%	0%	50%	0%	0%	No	No	No	No	Yes	8	0	7
1385015017546	3						No					2	0	1

**Notes:** No Special Requirements

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ Sensitive ☐ CCI

☐ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E3070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E3070: TOOL SET, EOD

The Tool Set, EOD is used to remotely remove various types of threaded components such as fuses, nose and base plugs.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	101	2
AAO (FY17)	109	
O/H	79	2
Shortfall/Excess	-22	0

**Influences R2  
Distribution**

### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
19	21	16	3	3	17	2	0	15	5	
22	24	18	3	3	17	2	0	15	5	
20	18	13	3	0	11	0	1	8	3	
1	-3	-3	0	-3	-6	-2	1	-7	-2	

## Reset Strategy & Plan (Product Group: 15)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385010299543	2	0%	0%	100%	0%	0%	No	No	No	No	No	2	0	0

**Notes:** No Special Requirements

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

# E3080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E3080: MK2 MOD 1 .50 CAL DEARMER (EOD), MK2 MOD 1

The EOD Dearmmer is an energetic tool that utilizes .50 Caliber Electrical Impulse Cartridges (M174), to propel specially designed slugs, water, and SX-70 steel shot to disrupt the firing train on UXO and IED.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	371	37
AAO (FY17)	428	
O/H	210	40
Shortfall/Excess	-161	3

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
76	80	60	48	6	41	20	0	30	10	
97	97	79	48	6	41	20	0	30	10	
41	47	27	8	0	25	0	0	16	6	
-35	-33	-33	-40	-6	-16	-20	0	-14	-4	

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385010293190	40	0%	0%	100%	0%	0%	No	No	No	No	No	40	0	0

**Notes:** No Special Requirements

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Condemned** then **DRMO**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%



# E3110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E3110: TOOL SET, EOD

Tool Kit, EOD, Nuclear Weapons, is comprised of portable radiation-detecting and reception-reading instruments, and special tools used in specified render safe procedures by Explosive Ordnance Disposal technicians.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	4
AAO (FY17)	0	
O/H	16	2
Shortfall/Excess	16	-2

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	6	4	0	0	3	0	0	0	0
1	6	4	0	0	3	0	0	0	0

### Reset Strategy & Plan (Product Group: 15)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385009720960	2	0%	0%	0%	0%	100%	Yes	No	No	No	No	0	2	0

**Notes:** Follow standard procedures

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **MCLC**

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

# E3141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E3141: TOOL KIT, 2D ECH M88A2

The Tool Set, Field Maintenance, Second Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	41	3
AAO (FY17)	42	
O/H	31	3
Shortfall/Excess	-10	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
8	7	1	0	6	1	0	0	18	0	
8	8	1	0	6	1	0	0	18	0	
4	4	0	0	3	1	0	1	15	0	
-4	-3	-1	0	-3	0	0	1	-3	0	

### Reset Strategy & Plan (Product Group: 14)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180014806998	3	0%	0%	100%	0%	0%	No	No	No	No	No	3	0	0

**Notes:** IAW MCO P4790.2 'if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition.' If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	540	0.5

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

☐ Sensitive ☐ CCI

☒ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E3142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E3142: TOOL KIT, 3D ECH M88A2

The Tool Set, Field Maintenance Third Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	19	2
AAO (FY17)	23	
O/H	14	2
Shortfall/Excess	-5	0

**Influences R2  
Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	4	1	0	1	1	2	0	6	0	
6	6	1	0	1	1	2	0	6	0	
1	1	0	0	1	1	0	2	6	0	
-3	-3	-1	0	0	0	-2	2	0	0	

## Reset Strategy & Plan (Product Group: 14)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180014806999	2	0%	0%	100%	0%	0%	No	No	No	NO	No	2	0	0

**Notes:** IAW MCO P4790.2 'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition .' If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E5002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E5002: TRAINER LAUNCHER F/LAWS

The AT-4, 84MM Shoulder Fired Rocket (M136) provides the Marine Corps with a fully functional, lightweight, man-portable, anti-armor weapon. The AT-4's warhead features behind-armor secondary effects. After the projectile penetrates the vehicle's armor protection, a high-pressure incendiary effect occurs. The Shoulder Launched, Multipurpose Assault Weapon (SMAW) Family of Items consists of four different 83mm rockets. Each of these rockets is launched through the Mod 0 SMAW Launcher. The SMAW Spotting Rifle is attached to the SMAW launcher and fires the spotting cartridges to mark the spot/trajectory of the rocket. The SMAW family includes HA34 (NE), HX05 (HEDP), HX06 (HEAA), and HX07 (Practice).



TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

### REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY12)	962	8
AAO (FY17)	891	
O/H	2,450	8
Shortfall/Excess	1,488	0

**Influences R2  
Distribution**



OPERATING FORCES						MCLC			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN
283	264	83	30	216	85	1	0	0	0
274	209	76	30	216	85	1	0	0	0
275	296	56	30	219	59	0	1,507	0	0
-8	32	-27	0	3	-26	-1	1,507	0	0

## Reset Strategy & Plan (Product Group: 13)

### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1055014950009	8	0%	0%	0%	100%	0%	No	No	No	No	No	0	8	0

**Notes:** Items should be sprayed with pressurized air and wiped down with a damp cloth to remove debris.

## R2 Distribution Plan

### Equipment Assessment Information

if **Mission Capable** then **MCLC**  
 if **Not Mission Capable MEF** then **MCLC**  
 if **Not Mission Capable** then **MCLC**  
 if **Condemned** then **DRMO**

### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

### Transportation Information

#### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

#### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ Sensitive ☐ CCI

☒ Multi-Modal

## Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	100%	0%	0%	0%

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

# E7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E7900: TOOL KIT, SMALL ARMS

Portable Tool Kit used by MOS 2111 personnel. Contains the hand-tools and devices used on a daily basis to perform maintenance on small arms & mortars.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,245	80
AAO (FY17)	2,237	
O/H	1,631	128
Shortfall/Excess	-614	48

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
348	356	170	53	260	342	439	0	216	61	
370	352	148	49	260	342	439	0	216	61	
300	284	172	30	172	300	0	51	194	0	
-48	-72	2	-23	-88	-42	-439	51	-22	-61	

### Reset Strategy & Plan (Product Group: )

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180003577770	0	0%	0%	0%	0%	100%	No	No	No	Yes	No	0	0	0
5180015045663	128	0%	0%	100%	0%	0%	No	No	No	Yes	No	120	8	0

**Notes:** No Special Requirements

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable MEF** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

# E7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN = E7901: ELECTRO-OPTICAL TOOL KIT

Tool Kit used by MOS 2171 Technicians to repair Electro-Optical weapon systems like night vision devices, weapon sights, & missile tracking sights.



Representative Picture

TFSMS (Sept 2011) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	883	27
AAO (FY17)	1,015	
O/H	732	45
Shortfall/Excess	-151	18

**Influences R2 Distribution**



### REQUIREMENTS

OPERATING FORCES						MCLC				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
199	186	75	20	160	115	35	0	93	0	
260	227	108	17	160	115	35	0	93	0	
164	174	71	8	58	94	0	118	0	0	
-35	-12	-4	-12	-102	-21	-35	118	-93	0	

### Reset Strategy & Plan (Product Group: 16)

#### Forecasted Categories

NSN	O/H	Procure	Depot	Field	No Reset	Disposal	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015766593	45	0%	0%	100%	0%	0%	No	No	Yes	No	No	45	0	0

**Notes:** No Special Requirements

### R2 Distribution Plan

#### Equipment Assessment Information

if **Mission Capable** then **MEF**  
 if **Not Mission Capable** then **MEF**  
 if **Not Mission Capable** then **DRMO**  
 if **Condemned** then **DRMO**

#### Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	FMS CANDIDATES
0%	0%	100%	0%	0%

#### Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

#### Transportation Information

##### Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC  
 B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC

##### Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE  
 C: Critical Non-Sensitive; M/S - AD to SC  
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	