THIS FILE IS MADE AVAILABLE THROUGH THE DECLASSIFICATION EFFORTS AND RESEARCH OF:

## THE BLACK VAULT

THE BLACK VAULT IS THE LARGEST ONLINE FREEDOM OF INFORMATION ACT / GOVERNMENT RECORD CLEARING HOUSE IN THE WORLD. THE RESEARCH EFFORTS HERE ARE RESPONSIBLE FOR THE DECLASSIFICATION OF THOUSANDS OF DOCUMENTS THROUGHOUT THE U.S. GOVERNMENT, AND ALL CAN BE DOWNLOADED BY VISITING:

HTTP://WWW BLACKVAULT COM

YOU ARE ENCOURAGED TO FORWARD THIS DOCUMENT TO YOUR FRIENDS, BUT PLEASE KEEP THIS IDENTIFYING IMAGE AT THE TOP OF THE .PDF SO OTHERS CAN DOWNLOAD MORE!



## governmentattic.org

"Rummaging in the government's attic"

Description of document: Defense Intelligence Agency report, <u>Biological Warfare</u>

Capability Asian Communist Countries, May 1972

Requested date: 23-October-2008

Released date: 10-June-2013

Posted date: 12-August-2013

Source of document: Commander

US Army Intelligence & Security Command Freedom of

Information/Privacy Office ATTN: IAMG-C-FOI 4552 Pike Road

Fort George G. Meade, MD 20755-5995

Fax: (301) 677-2956 Email: FOIA/Privacy Office Online FOIA Request Form

Note: This report is one of 16 reports released under Mandatory

Declassification Review by the US Army Intelligence & Security Command. All of these reports may be accessed here: <a href="http://www/governmentattic.org/inscomBWCW.html">http://www/governmentattic.org/inscomBWCW.html</a>

The governmentattic.org web site ("the site") is noncommercial and free to the public. The site and materials made available on the site, such as this file, are for reference only. The governmentattic.org web site and its principals have made every effort to make this information as complete and as accurate as possible, however, there may be mistakes and omissions, both typographical and in content. The governmentattic.org web site and its principals shall have neither liability nor responsibility to any person or entity with respect to any loss or damage caused, or alleged to have been caused, directly or indirectly, by the information provided on the governmentattic.org web site or in this file. The public records published on the site were obtained from government agencies using proper legal channels. Each document is identified as to the source. Any concerns about the contents of the site should be directed to the agency originating the document in question. GovernmentAttic.org is not responsible for the contents of documents published on the website.

# REPLY TO ATTENTION OF:

#### **DEPARTMENT OF THE ARMY**

UNITED STATES ARMY INTELLIGENCE AND SECURITY COMMAND FREEDOM OF INFORMATION/PRIVACY OFFICE FORT GEORGE G. MEADE, MARYLAND 20755-5995

Freedom of Information/ Privacy Office 1 0 JUN 2013

This is in further response to your Freedom of Information Act (FOIA) request of October 23, 2008, and supplements our electronic message of May 12, 2010.

Coordination has been completed with another element of our command and other government agencies and records returned to this office for our review and direct response to you. We have reviewed the records and determined the records are partially releaseable to you. A copy of the records are enclosed for your use.

We have completed a mandatory declassification review in accordance with Executive Order (EO) 13526. As a result of our review information has been sanitized and 4 pages have been withheld in their entirety as the information is currently and properly classified TOP SECRET, SECRET and CONFIDENTIAL according to Sections 1.2(a)(1), 1.2(a)(2), 1.2(a)(3) and 1.4(c) of EO 13526. This information is exempt from the public disclosure provisions of the FOIA pursuant to Title 5 U.S. Code 552 (b)(1). It is not possible to reasonably segregate meaningful portions of the withheld pages for release. The records are enclosed for your use. A brief explanation of the applicable sections follows:

Section 1.2(a)(1) of EO 13526, provides that information shall be classified TOP SECRET if its unauthorized disclosure reasonably could be expected to cause exceptionally grave damage to the national security.

Section 1.2(a)(2) of EO 13526, provides that information shall be classified SECRET if its unauthorized disclosure reasonably could be expected to cause serious damage to the national security.

Section 1.2(a)(3) of EO 13526, provides that information shall be classified CONFIDENTIAL if its unauthorized disclosure reasonably could be expected to cause serious damage to the national security.

Section 1.4(c) of EO 13526, provides that information pertaining to intelligence activities, intelligence sources or methods, and cryptologic information shall be considered for classification protection.

In addition, information has been sanitized from the records and 4 pages have been withheld in their entirety as the release of the information would reveal sensitive intelligence methods. This information is exempt from public disclosure pursuant to Title 5 U.S. Code 552 (b)(7)(E) of the FOIA. The significant and legitimate governmental purpose to be served by withholding is that a viable and effective intelligence investigative capability is dependent upon protection of sensitive investigative methodologies. It is not possible to reasonably segregate meaningful portions of the withheld pages for release.

The withholding of the information described above is a partial denial of your request. This denial is made on behalf of Major General Stephen G. Fogarty, the Commanding General, U.S. Army Intelligence and Security Command, who is the Initial Denial Authority for Army intelligence investigative and security records under the FOIA. You have the right to appeal this decision to the Secretary of the Army. Your appeal must be postmarked no later than 60 calendar days from the date of this letter. After the 60-day period, the case may be considered closed; however, such closure does not preclude you from filing litigation in the courts. You should state the basis of your disagreement with the response and provide justification for a reconsideration of the denial. An appeal may not serve as a request for additional or new information. An appeal may only address information denied in this response. Your appeal is to be made to this office, for forwarding, as appropriate to the Secretary of the Army, Office of the General Counsel.

Coordination has been completed and we have been informed by the Central Intelligence Agency (CIA) that information is exempt from public disclosure pursuant to Title 5 U.S. Code 552 (b)(1) and (b)(3) of the FOIA.

The withholding of the information by the CIA constitutes a denial of your request and you have the right to appeal this decision to the Agency Release Panel within 45 days from the date of this letter. If you decide to file an appeal, it should be forwarded to this office and we will coordinate with the CIA on your behalf. Please cite CIA #F-2010-01292/Army #57F-09 assigned to your request so that it may be easily identified.

Coordination has been completed and we have been informed by the Defense Intelligence Agency (DIA) that their information is exempt from public disclosure pursuant to Title 5 U.S. Code § 552 (b)(1), (b)(2) (b)(3) and (b)(4) of the Freedom of Information Act and Executive Order (EO) 13,526 § 1.4 (c) (d) and (h). The statute invoked under Title 5 U.S. Code 552 (b)(3) is 10 U.S.C. §424, which allows for the protection of organizational and personnel information for DIA.

The withholding of the information by the DIA constitutes a partial denial of your request and you have the right to appeal this decision directly to the DIA. If you decide to file an appeal, it should be forwarded to the Director, Defense Intelligence Agency, ATTN: DAN-1A-FOIA, Washington, DC 20340-5100. Please cite MDR #0155-2010 assigned to your request so that it may be easily identified.

You have received all Army intelligence investigative records pertaining to this request.

There are no assessable FOIA fees.

If you have any questions regarding this action, feel free to contact this office at 1-866-548-5651, or email the INSCOM FOIA office at: INSCOM\_FOIA\_ServiceCenter@mi.army.mil and refer to case #57F-09.

Sincerely,

Brad S. Dorris

Director

Freedom of Information/Privacy Office Investigative Records Repository

Enclosure

ANF 14906017
TOP SECRET

FTD 220

Copy 2 of 134° SAO/ST-SS-03-148-72



CIRC

JUN 2 R 1974

DEFENSE INTELLIGENCE AGENCY



## BIOLOGICAL WARFARE CAPABILITY - ASIAN COMMUNIST COUNTRIES (U)

## LIBRARY COPY

#### WARNING

This document contains information affecting the national security of the United States within the meaning of the espionage laws U; S. Code Title 18, Sections 793, 794 and 798. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any monner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive information in the detrignated control channels. Its security must be maintained in accordance with regulations partaining to the TALENT-KEYHOLE and (b)(1) Controls. No action, is to be taken on any (b)(1) which may be contained herein, regardless of the advantage to be gained, if such action might have the effect of revealing the existence and noture of the source, unless such action is

NO FOREIGN DISSEMINATION CONTROLLED DISSEMINATION

F174-901629

TCS-692023/72
Handle via
TALENT-KEYHOLH (D)(1)
control systems jointly

GROUP - 1

EXCLUDED FROM AUTOMATIC

DOWNGRADING AND DECLASSIFICATION

237

TOP SECRET

## TOP SECRET CHESS RUF

BIOLOGICAL WARFARE CAPABILITY --ASIAN COMMUNIST COUNTRIES (U)

(b)(6)

SAO/ST-SS-03-148-72

DIA Task No. T70-03-11

May 1972

#### WARNING

This document contains information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793, 794 and 798. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of In contract states. It is to be seen only by personnel especially indoctrinated and authorized to receive information in the designated control channels. Its security must be maintained in accordance with regulations pertaining to the TALENT-KEYHOLE and ((b)(1)) Controls. No action is to be taken on any (b)(1), which may be contained herein, remardless of the advances of the advances. the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive insuch action might have the effect of revealing the existence and nature of the source, unless such action is first approved by the appropriate authority.

> This is a Department of Defense Intelligence Product prepared by the Foreign Science and Technology Center of the US Army Materiel Command, with contributions from the Department of the Navy Scientific and Technical Intelligence Center, and the Defense Intelligence Agency.

> > NO FOREIGN DISSEMINATION CONTROLLED DISSEMINATION

GROUP 1 Excluded from automatic downgrading and declassification.

TOP SECRET CHESS RUFF

TALEHT (b)(1)

control systems jointly

TCS-692023/72 Handle <u>via</u>

TOP	SECRET CHESS RUFF	(b)(1)
SAO/ST-SS-03-148-72		

This page intentionally left blank.

TOP SECRET CHESS RUFF (b)(1)

239

ii

(b)(1)

TCS-692023/72
Handle via
TALENT-KEYHOLE (b)(1)
control systems jointle

					(b)(1)
'B'S NED	CE 1 183	#.7FB1	CHIESS	5 N E ' E 18'	1,2,4,7
1 4 7 3	ord n		THE 33		4]
		-			

SAO/ST-SS-03-148-72

不不可以不知此的人不知不知以不知以其他人也以其此此以我一种日本不知此教徒

#### PREFACE (U)

The purpose of this publication is to bring together all available information concerning the many facets of biological warfare preparation in the Asian Communist Countries. Included is information on: order of battle for biological warfare; identification and description of Asian Communist biological warfare material characterized for either offensive or defensive use; production facilities and capabilities; stockpiles and storage facilities; doctrine and procedures governing use of biological warfare weapons; defensive measures to be taken in the event of biological warfare attack; and applicable research, development, and testing programs now ongoing within the Asian Communist Countries.

(b)(1)

- (U) The data base and analyst experience which must be committed in support of this effort are not available at any single office within the intelligence community. Accordingly, inputs for this report have been solicited from various groups. The US Army Foreign Science and Technology Center was responsible for basic coverage by area and subject matter. The US Naval Scientific and Technical Intelligence Center was tasked to develop a section of this report dealing with the naval offensive and defensive biological warfare capabilities of the Asian Communist Countries. The US Air Force Foreign Technology Division was queried for inputs covering aerospace offensive and defensive applications. Finally, appropriate elements of the Defense Intelligence Agency were responsible for information concerning order of battle, training, doctrine, policy, production, and stockpiles.
- (U) As the prime producer of this study, the Foreign Science and Technology Center was charged with the final collation, preparation, and editing of copy material.
- (U) Constructive criticisms and suggestions for changes are solicited. Critical evaluations from readers of this report will provide

TCS-692023/72 Handle via TALENT-KEYHOLE (b)(1) control systems jointly

TOP SECRET CHESS RUFI

TOP SECRET CHESS	RUFF	(b)(1)
SAO/ST-SS-03-148-72		

direct guidance to insure that future updatings of this study will result in a product that is most responsive to the varied needs of the users.

- (U) Although the cutoff date for information in this document is November 1971, major updatings have been made up to the date of final approval for printing.
- (U) Comments, questions, and requests for additional information concerning this study may be addressed to the Defense Intelligence Agency, Washington, D. C. 20315, ATTN: DT-1A.

TOP SECRET CHESS RUFF (b)(1)

TOP SECRET CHESS RUFF (b)(1)

[241]

TOP SECRET CHESS RUFF (b)(1)

## TOP SECRET CHESS RUFF

(b)(1)

SAO/ST-SS-03-148-72

#### TABLE OF CONTENTS (U)

	<u>. 1</u>	Page
Proface	(u)	iii
	(U)	хi
SECTION	I. COMMUNIST CHINA (U)	
Α.	INTRODUCTION (U)	
	1. Historical Background (U) 2. Competence in Microbiology and Public Health (U) 3. Geographical and Political Factors (U)	1 2 4
В	ORDER OF BATTLE (U)	
	4. Military Organization (U)	,
с.	POLICY, STRATEGY, AND TACTICS REGARDING USE OF BW (U)	. ,
	8. Policy (U)	16 16
D.	POLICY, STRATEGY, AND TACTICS REGARDING DEFENSE AGAINST BW (U)	
*,	10. Policy (U)	16 17
E.	BW MATERIEL (OFFENSIVE) (U)	
	12. Agents (U)	17 18
F.	BW MATERIEL (DEFENSIVE) (U)	•
	14. Decontamination (U)	20 21 22

TOP SECRET CHESS RUFF

b)(1)

TCS-692023/72
Randle via
TALENT-KEYHOLE ((b)(1)
control systems jointly

## TOP SECRET CHESS RUFF SAO/ST-SS-03-148-72

TABLE OF CONTENTS (Continued)

÷			Page
G.	PROD	DUCTION FACILITIES (U)	
4	. 17.	Agents and Munitions (U)	22
	18.	Defensive Equipment (U)	- 23
н.	BW R	RESEARCH, DEVELOPMENT, AND TESTING (U)	
	19.	General (U)	
	20.	Military Facilities (U)	- 24
	21.	Non-Military Facilities (U)	- 28
	22.	Potential Agent Development	
	23.	Molecular Biology as Related to BW Agent	
	. 04	Research and Development (U)	- 35
	24.	Biofermentation/Bioengineering as Related to	
	25	BW Agent Development (U)	- 40
	25.	Preservation of Microorganisms as Related	42
	٠.	to BW Development (U)	- 4Z
	26.	Testing (U)	- 43
I.	ANTI	CROP RESEARCH (U)	
• .	27.	General (U)	. 47
	28.	Major Crops (U)	- 48
	29.	R&D Against Naturally Occurring Crop Pests	_
		and Anticrop Warfare Agents (U)	49
	٠ū٠.	Assessment of Communist China's Anticrop	
		BW Capabilities (U)	د, ح
J.	CONC	LUSIONS (U)	
•	31.	Offensive Posture (U)	53
	32.	Defensive Posture (U)	53
SECTION	II. N	ORTH VIETNAM (U)	
Α.	INTR	ODUCTION (U)	
	1.	Historical Background and Competence in	
		Microbiology (U)	55
	2.	Geographical and Political Factors (U)	56

vi

TCS-692023/72 Handle via TALEHT-KEYHOLE-(b)(1)

TOP SECRET CHESS RUFF

control systems jointly

## TOP SECRET CHESS RUFF (6)(1)

SAO/ST-SS-03-148-72

#### TABLE OF CONTENTS (Continued)

1.9		Page
В	ASSESSMENT (U)	* *
		57·
	3. Order of Battle (U)	_ 58
	4. Doctrine and Procedures (U) 5. BW Equipment (U) 6. Production and Stockpiling (U)	_ 59
	5. BW Equipment (U) 6. Production and Stockpiling (U)	59
	7. Research, Development, and Testing (U)	- 60
	8. Conclusions (U)	- 61
SECTION	III. NORTH KOREA (U)	
SECTION	III. WORTH RORLA (U)	•
A.	INTRODUCTION (U)	
	1. Historical Background and Competence in	
	Microbiology (U)	- 63
	2. Geographical and Political Factors (U)	- 63
В.	ASSESSMENT (U)	
	3. Order of Battle (U)	_ 64
	4. Doctrine and Procedures (U)	- 66
	5. BW Equipment (U)	- 67
.•	6. Production and Stockpiling (U)	- 68
	7. Research, Development, and Testing (U)	- 69
	8. Conclusions (II)	<b>-</b> 70
취임 (1)	b. Concidentation (a)	
SECTION	IV. THE MONGOLIAN PEOPLE'S REPUBLIC (U)	
A.	INTRODUCTION (U)	
<i>:</i>		
	1. Historical Background and Competence in	, k
	Microbiology (U)	_ 71
	2. Geographical and Political Factors (U)	_ 71
В.	ASSESSMENT (U)	
i) •	ASSESSMENT (U)	
•	3. Order of Battle (U)	_ 72
,	4. Doctrine and Procedures (U)	- 73
	5. BW Equipment (II)	- 73
,	6. Production and Stockpiling (U)	- 73
•	7. Research, Development, and Testing (U)	- 73 .
	8. Conclusions (U)	- 74
	· · · · · · · · · · · · · · · · · · ·	

vii

TOP SECRET CHESS RUFF

(b)(1)

TCS-692023/72 Handle via TALENT-KEYHOLE(b)(1)

control systems jointly

## TOP SECRET CHESS RUFF

### TABLE OF CONTENTS (Continued)

	Page
APPENDIX I. Selected Medical Materiel Manufacturers and Medical Laboratories, Communist China (1971) (U)	
Annex A. Manufacturers of Medical Materiel (U) Annex B. Medical Laboratories (U)	77 89
APPENDIX II. Selected Medical Materiel Manufacturers and Medical Laboratories, North Vietnam (1971) (U)	
Annex A. Manufacturers of Medical Materiel (U)Annex B. Medical Laboratories (U)	103 107
APPENDIX III. Selected Medical Materiel Manufacturers and Medical Laboratories, North Korea (1971) (U)	
Annex A. Manufacturers of Medical Materiel (U)Annex B. Medical Laboratories (U)	113 115
APPENDIX IV. Selected Medical Materiel Manufacturers,  Mongolian People's Republic (1971) (U)	117
Bibliography (U)	119
DD Form 1473 (U)	141
Distribution List (U)	143

viii

TOP SECRET CHESS RUFF

TCS-692023/72

Handle via

TALENT-KEYHOLE
Control systems jointly

245

## TOP SECRET CHESS RUFF

SAO/ST-SS-03-148-72

## LIST OF ILLUSTRATIONS (U)

Figures	. `	Page
	CRR reconnaissance troops in light	8
	1.41.4	
	Vehicle ground contamination exercises (U)	7
7	Troops preparing to ford stream in full	•
. , , , , ,	1 - h - d - d - d - d - d - d - d - d - d	9
	CW school and research station at Ch'ang-p'ing (U)	10
	. I - LI - ANDROS CA ST UM SEDODI	
5.	at Ch'ang-p'ing (U)	10
	Troops in full protective clothing training	
6.	with detector kits at CW school (U)	11
, to 100 A		14
7.	Battle training at sea (U)	14
8.	Decontamination exercise aboard ship (U)	15
(b)(1)		
		•

### LIST OF TABLES (U)

		Page
Tables	Potential RW Agents (U)	36
II.	Suspected Chinese Biological Warfare Agent Production Facilities (U)	37
III.	Acreage and Production of Major Crops in Communist China (U)	49

TCS-692023/72
Handle via
TALENT-REPHOLE (b)(1)

TOP SECRET CHESS RUFF

(b)(1)

contant systems jointly

TOP SECRET CHESS	RIPP	(b)(1)	
SAO/ST-SS-03-148-72			
	,		

This page intentionally left blank.

TOP SECRET CHESS RUFF

TCS-692023/12
Handly via
TALENT-KEYHOLE ((b)(1)
control systems jointly

# TOP SECRET CHESS RUFF SAO/ST-SS-03-148-72 SUMMARY (U) (b)(1) TCS-692023/72 Handle via TALENT-KEYHOLE-(b)(1) xiTOP SECRET CHESS RUFF control systems jointly 248

<b>打</b> 留人在方面。	A November 1985 and the second second	Television appropriation	<u> 1907年日初</u> 學中華國內國際聯盟
	TOP SECRET CHESS RUF	(b)(1)	
	SOUTH STATE OF THE	r	· · · · · · · · · · · · · · · · · · ·
	SAO/ST-SS-03-148-72		<u></u>
(C) _			
			·
			· · · · · · · · · · · · · · · · · · ·
\$			
			· · · · ·
e.			
	(1-1/4)		·
	(b)(1)		÷.
1			
			· · · · · · · · · · · · · · · · · · ·
900 1000 1000			
			7
			· · •
Ang iki kacamatan			
A. 15			
· · · · · ·			TCS-692023/72
	xii		Handle via  TALENT-KEYHOLE-(b)(1)
		(b)(1)	TALENT-KEYHOLE-(b)(1)
	TOP SECRET CHESS RUFI	•	control systems jointly
	249:		
		1	

TOP SECREP CHESS RUFF  SAO/SI-SS-03-148-72	
SAO/ST-SS-03-148-72	
	,
	•
TCS-692023	. /77
Handle v TALENT-KEYHOL  control system	S/ I L
TOP SECRET CLUSS RUFF (6)(1) control system	(b)(1)

TOP	SECRET CHESS	ED # (E2#2 (b)(1)
- IVI	SECURE CHESS	NUFF
SAO/ST-SS-03-148-7	12	

This page intentionally left blank.

xiv

TOP SECRET CHESS RUFF

(b)(1)

TCS-692023/72
Handle via
TALENT-KEYHOLE (b)(1)
control systems jointly

TOP SECRET	CHESS RUFF (b)(1)		
		SAO/ST-SS-03-148-72	
	Section I.		
	COMMUNIST CHINA		
		· · · · · · · · · · · · · · · · · · ·	
	A. INTRODUCTION (U)		
Historical Back	ground (U)		<del></del>
	(b)(1)		
-			۰,۳
A second			
		VAP (2222	
	1	TCS-692023 Handle v TALENT-KEYHOL	/// ia
TOP SECRET	CHESS RUFF (6)(1)	TALENT-KEYHOL control system	s jointly
	252		

TOP SECRET CHESS RUFF (b)(1) SAO/ST-SS-03-148-72
(b)(1)
2. Competence in Microbiology and Public Health (U)
(b)(1)
1CS-692023/72 Handle (D)(1)
TOP SECRET CHESS RUEF (b)(1)  TOP SECRET CHESS RUEF (b)(1)  TOP SECRET CHESS RUEF
253 mm. 1253 mm.

# CONTRACTOR OF THE PROPERTY OF TOP SECRET CHESS RUFF SAO/ST-SS-03-148-72 (b)(1) TCS-692023/72 Handle via TALENT-KEYHOLE (b)(1) coptof systems jointly TOP SECRET CHESS RUFF

		.*			4.33.
	TOP SEC	TEN CHILDRE	8 11. W. Law 18	(b)(1)	
	EANE CLEAR	wer of	The It	Crr	
TAN /ET	SS-03-148-72	-		1	
340/31.	-33-03-148-12			L	

### 3. Geographical and Political Factors (U)

a. (U) Communist China is the third largest country in the world, occupying about 3.7 million square miles, and the population comprises about one-fifth that of the world. To the North and West an extensive boundary is shared with the Soviet Union, a boundary which separates the two most powerful communist countries. To the South, China borders on several weak, unstable countries, one being North Vietnam. She has used North Vietnam as a base for Communist operations against neighboring countries. China also shares common borders with North Korea, Mongolia, Afghanistan, India, Nepal, Bhutan, Burma, and Laos. The mainland is within 2500 nautical miles of every major target in Asia as well as European USSR. Two-thirds of China's area is mountainous or desert-like, and ninety percent of the population live in one-sixth of the country, primarily in the fertile plains and deltas of the east. 9

(b)(1)

TOP SECRET CHESS BUFF

TCS-692023/72
Handle via
TALENT-KEYHOLE-((b)(1)
control systems jointly


۳۳۱

					A CONTRACT OF THE CONTRACT OF	and the second second second second
	TOP SE	CRET CH	HISS RUI	F. F. (b)(1)		
					SAO/ST-SS-03-	148-72
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			
			•			
						v vi
						9
8						
	,	• .	<del></del>			
		_	5	•	Tai	TCS-692023/72  Handle via ENT-KEYHOLE (b)(1)
	TOP SE	CRET CH	IESS RU	(b)(1)	C	ontrol systems jointly
			256			

TOP SECRET CHESS SAO/ST-55-03-148-72	RUFF (b)(1)	
(b)(1	)	
B. ORDER OF  4. Military Organization (U)	BATTLE (U)	
(b)(	1)	
6		TCS-692023/72  Handle via ALENT-KEYHOLE(©)(1)
TOP SECRET CITESS R	UFF (b)(1)	control systems jointly

5. (a)(1)  5. (b)(1)  6. (b)(1)  6. (c)(1)  105-692022/72  Radde via	
(b)(1)  5. Military Equipment (U)  6. (Military Training (U)  (b)(1)  (b)(1)  (c)(1)	
(b)(1)  5. Military Equipment (U)  (b)(1)  6. Military Training (U)  (b)(1)  (c)(4)  (c)(4)	
(b)(1)  5. (C) Military Equipment (U)  (b)(1)  6. (C) Military Training (U)  (b)(1)  (c) (d) Military Training (U)	
(b)(1)  5. Military Equipment (U)  6. Military Training (U)  (b)(1)  (c)(492023/72 Handle via	
5. Military Equipment (U)  (b)(1)  6. (So Military Training (U)  (b)(1)	
6. Military Equipment (U)  (b)(1)  6. Military Training (U)  (b)(1)  (b)(1)	
6. (b)(1)  (b)(1)  (b)(1)  (b)(1)  (c)(1)	
(b)(1)  6. ()S(D) Military Training (U)  (b)(1)  (b)(1)	
(b)(1)  6. () Military Training (U)  (b)(1)  1C5-692023/72  Handle via	
(b)(1)  6. ()*[b] Military Training (U)  (b)(1)  1C5-692023/72  Handle via	
(b)(1)  6. ()** Military Training (U)  (b)(1)  (c) (b)(1)	
6. (PSID Military Training (U)  (b)(1)  ICS-692023/72  Handle via	
6. (PS(D) Military Training (U)  (b)(1)  TCS-692023/72  Handle via	
6. (PSD Military Training (U)  (b)(1)  TCS-692023/72  Handle via	
6. (Mb) Military Training (U)  (b)(1)  TCS-692023/72  Handle via	
6. (Mb) Military Training (U)  (b)(1)  TCS-692023/72  Handle via	
(b)(1)  ICS-692023/72  Handle via	
(b)(1)  ICS-692023/72  Handle via	_
(b)(1)  ICS-692023/72  Handle via	
1CS-692023/72 Handle via	
TCS-692023/72 Handle via	ŀ
TCS-692023/72 Handle via	
Handle via	
TALENT MEMORE THAT	\(1\)
TALENT-KEYHOLE-[D): Control systems join	intly
258	

TOP SECRET CHESS RUFE (b)(1)
5A0/51-55-03-148-72




(UNCLASSIFIED)
Figure 1. CBR reconnaissance troops in light protective clothing (U).


(b)(1)

TOP SECRET CHESS HEFF (b)(1)

TCS-692023/72
Handle via
TALENT-KEYHOLE (b)(1)
confrol systems jointly




س کے	TOP SECRET CHESS RUFF (b)(1)		
	(b)(1)		
	(b)(1)		
	TOP SECRET CHESS RUFF (b)(1)	TCS-692023/7 Handle via ALENT-KEYHOLE- control systems	2 (b)(1)



# TOP SECRET THESS RUFF (10)(1) SAO/ST-SS-03-148-72 (b)(1) TCS-692023/72 Handle via TALENT-KEYHOLE (b)(1) control systems jointly TOP SECRET CHESS RUFF 263

	(b)(1)	
	TOP SECRET CHESS RUFF	SAO/ST-SS-03-148-72
		·
	(b)(1)	
7.	(ISCE Naval BW Capabilities (U)	
(b)(1)		
<b>3</b> .		
		TCS-692023/12
	13 (b)(1)	Handle vir(b)(1) TALENT-KEYHOLE control systems jointly
	TOP SECRET CHESS RUFF (b)(1)	count sárisus lountá
_,		

	SAO/SI-SS-03-148-72		
(b)(1)		***************************************	7 (
*			
	(CONFIDENTIAL) Figure 8. Decontamination exercise aboard ship (U).	TCS-692023/72	
	14	Handle via (b)(1) TALENT-KEYHOLE	
	TOP SECRET CHESS REFE	control systems joint	



	3-148-72		,		,			
							•	(
8. (g <b>)</b>	C. POLICY, Policy (U)	STRATEGY A	ND TACTICS	REGARDING USF	E OF BW (U)	<b>)</b> .		
			(b)(1)					
o. (g/	Procedures	(U)		•			_	
			(b)(1)					
D. 1	POLICY, STRAT	regy and t	ACTICS REGA	RDING DEFENSE	AGAINST E	3W (U)	<b>.</b>	٠
	10112							
								`
			(b)(1)					
			(b)(1)					• •
			(b)(1)					
			(b)(1)					
			(b)(1)					
			(b)(1)				92023/17	

The second secon

	TOP SECRET CHESS RUFF (b)(1)		
	SAO/ST-SS	-03-148-72	
	11. (C) Procedures (U)		
		Proprietal de la constante de	
	(b)(1)		
	E. BW MATERIEL (OFFENSIVE) (U)		
	12. (A) Agents (U)		· - 1
			A separate de la constante de
The state of the s			-
		٠	
OF THE PERSON NAMED IN COLUMN 1	(b)(1)		velder in processing species and an accommodate of
	17	TALENT-KEYHO	via (b)(1)
	TOP SECRET CHESS RUFF (b)(1)	control system	ms jointly
		A.772 - 53 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	

.

TOP SECRET CHES	SHIFF	b)(1)				
SAO/ST-SS-03 148-72			. :			
			•	•		
	(b)(1)					
13. (C) <u>Delivery Systems</u> (U)	· · ·			· · · · · · · · · · · · · · · · · · ·		
	(b)(1)					
•						
	AV-					
	18				TALENT-KEY	072/72 via

## TOP SECRET CHESS RUFF SAO/ST-SS-03-148-72 (b)(1) TCS-692023 12 Handle via TALENT-KEYHOLE (b)(1) control systems jointly 19 TOP SECRET CHESS RUFF (6)(1)

	ECRET CHE	SS RLFF	(b)(1)		
SAO/ST-SS-03-148-72					
<b>/</b>	· · · · · · · · · · · · · · · · · · ·	·			
		(b)(1)			
		. , ,			
g. (U) T					
(	ng special topic			eriological	
areas of researc warfare." <sup>40</sup> Allomade by this ins	h considered the egedly, recent o titute have had	discoveries in profound effe	the field of	bacteriology	
areas of researd warfare." Allomade by this ins but these discove	h considered the egedly, recent o titute have had eries were not o	discoveries in profound effe	the field of ects on the en	bacteriology	
areas of researd warfare." Alloware by this institute these discovered	h considered the egedly, recent o titute have had eries were not o	discoveries in profound effedisclosed.	the field of ects on the en	bacteriology	
areas of researd warfare." Alloware by this institute these discovered	h considered the egedly, recent of titute have had eries were not of F. BW MA	discoveries in profound effedisclosed.	the field of ects on the en	bacteriology	
areas of researd warfare." Alloware by this institute these discovered	h considered the egedly, recent of titute have had eries were not of F. BW MA	discoveries in profound effedisclosed.	the field of ects on the en	bacteriology	
areas of researd warfare." Alloware by this institute these discovered	h considered the egedly, recent of titute have had eries were not of F. BW MA	discoveries in profound effedisclosed.	the field of ects on the en	bacteriology	
areas of researd warfare." Alloware by this ins but these discover	h considered the egedly, recent of titute have had eries were not of F. BW MA	discoveries in profound effedisclosed.	the field of ects on the en	bacteriology	
areas of researd warfare." Alloware by this institute these discovered	h considered the egedly, recent of titute have had eries were not of F. BW MA	discoveries in profound effedisclosed.	the field of ects on the en	bacteriology	
areas of researd warfare." Alloware by this institute these discovered	h considered the egedly, recent of titute have had eries were not of F. BW MA	discoveries in profound effedisclosed.	the field of ects on the en	bacteriology	
areas of researd warfare." Alloware by this institute these discovered	h considered the egedly, recent of titute have had eries were not of F. BW MA	discoveries in profound effedisclosed.	the field of ects on the en	bacteriology tire mainland,	
areas of researd warfare." All made by this ins but these discove	h considered the egedly, recent of titute have had eries were not of F. BW MA	discoveries in profound effedisclosed.	the field of ects on the en	bacteriology	1

TOP SECRET CHESS RUFF SAO/ST-SS-03-148-72 (b)(1)15. A Detection and Identification (U) (U) There is little indication that the Chinese have conducted research to develop means of detecting and identifying biological agents. The results of some related research could be exploited for such a purpose. Tseng Fan-chi of the Wuhan Army General Hospital obtained rapid results in identifying 55 different species of bacteria by their biochemical reactions. The time required to identify bacteria by this technique was 20-24 hours as opposed to 4-5 days by conventional means. 33 An unknown author summarized a method in 1964 for determining the generation time of Bacillus anthracis. 34 The following year Li Liang-shan compared a broth method with the agar method to demonstrate the string-of-pearls reaction for B. anthracis. Details of the test were not given, however, the author claimed that results were identical. Possibly the modified reaction would have contributed to more rapid identification of  $\underline{B}$ . Other studies suggestive of rapid identification were anthracis.35 published by Chiang Shun-Ch'iu who experimented with incomplete antibodies for the diagnosis of brucellosis<sup>35</sup> and by Yun Chao-Chuan who compared various methods for identifying Brucella.<sup>37</sup> (b)(1)TCS-692023/ Handle Ma TALENT-KEXHOLE (b)(1) control systems jointly TOP SECRET CHESS RUFF 272

SAO/ST-SS-03-148	SECRET	CHESS N			
<u> </u>			,		
	A-1-14				
		(b)(1	)		
16. (c) Pro	ophylaxis (U)				
known. The uvaccines for for the more rinderpest, a of aerosol im The vaccine more exposed immunization	cephalitis have see of live vacuellosis, pure serious animal nd foot-and-momunization was attried was spand immunized. of humans by the could have and of animal animals.	ccines has be blague, and a disease, subth disease introduced or duse. There are the aerosol reprovided me	en exploited in thrax are avach as, swine phane the development of the continuation of	in China.  ailable.  plague, hor  eloped. A  ry practice  so that ar  stances cor  ued efforts	Live Vaccines cholera, method in 1964. nimals ncerning in
the population	TO OT OTTAIN				
the population					
the population		(b)(1	1		
the population					
the population	G	PRODUCTION FA			
the population		PRODUCTION FA			
the population	G	PRODUCTION FA			
the population	G	PRODUCTION FA			
the population	G	PRODUCTION FA			
the population	G	PRODUCTION FA			
the population	G.	PRODUCTION FA			TCS-692023/73

	TOP SECRET CHESS RUFF	Maria Bergara (B. 1907) Baransara
سرعك ا	SAO/ST-SS-	03-148-72
	(b)(1)	
	. (b) Defensive Equipment (U)	
18	netensive addipment (0)	
	(b)(1)	
	H. BW RESEARCH, DEVELOPMENT, AND TESTING (U)	
19	. (C) General (U)	· · · · · · · · · · · · · · · · · · ·
	(b)(1)	
	RELEASABLE TO UK, CANADA, AUSTRALIA AND NEW ZEALAND 23	TCS-692023/12
	7(b)(1)	Handle vic TALENT-KEYHOLE (D)( control systems joi
	TOP SECRET CHESS RUFF	Country systems for

20. C-Releasable to UK	CanAusNZ) Military Faciliti	es (U)	· ; · ·
	to UKCanAusNZ) The China Sci		ultural
overentite Research Insti	tute, nathan Island. (U)		N
	(b)(1)		
			•
DET WAGANY D. TO		*****	
RELEASABLE TO [	JK, CANADÁ, AUSTRALIA AND NEW	ZEALAND	TCS-692023/17

SAO/ST-SS-03-148-72

(b)(1)

c. (U) The CPLA Veterinary University of China. The location of this institute and its true military affiliation cannot be verified. It could be part of the China People's University in Peking, or it might be misnamed because of incorrect translation. 74 An investigator, Liu Ching-hua, reportedly associated with the University, has studied the various types of Pasteurella isolated from 11 species of animals and fowl. 75 His observations of morphological, physiological, and biochemical properties indicated that there were no consistent host/bacterial specificities which could be reliably used to classify the 62 types of Pasteurella isolated. In general, although one strain Pasteurella might attack many species of domestic animals and fowl, a single species of animal might be infected by several strains of the bacteria. All strains isolated in nature could give rise to variant types when grown in artificial media. Although this study was apparently conducted to advance veterinary immunology, the basic data concerning susceptibility of animals to this disease and the genetic selection of mutant strains could be applied to Other infectious diseases.

(b)(1)

RELEASABLE TO UK, CANADA, AUSTRALIA AND NEW ZEALAND

25

TCS-692023/7 Handle TALENT-KEYHOLE (b)(1) coatrol systems jointly

TOP SECRET CHESS RUT

(C)	SAO/ST-SS-03-148-72		
		· · · · · · · · · · · · · · · · · · ·	
	(b)(1)		
	· · · ·		
-			
	RELEASABLE TO UK, CANADA, AUSTRALIA AND NEW ZEALAND		
	RESILABRIDA TO THE GRADA, AUSTRALIA AND NEW ZEALAND	TCS-6920 Handle	x/11 via
	TOP SECRET CHESS RUFF (b)(1)	CORPOL Syste	)LE-(b)(1)

## TOP SECRET CHESS RUFF SAO/ST-SS-03-148-72 (b)(1) TCS-692023/72 27 Handle via TALENT-KEYHOLE (b)(1) TOP SECRET CHESS RUFF control systems jointly

	SAO/ST-SS-03-148-72	* ".
	(b)(1)	
	21 (W) Confederable to UKCanAusNZ) Non-Military Facilities (U)  a. (Chinese Academy of Science (Academia Sinica) 5 Wen Chin	•
	Chieh, Peking. (U)	
	(b)(1)	
-		
	TCS-692023/	אני
	TALENT-KEYNOLE-	(b)(
	TOP SECRET CHESS RUFF (b)(1) control systems	join

# TOP SECRET CHESS RUFF SAO/ST-SS-03-148-72 ( Releasable to UKCanAusNZ) The Institute of Virology, Peking. (U) (b)(1) (b)(1) TCS-692023/72 . 29 Handle via TALENT-KEYHOLE-((b)(1) control systems jointly TOP SECRET CHESS RUFF

rio.	SAO/ST-SS-03-148-72		HESS RUFT	(b)(1)			
SAU SAU	/31-3 <u>7-03-148-44</u>					•	
			(b)(1)				
-							

THE RESERVE OF THE PROPERTY OF

TCS-692023/72

Handle via
TALENT-KEYHOLE (b)(1)
control systems jointly

- (6) (U) Mao Chiang-sen studied the effect of temperature and pH on the production of JBE virus and the effect of those parameters on interferon subsequently synthesized in chick embryo cell cultures. 164 The optimal temperature for virus growth was found to be 33.5° C, although interferon production increased as higher temperatures were reached. The optimal pH for interferon production ranged between 7.1 and 7.6, while the optimal pH for production of the infective virus was 7.8. These data suggest, therefore, that at pH7.8 and at 34.5° C, the Peking strain of JBE virus would propagate to maximum titers under conditions severely inhibiting the production of interferon. The Peking strain of JBE virus is the most virulent of those known.
- (7) (U) Many other investigators at this institute have contributed also to general knowledge of the JBE virus. Included are P'ang Chi-fang who in 1964 reported observations made with an electron microscope while the virus of JBE was developing in chick embryo fibroblasts and in hamster kidney cells. 105 Wang Chin, 1960, studied

RELEASABLE TO UK, CANADA, AUSTRALIA AND NEW ZEALAND

TOP SECRET CITESS RUFF (b)(1)

SAO/ST-SS-03-148-72

comparatively the growth of JBE virus in the brain and in the extra central nervous tissues of white mice; coauthor of the finished report was Iluang Chen-hsiang. 106-107

(8) (1) Hsu performed studies involving the use of mice in determining the mechanism of immunization against JBE. 108 Lieu investigated the enzymatic activity and effects of ribonucleic acid of JBE on mouse brain tissue. 109 Much of the data obtained from these studies relative to the growth characteristics of the JBE virus would be essential to support any effort to mass produce this virus as a potential BW agent.

Institute of Epidemiology and Microbiology, Peking. (U)

(b)(1)

(2) (U) Other work on brucella involving the agar diffusion reaction has been done by Yun Chao-ch'uan. 111 This spotty interest in brucellosis shown by Chinese investigators suggests that China is not free of the consequence of this chronic disease. Attempts to resolve problems affecting public health and the practice of veterinary medicine will generate a great deal of data, some of which would be applicable to the development of brucella pathogens for BW.

(b)(1)

Releasable to UKCanAusNZ) The Institute for Biological Products Research (National Institute of Vaccine and Serum) Peking. (U)

(b)(1)

RELEASABLE TO UK, CANADA, AUSTRALIA AND NEW ZEALAND

TCS-692023/72 Handle yia TALENT-KEYHOLE-(b)(1)

TOP SECRET CHESS RUFF (6)(1)

control systems jointly

(b)(1)  (3) (U) In 1962, Wang Yung-chi, Lu Chin-han, Li Mei-jung, and Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium sponsored by the Microbiology Society of China 114 Wang Yung-chi and coworkers	9/	·SS-03-148-72		·	
(3) (U) In 1962, Wang Yung-chi, Lu Chin-han, Li Mei-jung, and Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium presented.	,				
(3) (U) In 1962, Wang Yung-chi, Lu Chin-han, Li Mei-jung, and Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium reserved.					
(3) (U) In 1962, Wang Yung-chi, Lu Chin-han, Li Mei-jung, and Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium reserved.					
(3) (U) In 1962, Wang Yung-chi, Lu Chin-han, Li Mei-jung, and Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium reserved.					
(3) (U) In 1962, Wang Yung-chi, Lu Chin-han, Li Mei-jung, and Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium research.			n		
ind Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium presented.			(b)(1)		
Ind Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium presented.					
ind Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium presented.					
Ind Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium presented.					
Ind Chang Yung-fu induced allergic encephalomyelitis in guinea pigs, albino rats, white mice, rabbits, and monkeys. 113 It was found that the pathological changes observed were much more complex in monkeys; this might have been used as a parameter to determine similar results in man.  (4) (U) In a paper presented at the 1963 Symposium presented.					
lbino rats, white mice, rabbits, and monkeys. 113 It was found that he pathological changes observed were much more complex in monkeys; his might have been used as a parameter to determine similar results n man.  (4) (1) In a paper presented at the 1963 Symposium presented.		(3) (U) In 196	52, Wang Yung-chi, Lu Chin	-han, Li Mei-jung,	
his might have been used as a parameter to determine similar results n man.  (4) (U) In a paper presented at the 1963 Symposium presented	lbino	rats, white mice, r	abbits, and monkeys. 113	It was found that	
(4) (U) In a paper presented at the 1963 Symposium approach	his m	ight have been used	as a parameter to determin	nplex in monkeys; ne similar results	
y the Microbiology Society of Chinally Wang Yungachi and accompany	,	(4) (U) In a n	aper presented at the 1960	3 Symposium sponsored	
escribed their findings of an interferon-like substance in chick embryo	y the escri	Microbiology Societ	y of China'' Wang Yung-ch	i and coworkers	
	resen	t, even upon dilutio	tive inhibitory concentrate n of 1:160, a fact which in n concentration to reduce	indicated a need to	

(5) (U) Other notable research conducted at the institute was that by Han Hung-lin and Pan Jen-chiang who studied the activation of botulinum type E toxin by trypsin. 116 This study confirmed the

50%. In a follow-up study (1964), Wang investigated JBE virus culture, and elucidated the nutritional aspects of viral growth using monolayer tissue cultures.  $^{115}$ 

RELEASABLE TO UK, CANADA, AUSTRALIA AND NEW ZEALAND
32

TOP SECRET CHESS RUFF (b)(1)

TCS-692023/72
Handle via
TALENT-KEYHOLE-((b)(1)
control systems jointly

### TOP SECRET CHESS BLIFF (6)(1)

SAO/ST-SS-03-148-72

previous observations of others. Available published research on the incidence of botulism in China is scarce, and the extent of research on the toxin is not apparent. Research on botulism would probably be in consonance with similar studies in other countries to combat its incidence, but might also aid any effort to develop this potential BW agent.

- f. (U) Chengtu Institute of Biological Products (Chengtu Vaccine and Serum Institute), Chengtu. (U)
- (1) (U) Wei Wen-pin characterized an interferon-like substance found in the supernatant fluid of a suspension of mouse lung tissue infected with a virulent strain of Rickettsia prowazekii. 117-118 The substance exhibited some properties quite distinct from other interferons. Wei and his coworkers were subsequently able to propagate R. prowazeki in monolayer cultures of embryonic mouse lung cells. Wei from 1946 to 1951 was engaged in research at the Pasteur Research Institute in France. In 1952 he was a member of the Chinese Committee to Investigate Alleged US Use of Bacterial Warfare in Korea.
- (2) (U) Tung Tien-shun and K'ang Hsien-yuan are responsible for several original studies on <u>Salmonella typhosa</u>, causative agent of typhoid fever. Chou has also done original work in isolating new subtypes of <u>Shigella flexneri</u>, causative agent of dysentery. Studies on the rickettsiae and on the enteric pathogens make up much of China's efforts in microbiology. Work in these areas probably enjoys an emphasis second only to that given to JBE. The endemicity and epidemicity of these diseases demand that such work be performed primarily to upgrade the public health standards in attempts to eradicate these diseases from the environment. The studies they perform and data gathered therefrom could be used to support applicable R&D efforts.

 g.	125	Changchun	Institute	of	Vaccines	and	Serum,	Changchun.	(U)
					(b)(1)				

TCS-692023/72
Handle vis
TALENT-KEYHOLE (b)(1)
Control systems jointle

SAO/ST-SS-03-148-72

(2) (U) Yang Chung-ch'i has published a paper entitled "Changes in the Amino Acids Composition of Culture Fluid of <u>Pasteurolla</u> \*(<u>Yersinia</u>) pestis EV strain During Their Growth." The study revealed that various amino acids originally present in the growth medium were utilized by <u>P. pestis</u> according to a definite sequence-proline, serine, and theonine first, followed by glutamic acid only when the first three had been exhausted, and then aspartic acid. Glycine and alanine were utilized only after aspartic acid had been exhausted. Plague, carried chiefly by the tropical rat flea, has occurred in China for centuries and is likely to be present for some time to come. Data realized from studies of the pathogen are applicable to establishing growth parameters of this pathogen.

が変数

(b)(1)

#### i. (U) Other Institutes of Interest. (U)

(1) (U) Investigators at the Fukien Institute of Epidemiology, Foochow have studied the vectors of Rickettsia tsutsugamushi, 12.9-12.9 the detection of Leptospira, 13.0-13.3 and immunological methods for identifying Coxiella burnetii. An Infectious Diseases Hospital at Foochow and the Fukien Provincial Hospital have also been mentioned. Studies on antibiotic resistant dysentery bacilli<sup>134</sup> and the serological variability of Shigella flexneri<sup>135-136</sup> were conducted there.

\*The use of the genus name <u>Yersinia</u> is consistent with current taxonomic practice, however because of past common usage and the greater familiarity of investigators with the genus name <u>Pasteurella</u>, the latter term will be used throughout this report.

TOP SECRET CHESE RUFT

[(b)(1)

TOP SECRET CHESE RUFT

[(b)(1)

[285]

TICS-692023/77

Handle ya

TALENT-KEYHOLE-((b)(1)

control systems jointly

SAO/ST-SS-03-148-72

(2) (V) Ch'en, China Medical Cellege, studied the antibiotic resistance of a large number of strains of Shigella. 137 The Inner Mongolia Medical College, Huhekot published results of efforts to isolate drug resistant variants of Shigella flexneri. 138 The Institute of Antibiotics, Peking has evaluated various nitrogen sources for growth of Shigella species, 139 and the effect of additives on growth has been determined. 140 These studies might have some application in a BW program, although the enteric diseases are prevalent public health problems.

22. Potential Agent Development (U)

(b)(1)

23. Releasable to UKCanAusNZ) Molecular Biology as Related to BW Agent Research and Development (U).

(b)(1)

RELEASABLE TO UK, CANADA, AUSTRALIA AND NEW ZEALAND

35

TOP SECRET CHESS RUFF

Handle via
TALENT-KEYHOL4(b)(1)

control systems jointly

TCS-692023/72

### TOP SECRET CHESS KUFF SAO/ST-SS-03-148-72

Causative Agent	Disease Produced	
Bacteria:		
(b)(1)		
Viruses:		
(b)(1)		
Rickettslae:		
(b)	(1)	in the second
	(CONFIDENTIA	1.)

RELEASABLE TO UK, CANADA, AUSTRALIA, AND NEW ZEALAND

TOP SECRET CHESS RUFF (6)(1)

TCS-692023/72 Handle via
TALENT-KEYHOLE
control sysems jointly

SAO/ST-SS-03-148-72

Table II. Suspected Chinese Biological Warfare Agent Production Facilities (U).

Organization Location Activity

(b)(1)

May be same as Central Biological Products Institute, which is currently the Institute for Biological Products Research.

37

TOP SECRET CHESS RUFF 1 b

TCS-692023/77
Handle via
TALENT-KEYHOXE >\
control systems jointly

SAO/57-55-	FOP SECRET CHESS RUFE (b)(1)	
	(b)(1)	
		(CONFIDENTIAL)
	OP SECRET CHESS-RUFF (b)(1)	TCS-692023/72  Handle via  TALENT-KEYHOLE(D)(1)  control systems jointry:
	289	

SAO/ST-SS-03-148-72

(b)(1)

RELEASABLE TO UK, CANADA, AUSTRALIA AND NEW ZEALAND

TCS-692023/72 Handle via

TALENT-KEYHOLE-(b)(1)

control systems jointly

	TOP SECRET CHESS RUFF (D)(1)		
(C)	SAO/ST-SS-03-148-72		
(v)	(1)		
			la de
			-0
<u> </u>	4. (2)(4)Biofermentation/Bioengineering as Related to BW Agent	Davalannant	
	a. (U) If a successful BW program is ever to be establi		3
	undamental data derived from R&D efforts must first be scaled- hrough process research, so that large volumes of precisely de	up,	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	iological materiel ultimately can be produced at will. Unfort	unately	
n. E	or those who are working very hard to identify this effort, eq nd facilities used for these purposes are simply not unique.	For	
CNLW -	nstance: processes by which biological agent fills are productiffer but slightly from those schedules which are used to manual		
	ulk volumes of vaccine materiel; and fermentors already in use ultivate yeasts and actinomycetes for established commercial p		
	ould be adapted easily to produce pathogenic organisms with bu ppropriate modifications for safety purposes. The facilities	t .	
14 t	his research in China appear to be under civilian control but	nevertheless	
	hese could be used to support military needs for the developme ${\tt W}$ agents.	nt or	
man in the second secon	b. (U) Chiao Jui-shen, an investigator at the Institute		
	hysiology, CAS, spoke at the 1963 Symposium on Progress in Mic eld in Wuhan University and pointed out that although current		
	RELEASABLE TO UK, CANADA, AUSTRALIA AND NEW ZEALAND		/ 1
	40	TCS-69207	
		Handle vi TALENT-KEYHOLE	(b)(1)
	TOP SECRET CHESS RUFF (6)(1)	control systems	Jointly 🕝
	291		
and the second second		16、12年1月2日日本語	<b>"在"的"是"</b>

(b)(1)	 	
1000		
		1

SAO/ST-SS-03-148-72

had been placed on developing the antibiotics industry, outstanding progress had also been made on developing biochemical engineering and industrial fermentation. In By isolating mutant strains of selected molds, by determining carefully critical parameters of their metabolism, and by modifying their nutritional requirements, notable increases in antibiotic yields had been made possible.

- c. (U) At the Third All-China Scientific and Technical Conference on Antibiotics held in Dairen, September 1964, Chiang Ching-i and Ch'en Hung-shan of the Institute of Antibiotics, CAMS, outlined the conditions found necessary for the optimal culture in chicken embryos of cowpox and fowl plague viruses.
- d. (U) At this same symposium, Ma Yu-ch'eng of the Mua-tung Chemical Engineering College, Shanghai, noted the debt which biological engineering owed to chemical engineering. The author forecast the continued development and greater application of biological engineering; he also stressed the need of specialized training in order to develop competent biological engineers.
- e. (U) Lu Pao-lin presented a paper at the 20th annual symposium of the Entomology Society of China held in Peking in 1964, at which he reviewed progress made and elucidated major problems still facing those who were interested in medical insect culture. He noted the work of Ho Ch'i in the fertilization of Chinese mosquitoes (A. Sinenses) by forced mating, and the work of Hu Neng who used fermented culture media to stimulate hatching; he also stressed the homogeneity of insect quality, and emphasized the importance of controlling culture conditions and population densities in order to increase breeding efficiency. He also urged extensive studies in order to keep abreast of foreign developments in insect culture.
- f. (U) Su Ch'eng-ch'in, Chang Ching-fang, Chu Nan-ying, and Li Chi'huai of the Institute of Medical Biology, CAMS, Kun-ming, did original work in 1961-1962 on the isolation of latent cytopathogenic viruses from uninoculated tissue culture. The viruses were not named, but data were obtained on the effects associated with regrowth of these viruses in monkey kidney cells.
- g. (U) Ts'ao Chen-ch'in designed a continuous sterilizer for use in the fermentation industry. The step of the author evaluated various parameters related to the design, namely the time of continuous sterilization, the reaction speed constant, and the absolute temperature of sterilization.

TCS-692023/72
Handle via
TALENT-KEYHOLE ((b)(1)
control systems jo

h. (U) Another significant accomplishment has been the development of an automatic defoaming method for use in the fermentation industry. Shen Yung-hsing described details of this development which compared in quality to the work of the Czechoslovaks, who have recently acquired equipment which controls automatically pH, foam, etc.

(b)(1)

## Preservation of Microorganisms as Related to BW Agent Development (U

- (U) Another prerequisite for the militarization of biological materiel is an appreciation of the technology needed to stockpile agents in a viable state, so as to assure their availability for offensive uses when required. The Chinese have conducted various studies which increased their knowledge of the applicable technology, mainly laboratory techniques associated with lyophilization (freeze-drying).
- b. (II) In 1959, an improved method of lyophilization was described by Hsieh Chen-ing of the Second Military Medical College. Shanghai, CPLA Academy of Medical Science. 151 Many strains of fungi and influenza viruses, together with strains of bacteria which cause enthrax, cholera brucellosis, and plague, were maintained in a lyophilized state without loss of cultural or physiological properties. These studies demonstrated the competence of Chinese investigators to control the stability, viability and virulence of potential agents for BW purposes.
- c...(U) Hsing Tsu-p ei of the Hungshan Sanitation and Antiepidemic Experimental Institute, Wuchang, studied the survival of lyophilized Rickettsia tsutsugamushi (orientalis). 1.52 The results indicated that the rickettsiae retained their viability up to 9 years when stored at -10 to -20° C in sucrose solutions.

TCS-692023/72 Handle via TALENT-KEYHOLE (b)(1) control systems, jointly

TOP SECRET CHESS RUFF

## TOP SECRET CHESS

SAO/ST-SS-03-148-72

- (U) Li Tut'ang and Hsu Hung-li of the Institute for Biological Products Research (Ministry of Public Health), Peking, studied survivalerates of Vibrio cholerae after lyophilization. V. cholerae was chosen as a model because of its marked sensitivity to physical and chemical factors associated with biological decay. The investigators found that after 10 years in the lyophilized state, cholera organisms survived without undergoing significant changes in morphological, biochemical, or serological properties.
- (U) In 1965, investigators in the laboratory of the Wuhan Municipal Contagious Disease Hospital reported on a "simple and practical way of preserving bacteria," which allowed them to keep their cultures either in a refrigerator or at room temperature. 154 This method was used for 3 years and proved effective.
- f. (U) Chu Cheng-ch'ing and Tung Ts'un of the Shanghai Insitute of Medical Industry; Ministry of Chemical Industry, Shanghai have also conducted a study of microbial preservation by refrigeration and desiccation. 15

(b)(1)

26.	(ASH(b) -NFD	Testing (U)	).	· · · · · · · · · · · · · · · · · · ·		(b)(1)	 	
	,							
				(b)(1)				
(b)(1)		<b>)</b>		<del></del>	<del></del>	····	 	

NO FOREIGN DISSEMINATION

43

TCS-692023/ Handle via TALEHT-KEYHOLE (b)(1) control systems joi

OP SECRET CHESS RUFF

TOP SECRET CHESS  NO FOREIGN DISSEMENTION  A4  TOP SECRET CHESS RUFF  [S0(1)]  TOP SECRET CHESS RUFF  [S0(1)]  TOP SECRET CHESS RUFF			· <u>.</u>	লা ত্ৰাক্ত জ্যা হজাবুল স্থাত লাক্ষ্যালয়ৰ্থীয় চাই	AMERICAN SONO SONO SONO SONO SONO SONO SONO SO
NO FOREIGN DISSEMINATION  NO FOREIGN DISSEMINATION  A4  TOP SECRETATESS REFE  [DOI:)  103.692023/72 Haddle via ALELE-KEPOLE [Doi:) control systems jointly		TOP SECRET CHESS	(b)(1)	A	
NO FOREIGN DISSEMENTION  NO FOREIGN DISSEMENTION  A4  TOP SECRETATIONS RUFF  [DX1)  [DX1)  [CDX1)  [CDX1]  [CDX2]  [CDX1]  [CDX2]  [CDX2]  [CDX2]  [CDX3]  [CD		SAO/ST-SS-03-148-72			
NO FOREIGN DISSEMINATION  NO FOREIGN DISSEMINATION  ICS. 692023/12  Hadde via  TOP SECRETANTESS RUFF  (DX1)  TOP SECRETANTESS RUFF  (DX1)					
NO FOREIGN DISSEMINATION  NO FOREIGN DISSEMINATION  A4  TOP SECRET ATTESS RUFF  [55(1)]  [65(1)]  [65(1)]  [65(1)]  [65(1)]  [65(1)]  [65(1)]					
NO FOREIGN DISSEMINATION  A4  TOP SECRET ATTESS RUFF  [65(1)]  [65(1)]  [75,697073/72  A4A  TALERI-KEYHOLE [65(1)]  [75,697073/72  A4A  TALERI-KEYHOLE [65(1)]  [75,697073/72  A4A  TALERI-KEYHOLE [65(1)]  [75,697073/72  A4A  TOP SECRET ATTESS RUFF					
NO FOREIGN DISSEMINATION NO FOREIGN DISSEMINATION A4  TOP SECRETATESS RUFF  [60(4)] TOP SECRETATESS RUFF					8
NO FOREIGN DISSEMINATION  NO FOREIGN DISSEMINATION  TALENT-KEYHOLE  (b)(1)  TOP SECRETATESS RUFF  (b)(1)  Control systems jointly					
NO FOREIGN DISSEMINATION  NO FOREIGN DISSEMINATION  TALENT-KEYHOLE  (b)(1)  TOP SECRETATESS RUFF  (b)(1)  Control systems jointly					
NO FOREIGN DISSEMINATION  NO FOREIGN DISSEMINATION  105-697073/72  Handle via  TALERI-KEYHOLE  TALERI-KEYHOLE  Control systems, jointly					
NO FOREIGN DISSEMINATION  NO FOREIGN DISSEMINATION  103-697073/72  Handle via  TALERI-KEYHOLE  TALERI-KEYHOLE  Control systems, jointly					
NO FOREIGN DISSEMINATION  NO FOREIGN DISSEMINATION  1CS-692023/72  Handle via  TALENT-KEYHOLE ((b)(1)  Control systems jointly					
NO FOREIGN DISSEMINATION  NO FOREIGN DISSEMINATION  TOP SECRETATIONS  (b)(1)  TOP SECRETATION  (b)(1)  TOP SECRETATION  TOP S	,				
NO FOREIGN DISSEMINATION  NO FOREIGN DISSEMINATION  TOP SECRETATIONS  (b)(1)  TOP SECRETATION  (b)(1)  TOP SECRETATION  TOP S					
NO FOREIGN DISSEMINATION  1CS-697073/77  Handle via TALENT-KEYHOLE  (b)(1)  Control systems jointly			(b)(1)		
NO FOREIGN DISSEMINATION  1CS-697073/77  Handle via TALENT-KEYHOLE  (b)(1)  Control systems jointly					
NO FOREIGN DISSEMINATION  ICS-692023/12 Handle via TALENT-KEYHOLE-(D)(1)  control systems jointly					
NO FOREIGN DISSEMINATION  1CS-692023/72 Handle via TALENT-KEYHOLE- (b)(1)  Control systems jointly	:				
NO FOREIGN DISSEMINATION  1CS-692073/72  Handle via  TALENT-KEYHOLE (b)(1)  Control systems jointly					
NO FOREIGN DISSEMINATION  TOP SECRETARIES RIFF  (b)(1)  TOP SECRETARIES RIFF					
NO FOREIGN DISSEMINATION  TOP SECRETARIES RIFF  (b)(1)  TOP SECRETARIES RIFF					
NO FOREIGN DISSEMINATION  TCS-692023/72  Handle via  TALENT-KEYHOLE (b)(1)  Control systems jointly					
NO FOREIGN DISSEMINATION  TCS-692023/72  Handle via  TALENT-KEYHOLE (b)(1)  Control systems jointly					
NO FOREIGN DISSEMINATION  ICS-692023/72  Handle via  TALENT-KEYHOLE-(b)(1)  Control systems jointly					
NO FOREIGN DISSEMINATION  TCS-692023/72  Handle via  TALENT-KEYHOLE (b)(1)  Control systems jointly					
Handle via TALERT-KEYHOLE-(b)(1) Control systems jointly					2
TALENT-KEYHOLE (b)(1)  Control systems jointly	L	NO FOREI		•	
TOP SECRET CHESS RUFF			TEXAL.		ALEHT-KEYHOLE-(D)(1)
		TOP SECRET CHIES	S RUFF		roungs 24216m2 losustA
	٠				

TOP SECRET CHESS RIFE	
SAO/ST-SS-	03-148-72
(b)(1)	
o)(1)	
RELEASABLE TO UK, AUSTRALIA, AND NEW ZEATAWAY	TCS-692023/12
	Handle via TALENT-KEYHOLE ((b)(1
(b)(1)	control systems join
TOP SECRET CHESS RUPE	
	The second of th
	(b)(1)  RELEASABLE TO UK, AUSTRALIA, AND REN ZEAGANA  45

T	OP SECRET CHESS RUFF (6)(1)	
50-22-T2\0A2	3-148-77	
	(b)(1)	
	46	1CS-692023, 17.
		Handle via  TALENT-KEYHOLE (b) (1)  control systems jointly.
	TOP SECRET CHESS RUFF	control systems jointly

(b)(1)

SAO/ST-SS-03-148-72 ·

i. ANTICROP RESEARCH (U)

27. 6enerai (U)

(b)(1)

TOP SECRET CHESS RUFF (6)(1)

TCS-692023/77 Handle via\_\_

Handle via TALENT-KEYHOLE (b)(1)

control systems jointly

(b)(1)

- b. This unfavorable population-land balance, which provides less than 0.4 acre of cultivated land per person, has been a major deterrent to the country's economic progress. Between 80% and 85% of the population are engaged in farming, and agriculture currently supplies one-third to one-half of the national income. Agriculture also supplies the bulk of the raw material base. Farm products and the finished agricultural products constitute 60% to 70% of total exports.
- c. During the first decade of Communist rule, gains in agricultural production were registered almost every year. Then 4 years of devastating reverses in agriculture, because of the reckless adventure of the Great Leap Forward (1958-60) and unfavorable weather during 1959-61, dropped farm output to a dangerously low level and resulted in a near collapse of the economy.
- d. Under the guise of central planning during the Great Leap Forward, officials had ignored traditional farming culture—thereby badly upsetting one of the most intricate farming systems in history. Because of the successive crop reverses, the regime beat a hasty retreat and announced a new policy of giving priority to agriculture. Since that time, gains have occurred in numerous industries designated to support agriculture.
- e. Although sufficient justification exists for official claims that the current level of food consumption exceeds that of the 1959-61 period, agricultural production in the socialist sector has failed to make a net per capita gain since 1964, and remains substantially below levels of production achieved before the Great Leap Forward. Large imports of grain and substantial production increases on private plots of land account for most of the increased consumption since 1961. On socialist farms, the production of food crops in 1966 failed to meet consumer needs for the eighth consecutive year.
- f. Although exports of agricultural commodities have increased significantly since 1962, they apparently have not regained the 1959 level. Thus, almost a decade after the Great Leap Forward that was to solve China's economic problems within a few years, the country's agriculture is still in a state of stagnation. As one authority observed, "It may turn out that the Great Leap Forward will have cost the Chinese economy roughly a decade of growth."

#### 28. (U) Major Crops (U)

Rice is by far the most important crop in Communist China. The production of rice is more than three times that of all the other major crops

TCS-692023/72
Handle via
TALENT-KEYHOLE (b)(1)
Control systems jointly

SAO/ST-SS-03-148-72

combined; wheat is next in acreage and production. Other principal crops are soybeans, peanuts, rapeseed, and cotton. Acreage and production figures of the major crops grown in Communist China are listed in table

Table III. Acreage and Production of Major Crops
in Communist China (U).

Crops .	Acres	Production (tons)
Rice		91,800,000
Wheat	62,114,000	22,927,000
Soybeans	20,433,000	8,100,000
Peanuts	4,339,000	2,209,000
Mapeseed	2,830,000	965,000
Cotton	10,950,000	1,241,000

(UNCLASSIFIED)

29: (U) R&D Against Naturally Occurring Crop Pests and Anticrop Warfar Agents (U)	2
a. Sources of Information. (b)(1)	
2	
(b)(1)	}
	i i

TCS-692023/72 Handle via

control systems jointly

	TOP SE	CRETT	CHESS	RUFF	(b)(1)	-
SAO/ST-55	-03-142-72		•			

- b. (U) Research on Rice Diseases and Insects. Since rice is the most important source of food in Communist China, its diseases would be expected to receive the greatest attention of ChiCom scientists. This opinion seems to have no basis in fact, however, since the rust diseases of wheat apparently are the object of much more research.
- (1) (U) Investigations on rice diseases. Rice blast is a serious disease in Communist China, especially in the northeast, but only one article since the beginning of 1965—concerning the application of kasugamycin, a Japanese antibiotic, for the control of rice blast—has been noted in a Chinese Communist publication. The study on which the article was based was conducted by a Japanese scientist. During the same time period, three papers on other rice diseases appeared:
- (a) (U) The Mycelial Activities of the Rice Sheath Blight Fungus in Relation to the Disease Development; 157
- oryzae; 158 (b) (U) <u>Studies on the Spore Dispersal of Helminthosporium</u>
- (c) (U) <u>Field Control of Bacterial Leaf Streak</u> (Xanthomonas oryzicola) of Rice in Kwangtung. 159
- (2) (U) <u>Rice insects</u>. The following two papers on rice insects have been noted; both concern research on the control of the paddy borer:
- (a) (U) Outbreak, Rhythm, and Control Technique of Paddy
  Borer (Tryporyza incertellus Walker) in Huang, Hsin, Hsi, and Demonstration
  Regions in Hopeh Province; 160
- (b) (U) <u>Forecasting the Third Generation Paddy Borer</u> (Tryporyza incertellus Walker) and Chemical Control Techniques.
  - c. (U) Research on Wheat Disease and Insects. (U)
- (1) (U) Races of wheat stem rust. The physiological races of the fungus causing stem rust of wheat were analyzed in 1964. Stem rust was epiphytotic in all areas of China in 1964, being generally more serious in the north than in the south. In 1964 a total of 2835 samples of stem rust spores was collected from 229 cities and districts within 26 provinces; 2006 of them have been identified. The identifications were conducted from November 1964 to March 1965 according to the usual international procedure and rules. The races and types found were: 17, 19, 21, 2101, 2102, 2103, 34, 3401, 3402, 40, and 194. The predominance of race 21 has

TCS-692023/72	
Handle via	
Handle via TALENT-KEYHOLE (b)(1)	
control systems jointle	

TOP SECRET CHESS I	RUFF (b)(1)
--------------------	-------------

SAO/ST-SS-03-148-72

been gradually decreasing, whereas race 34 has been increasing in occurrence, as seen from the analyses of the physiological races found from 1962 to 1964. This survey was conducted by personnel from the Mukden Agricultural College, Heilungkiang Agricultural Research Institute, and the Kirin Agricultural Research Institute, all in Northeast China. 152

- (2) (U) Control of wheat diseases. Four effective means of stripe rust control have been developed in China: (a) breeding of rust-resistant varieties, (b) postponing the sowing time from 100 days to 80 days before the winter solstice, (c) destroying disease-infested plants, and (d) applying fungicides like sodium fluorosilicate and sulfanilamide. According to available statistics, 6 million acres were sown with about 100 varieties of good rust resistant strains of wheat in Shansi, Hopeh, Shantung, Henan, Shensi, Kensu, and Northern Kiangsu in the autumn of 1964. The variety Nei-hsiang 36 was reported to be immune to stripe rust but susceptible to leaf and stem rusts. A second variety, Hopeh Agriculture University 3, is almost immune to stripe rust and is resistant to stem rust, while a third variety, Hsu-chou 4, is almost immune to all three types of rust.
- (3) (U) <u>Development of chemical rust fungicides</u>. Sulfonic acid, a systemic fungicide, gainst wheat rust, has been tested in the field. The optimum concentration found was 6.5 to 13 pounds of 65% acid, per acre. Methods for producing the acid have been developed.  $^{166}$ ,  $^{167}$
- (4) (1) <u>bevelopment of antibiotic fungicides</u>. During 1965, seven papers were published on antibiotic fungicides. All but one concerned the fungicide "Nung-K'ang-101," and isocycloheximide isolated from <u>Streptomyces aurous</u>, by the Pharmacology Institute, Chinese Academy of Sciences, Shanghai. Nung-K'ang-101 was tested and found to be effective against wheat rust and Gibberella disease of wheat. 169-170
- oriental army worm, Loucania separata Walker, is the pest most destructive of cereal crops in Kirin Province, Northeast China. Studies have been conducted on its life history and the effects of microclimate on its population density. The wheat stem fly, Meromyza saltatrix Linn, is a serious pest of wheat in Shensi. Differences in varietal susceptibility have been noted; plants growing in fertile soils sustain less injury. Benzene hexachloride (BHC) or parathion provide very effective control of the adult fly. One paper describes the development of the aphid Macrosiphum granavium—the chief wheat pest in the province of Hsi-Nan.

TCS-692023/72
Handle via
TALENT-KEYHOLE ((b)(1)

Control systems jointly

SAO/ST-SS-03-148-72

- d. (U) Research on Sovbean Diseases and Pests. Although the sovbean is a major crop in Communist China, research on its diseases and pests is sketchy. Only three papers have been noted: one on the analysis of the sovbean mosaic virus, and two on the sovbean pod porer. The latter is a serious pest of sovbeans in Northeast China. Recommended control methods are the use of resistant varieties of sovbean, proper cultural practices, and insecticides like BHC together with DDT.
- e. (U) Research on Rape Disease and Pests. The Institute of Microbiology has conducted an intensive study of the rape mosaic viruses. The Chinese Communists have identified and characterized 40 strains of the virus. A partial purification of the virus has been accomplished, and its properties have been described. Another institute has studied the epidemic relations between the vector aphid, Myzus persicae Salz, and the virus. 183-185
- f. (U) <u>Research on Cotton Disease and Pests</u>. Analysis of the published research papers indicates that the principal diseases and insects of cetton are: fusarium wilt, verticillium wilt, and pink bollworm. Stopping the spread of fusarium wilt and verticillium wilt appears to be the principal difficulty. Use of BHC and DDT is recommended to control the bollworm. 186-188

#### g. (U) Insect Pest Control Research. (U)

- (1) (U) Chemosterilants. Two forestry institutes have been investigating the use of the chemosterilants to control Dendrolimus punctatus Walker, Bombyx mori, and other insects. Chemosterilants selected experimentally included Thio-TEPA, 5-fluorouracil, 5-fluorouratic acid, colchicine, nitrogen mustards, and thiocarbamide. The effects of the various chemosterilants on the different insects were described.
- (2) (U) Organic insecticides. Research on chemical insecticides in Communist China appears to concern chiefly the testing of Western-developed organophosphorus and organochloro insecticides on Chinese crops. The development of synthetic processes for producing the desired insecticides for Chinese crops also is of concern.
- (3) (U) <u>Biological control</u>. Spores of the bacteria B. <u>bassiana</u> and <u>B. thuringiensis</u> are used to control such insects as <u>D. punctatus</u> Walker, the pine caterpillar <u>Grapholithe glycinivosella</u>, and <u>Cylas formicarius</u>. Applications of the insect fungus, <u>Spicaria fumoso-rosea</u>, have been considered for the control of a wide range of insects, including <u>L. separata</u> Walker and <u>Pyrausta nubilalis</u> Huebner. The use of <u>Chinese bees and the insect <u>Trichogramma australicum</u> to control the sugar cane borer has been investigated and has produced satisfactory results.</u>

TCS-692023/72 Handle via TALENT-KEYHOLE-((b)(1) control systems join

TOP SECRET CHESS RUFF (b)(1)

	TOP SECRET CHESS RUFF (b)(1)	
		SAO/ST-SS-03-148-72
	30. (Assessment of Communist China's Anticrop	BW Capabilities (U)
	(b)(1)	
	J. CONCLUSIONS (U)	
	31. Offensive Posture (U)	
	ı	
20	(b)(1)	
	(Ο)( *)	
		·
	32. ( Detensive Posture (U)	
5	(b)(1)	
		TCS-692023/12
	5:3	Handle via TALENT-KEYHOTE (D)(1)
	TOP SECRET CHESS REFT (b)(1)	control systems jointly
	304	

TOP SECRET CHESS	RUFF (b)(1)
SAO/ST-SS-03-148-72	

This page intentionally left blank,

TCS-692023/72 Handle via
TALENT-KEYHOLE (b)(1)
control systems jointly

TOI	' SECRET C	HESS RUFF	(b)(1)		erengengen der
		· · · · · · · · · · · · · · · · · · ·		SAO/ST-SS-03-148-72	· · · · .
		Section II.			. •
		NORTH VIETNAM		•	
8	·				
	٨	INTRODUCTION	(U)	. :	
1. ( <u>Hi</u>	storical Backgro	und and Competen	ce in Microbi	ology (U)	•
	· · · · · · · · · · · · · · · · · · ·	**************************************			
		(b)(1)			
<u> </u>	<del> </del>			TCS-6	92023/72
		. 55		Han TALENT-KE	dle via YHOLE (b)(1)
TOI	SECRET C	HESS RUFF	(b)(1)	control s	ystems jointly
		306	L		

TIM NED.	ATELANTAL		SS RUFF
	SHE K	H I A H I L	
	しょ エンインエモリ	UI CHTL	77 H L F F

SAO/ST-SS-03-148-72

(b)(1)

#### (U) Geographical and Political Factors (U)

- North Vietnam lies in the northeastern part of the Indochina Peninsula, bordering the Gulf of Tonkin. This relatively small and irregular shaped country narrows from a maximum width of 375 miles in the north to about 30 miles in the south. The maximum north-south axis is about 450 miles. Its size approximates that of the State of Washington. The population of about 18.5 million is chiefly concentrated in the Red River Delta and along the coastal plains. Of the 1850 miles of land boundaries, about 800 miles borders on Communist China and about 1000 miles on Laos. There are two routes into North Vietnam from Communist China, both served by a road and a railroad. Two selected routes from Laos contain a road suitable for vehicular movement, but are poor access routes because of the mountainous terrain and inferior roads. The best air approaches are from the cast, over the South China Sea.
- b. The DRV Government is a highly centralized structure paralleled by the Lao Dong (Communist Party) organization, composed of more than half a million members. Civil obedience is maintained by an elaborate. police and security service backed up by the military service. The economy is tightly controlled and the people are held to an austere level' of living. North Vietnam's position in the Communist World was greatly enhanced by the personal stature of Ho Chi Minh. The Soviet Union and Communist China have each actively sought the support of the DRV in their contention for leadership in the Communist world. This has been done partly by making competitive grants of both military and economic assistance. North Vietnam, although heavily dependent on the larger and more advanced Communist countries for military and economic aid, has remained largely independent in the formulation of its domestic and foreign policies. DRV controls its own territory through the usual Communist machinery and methods. 198

TCS-692023/12 Handle via TALENT KEYHOLE (b)(1) control systems jointly

TOP SECRET CHESS RUFF

SAO/ST-SS-03-148-72

The government structure was substantially reorganized in 1960. A new constitution was promulgated for further centralization and for an elected National Assembly. The constitution was modeled extensively on the Chinese constitution and serves as an organic law for the government as well as a propaganda document for the Lao Dong. Like all Communist constitutions, it ascribes considerably more responsibility and authority to the governmental organization than exists in actual practice. The most important centers of power within the government are the executive agencies--the President of the Republic; the Premier; the Council of Ministers; and the administrative committees of the local governments. The Council of Ministers is the organization closest to the policy making process, and the most important ministries of the Council are the Ministries of National Defense, Foreign Affairs and Public Security. Each of these Ministries is headed by Politburo members. The Communist regime has continued to reshuffle local government organizations and generally has developed a unified, nationwide system of local administration, dominated by Lao Dong Party members. 198

ASSESSMENT (U)

 3.	yes_	Order	of Battle	. (U)				·		
					(b	)(1)				
							 ****		TCS-6920	23/12

Handle via TALENT-KEYHOLE (b)(1)

TOP SECRET CHESS RUFF

control systems jointly

SAO/ST-SS- <del>03-148-72</del>	CRET CHESS RUFF (b)(1)		
	(b)(1)		
	(0)(1)		
(b)(1)			
4. (9) Doctrine a	and Procedures (U)		
b)(1)	1 -	Allen	
	58	TCS-697 Hand TALENT KEY	1023/12 1e via
TOP SEC	RET CHESS RUFF (b)(1)	eontrol sys	HOLE-(CD)(T) stems jointly

	TOP SI	ECRET CH	ESS RUFF (b)(1)			•
		. ·		22-12\OA2	03-148-72	
						-
			(b)(1)			
5	BW Equ	ipment (U)				j
			· · · · · · · · · · · · · · · · · · ·			
			(b)(1)			
			\ <del>-</del> /\-/			
GO.						
6	. Product	ion and Stocky	oiling (U)			7
			(b)(1)			
				·	TET (03033 /34	
			59		TCS-692023/ <i>72</i> Handle via TALENT-KEYHOLE- <sup>(b)(1)</sup>	)
	TOP SE	ECRET CH	ESS RUFF (b)(1)		control systems join!	ly

1	OP SECR	ET CHES	S RUFF	(b)(1)		•
SAO/ST-SS-0	3-148-72			L		•• •
			/h)/1)			
			(b)(1)			
	· · · · · · · · · · · · · · · · · · ·				 	
. 4	Research, De	velopment, a	and Testing	(U)	,	
				,		
			(b)(1)			
			(b)(1)			
			(b)(1)			
			(b)(1)			
			(b)(1)			
			(b)(1)			
			(b)(1)			
			(b)(1)		TCS-69202 Handle TALENT_KEYHO	3/77 -

	The second secon
	TOP SECRET CHESS RUFF (b)(1)
	SAO/ST-SS-03-148-72
	(b)(1)
a	
	8. (Conclusions (U)
	(b)(1)
9	61 TCS-692023/72
	TALENT-KEYHÖLE (b)(1)
	312

TOP SECRET CHESS RUFF SAO/ST-55-03-148-72

TCS-692023/12 Handte via TALENT-KEYHOLE (D)(1) control systems jointly

TOP SECRET CHESS RLFF SAO/ST-SS-03-148-72 Section III. NORTH: KORFA INTRODUCTION (U) prical Background and Competence in Microbiology (U) (b)(1) (T) Geographical and Political Factors North Korea is a rugged land which occupies the northern part of the Korean puninsula between the Yellow Sea on the west and the Sea of Japan on the east. It adjoins Communist China and the USSR on the north and South Korea on the south. North Korea has an area of about 47,000 square miles, or approximately the size of Pennsylvania. TCS-692023/12 Handle via TALENT KEYHOLE (b)(1) TOP SECRET CHESS RUFF (b)(1) control systems jointly

SAO/ST-SS-03-148-72

of the rugged mountainous terrain, North Kyren is poorly suited for ground or air operations. Pyongyang is the political, commercial, and cultural center of the country. The Hambung-Wonson area is the largest industrial center and includes nonferrous metal plants, chemical works, a munition plant, and an industrial machinery plant. There are also army and navy installations in the area. 145

North Korea is a Communist party state dominated by a closely knit clique under Premier Kim Il-song. Occupation of the northern part of the country by the USSR in 1945 set conditions for the political development, and the presence of Soviet military guaranteed its direction. Initially a figurehead under Soviet direction, Kim has moved to consolidate his position by eliminating rivals and has sought to establish independence from both the USSR and Communist China. The strongest priority of the regime is directed toward the reunification of Korea. An aggressive policy on reunification was pronounced at a Labor Party Conference in October 1966. Propaganda campaigns were reinforced with incidents created along the demilitarized zone and terrorist attacks throughout South Korea. Another strong objective of the regime is to enhance North Korea's international position. Almost all domestic policies are integrated to establish a highly integrated, self-supporting economy under state control. Some progress has been made in this direction, but North Korea has not attained economic and scientific self-sufficiency. 245 Very limited scientific effort could be diverted into a biological warfare program...

ASSESSMENT

Order of Battle (U)

(b)(1)

TCS-692023/72 Handle via

TALENT-KEYHOLE (b)(1) control systems jointly

` CHESS RUFF

		TOP SECR	FLATES	RIFE	(b)(1)			
						-22-T2\0A2	3-148-72	
	(b)(1)						Hahaman	
			,					
1								
								, and a second
	1							
	:							
1								
			* *************************************	***			HILOSOPPIN	
			NO FOREIG	9 DISSEMIN 65	ATION		1CS-692023/7 Handle via	2
		TOPART	EFF CHES		(b)(1)		Handle via TALENT-KEYHOLE- control systems j	b)(1) cintly
			ET CHES	1 <b>6</b>				
			1 color					

	SAO/ST-SS-03-148-72			
T		•		
(b)(1)		•		]
b)(1)	Doctrine and Procedures (U)			7
•				
	NO FOREIGN DISSEMINATION			
		•	102-692023/13	!
	TOP SECRET CHESS RUFF (6)(1)	TA	Handle via LENI-KEYHOLE (Control systems ic	0)(1)

	TOP SECI	RET CHESS RUF	(b)(1)		
				SAO/ST-55-03-148-72	
		(b)(1)			
	**************************************				
	5. BW Equipme	ent (U)			
					No. of
		(b)(1)			
Ş.					
	the war.			. T.T. KB	2023.427
	the man ocher	67		TCS-69 Hank TA18NT.KF	2023 <i>4</i> 72 He vie (HOLE <sup>(b)(1)</sup>
	TOP SEC	erec ettess ru	FF (b)(1)	Hane TALENT-KEY	2023/72 He vir (HOLE stems jointly

	TOP SECRET CHESS RUFF (b)(1) SAO/SI-SS-03-148-72	•
	340/ 31-33-03-140-72	٠
·		
ľ		
-	(b)(1)	
	6. (v) Production and Stockpiling (U)	•
	(b)(1)	
	TCS-69707 Handle	
	TALENT-KEYHO	)[[-(b)(1)
	TOP SECRET CHESS RUFF	ma joinn <b>y</b>

# TOP SECRET CHESS RUFF SAO/ST-SS-03-148-72 (b)(1) Research, Development, and Testing (U) (b)(1) TCS-692023/72 Handle via TALENT-KEYHOLE (b)(1) 69 TOP SECRET CHESS RUFF (b)(1) control systems jointly 320

SAO/ST-SS-0 <del>3</del>	OP SECRI	FF CITESS	RUFF (b)(1)		
76 A 20 A 2					
			(b)(1)		
8. <i>y</i> Cs	Conclusions	(U)		· · · · · ·	300
			(b)(1)		
	•				1 Jan
		70		ICS-69. Hand TALENT-KEY	2023/72 le via

SAO/ST-SS-03-148-72

Section IV.

THE MONGOLIAN PEOPLE'S REPUBLIC

# A. INTRODUCTION (U)

### 1. $\mathcal{A}(e)$ Historical Background and Competence in Microbiology (U)

a. (I) Prior to 1921 medical services in the Mongolian People's Republic were provided by Lamaists. In 1921 the Soviet army furnished medical aid to Mongolia's army, which resulted in the adoption of modern methods of health and sanitation throughout Mongolia. Additional advancements in public health services have occurred since the country asserted its independence in 1924. The Soviet Union has provided technical assistance in the development of health and sanitation programs and has helped to train medical personnel. Assistance is also provided by the United Nations organization and by the East European Communist Countries. United Nations organization and by the East European Communist Countries with this aid, the public health standards have become comparable with those in most other Asian countries. Evidence does not show that any research in progress is associated with biological warfare programs.

b. (e) (b)(1)

#### 2. (II) Geographical and Political Factors (U)

a. Mongolia's proximity to the Trans-Siberian railroad in the

TCS-692023/72

Handle via

TALENT-KEY HOLE ((b)(1)

control systems jointly

TOP SECRET CLESS RUFE

I	•	)	P	SECRET	CHESS	RIFF (b)(1)

SAO/ST-SS-03-148-72

lends it a unique strategic significance. It provides road and rail routes from the USSR to the coast of Communist China. The main strategic area is Ulan Bator, the capitol city. A single track railroad links Ulan Bator with the Trans-Siberian Railroad in Russia and extends south east to connect with the Communist Chinese system at Erk-lien. Of Mongolia's boundaries, 2600 miles border Communist China and 1850 miles border the Soviet Union. Since tensions arose between the USSR and Communist China, Mongolia has been used as an advanced position for the Sovier Army. Soviet units reportedly are stationed in Mongolia, and the Chinese border is constantly under observation. 267 Geographically, Mongolia includes vast desert plains in the south and east, long mountain ranges in the west, and hills mountains with broad valleys in the north. The climate is continental with great daily and seasonal extremes of temperature.

ъ. The Mongolian People's Republic is governed by a Communist dictatorship which maintains control through a centralized system modeled on that of the USSR. The Politburo is the center of power and the source of all executive, legislative, and judicial authority in the country. Soviet influence dominates public health planning and activities in Mongolia. The USSR has provided technical assistance since 1925 in establishing a public health program, epidemiological systems, and laboratory facilities for investigating diseases. In 1931 the Soviet Union established at Ulan Bator the first antiplague laboratory which became the Central Antiplague Station in 1936. Prophylaxis is the basic philosophy in Mongolia, and all health care and medical research units are owned and maintained by the state. The Ministry of Public Health is responsible for all health and medical services. The political reliability and loyalty to the Communist party often outweigh qualities, professional skill, and ability in the selection of scientific administrators. For this reason the effectiveness of the public health services and the advancement of scientific programs are often hampered. 271

B. ASSESSMENT (U)

3. Order of Battle (U)	
•	
(b)(1)	
	*

72

TCS-692023/72 Handle via TALENT-KEYHOLE-(b)(1) control systems jointly

TOP SECRET CHESS RUFF

SAO/ST-SS-03-148-72

#### Doctrine and Procedures (U)

The Mongolians are not known to have policies or precedures for conducting biological warfare.

### (U) BW Equipment (U)

概要指的统行动的 The Mongolians do not have biological warfare agents or munitions. vaccines, antibiotics, and sera are available for defense.

Production and Stockpiling (U)

(b)(1)

Research, Development, and Testing (U)

(b)(1)

- b. (U) A Bacteriological Research Office was formed in 1932 by combining several small laboratories in Ulan Bator. This was the first facility under the Ministry of Health to conduct microbiological research. Diseases for which vaccines have been prepared at this facility include typhus, rabies, smallpox, dysentery, typhoid fever, and brucellosis. 274 A Soviet specialist, L. S. Rezininkova, assisted in directing research programs for the development of vaccines and medicines.
- (0) The Office for Studying and Combating Especially Dangerous. Infectious Diseases which was an outgrowth of the Anti-Epidemic Office now has five substations under its jurisdiction. It is probably the largest Mongolian organization which supports studies of measures for preventing diseases, such as anthrax, glanders, plague, poliomyelitis, and tularemia. During 1966, the organization prepared and administered vaccines to an estimated 150,000 persons.

TCS-692023/72 Handle via TALENT-KEYHOLE (b)(1) control systems jointly

SAO/ST-SS-03-148-72	ECRET CH					
	and the second s		<u> </u>			
		aleman and the Martin consideration are account on a part of the particular particular particular particular p				
		/LUAL				
		(b)(1)				
						,
						:
						l:
		vio		****		<u>}</u> :
8. A Conclus	sions (U)		· :			
8. S Conclus	sions (U)					<u></u>
8. S Conclus	sions (U)	· · ·				
8. S Conclus	sions (U)	(b)(1)	· :			
8. Conclus	sions (U)	· · ·	· :			
8. Conclus	sions (U)	· · ·	•			
8. Conclus	sions (U)	· · ·				
8. Conclus	sions (U)	· · ·				
8. Conclus	sions (U)	· · ·				
8. Conclus	sions (U)	· · ·				
8. Conclus	sions (U)	· · ·				
8. Conclus	sions (U)	· · ·			ICS-69202 Handle TALENI-KEYHO control system	3/11

. ;

# TOP SECRET CHESS RUFF (b)(1)

SAO/ST-SS-03-148-72

#### APPENDIX I.

SELECTED MEDICAL MATERIEL MANUFACTURERS AND MEDICAL LABORATORIES, COMMUNIST CHINA (1971) (U)

\nnexes	$\mathbf{p}$	ำเรีย
λ.	Manufacturers of Medical Materiel (U)	77
	W. 14 - 1 Yaharaharing (W)	83

CROUP-1
Excluded from automatic downgrading and declassification.

75

TCS-692023/72 Handle via TATENT-KEYHOLE ((b)(1) control systems jointly

TOP SECRET CHESS RUFF

326

TOP SECRET CHESS RUFF (b)(1)

SAO/ST-SS-03-148-72

This page intentionally left blank.

76

TOP SECRET CHESS REFF

327

TCS-692023, 72

Handle via
TALENT-KEYHOLE (b)(1)

control systems jointly

control systems

	TOP SECRET	CHESS RI	FF (b)(1)		
8				\$AO/\$T-\$\$-0	3-148-72
(b)(1)					
3.3 (0) (2) 10					
USC s					
					•
		6.			
					-:
					TALENT-KEYHOLE (b)(1)
	TOP SECRE	CHESS R	(FF (b)(1)		TALENT-KEYHOLE (b)(1) control systems jointly
The second secon			· .		

# TOP SECRET CHESS RUFF (6)(1)

SAO/ST-SS-03-148-72

MANUFACTURERS OF MEDICAL MATERIEL (U) (Continued)

LOCATION AND NAME (G) GOVERNMENT	PRODUCTS
CH'ANG-CH'UN 43°52' N., 125°21' E.	
(G) Ch'ang-ch'un Biological Products Plant	Serums, vaccines
(G) Ch'ang-ch'un Pharmaceutical Plant	Drugs .
CH'ANG-SHA 28°12' N., 112°58' E.	
(G) Ch'ang-sha Pharmaceutical Plant	Drugs
(G) Ch'ang-sha Provincial Pharma- ceutical Plant No. 8	Drugs
CH'T-CH'I-HA-ERH 47°22' N., 123°57' E.	
(G) Ch'i-ch'i-ha'erh Pharma- ceutical Plant	Drugs and antibiotics
DAIREN 38°55' N., 121°39' E.	
(G) Lu ta Biological Products Plant	Biologicals
FOOCHOW 26°05' N., 119°18' E.	
(G) Foochow Pharmaceutical Plant	Drugs, antibiotics

TCS-692023/72 Handle via. TALENT- KEYHOLE (b)(1) control systems jointly 🔆

TOP SECRET CHESS RUFF (6)(1)

SAO/ST-SS-03-148-72

MANUFACTURERS OF MEDICAL MATERIEL (U) (Continued)

LOGATION AND NAME (G). GOVERNMENT	PRODUCTS
FU-HSING-CHEN 22°46' N., 101°05' E.	
(6) Fu-hsing-chen Pharmaceutical Plant	Drugs
TE-SHUN 41°52' N., 123°53' E.	
(G) Fu-shun Phermaceutical Plant	Drugs
ANOCHOW 30"15" N., 120°10' E.	
(G) Che-chiang Pharmacoutical Plant No. 1	Drugs
(G) Min Sheng Pharmacoutical Plant	Drugs
IANKOW 30°35' N., 114°16' E.	
(C) Hankow Institute of Biological Products	brugs, biologicals, and official reagents
(C) Hankow Pharmacoutical Plant	Drugs
(G) Min-klang Pharmacoutical Plant	Drugs
(C) Nu-han Antibleties Plant	Drugs; antibiotics

74

(b)(1)

TCS-692023/72 Handle via
TALENT-KEYHOLE (b)(1) control systems jointly

FU CHESS RUFF

# TOP SECRET CHESS RUFF (6)(1)

SAO/ST-SS-03-148-72

MANUFACTURERS OF MEDICAL MATERIEL (U) (Con inued)

	LOCATION AND NAME  (G) GOVERNMENT	PRODUCTS
ARBIN 45°45'	N., 126°39' E.	
οĒ	erial Fertilizer Plant Northeast Agriculture titute	Biological agents
(G) Harbi	n Pharmaceutical Plant	· Vaccines
HST-NING 36°37	N 101°46' E.	
	g-hat Provincial rmaccutical Plant	Drugs, antibiotics, biologicals, and official reagents
(G) Hsi-r Pla	ing Pharmaceutical	Antibiotics
HUAI-NAN 32°40	" N., 117°00' E.	
(C) Huai- Pla	nan Pharmaceutical	Drugs
и-но-нао-т е	40°47' N., 111°37' E.	
	-hao-t'e Biological ermaceutical Plant	Drugs, biologicals
(G) Hu-ho Pla	-hao-t'e Pharmaceutical	Extracts of Liquorice for use in medicines

30

TOP SECRET CHESS RUFF (b)(1)

TCS-692023/12 Handle via
TALENT-KEYHOLE (b)(1)
control systems ja

# TOF SECRET CHESS RUFF (b)(1)

SAO/ST-SS-03-148-72

MANUFACTURERS OF MEDICAL MATERIEL (U) (Continued)

LOCATION AND NAME (G) GOVERNMENT :

PRODUCTS

· K'AI-FENG 34°51' N., 114°21' E.

: (G) K'ai-feng Drug Factory

Drugs, antibiotics

KUEI-YANG 26°35' N., 106°43' E.

(G) Guei-yang Pharmaceutical Plant

Drugs, antibiotics

K'UN-MING 25°04' N.. 102°41' E.

(G) K'un-ming Pharmaceutical Manufacturing Plant

Drugs

LAN-CHOU 36°03' N., 103°41' E.

(G) Forcz'u Pharmaceutical . . . . . . .

Drugs

(6) Powearch Institute of Biological Products Vaccines

MUKDER 41°48' N., 123°27' E.

(C) Hung-hsing Pharmaceutical Plant

Antibiotics

(C) Mukden Pharmaceutical Plant

Drugs, antibiotics

(G) Tung Pei Chemical Pharma- . ceutical Plant

Antibiotics

TCS-692023/72 Handle via TALENT-KEYHOLE- (b)(1)

control systems jointly

ECRET CHESS RUFF (6)(1)

SAO/ST-SS-03:148-72\_\_\_\_

MANUFACTURERS OF MEDICAL MATERIEL (U) (Continued)

LOCATION AND NAME (G) GOVERNMENT	PRODUCTS
NANKING 32°03' N., 118°47' E.	·
(C) Nanking Pharmaceutical Plant	Drugs and antibiotics
(G) Pai Ching Yu Pharmaceutical Plant	Drugs
NAN-NING 22°49' N., 108°19' E.	
(G) Kwangsi Biological Pharma- ceutical Plant	Serums, vaccines
(G) Nan-ning Pharmaceutical Plant	Drugs, biologicals
NING-PO 29°53' N., 121°33' E.	,
(G) Ning-po Pharmaceutical Plant	Drugs
PANG-PU 32°57' N., 117°21' E.	
(G) Pang-pu Chemical Plant	Drugs
PAO- 25°07' N., 99°09' E.	
(G) Pao-shan Foot-and-Mouth Disease Vaccine Production Plant	Biologicals
(G) Pao-shan Pharmaceutical Plant	Drugs and antibiotics

82

TCS-692023/72 Handle via TALENT-KEYHOLE-(b)(1)
ontrol systems jointly

TOP SECKET CHESS RUFF (6)(1)

SAO/ST-SS-03-148-72

MANUFACTURERS OF MEDICAL MATERIEL (U) (Continued)

	·	
	LOCATION AND NAME (G) GOVERNMENT	PRODUCTS
PAO-TING	38°52' พ., 115°29' E.	
(G)	Pao-ting Pharmaceutical Plant	Drugs and antibiotics
PAO-T'OU	40°36' N., 110°03' E.	
(G)	Pao-t'ou Pharmaceutical Plant	Drugs and antibiotics
PEKING 3	9°56' N., 116°24' E.	
(G)	Peking Antibiotic Serum and Vaccine Plant	Serums, vaccines
(C)	Peking Pharmaceutical Plant	Drugs and antibiotics
SHANGHAI	31°14' N., 121°28' E.	
(G)	Shanghai Artificial Blood Vessel Plant	Biologicals
(G)	Shanghai Medicinal Herbs Plant	Drugs
(C)	Shanghai Pharmaceutical Plant No. 1	Antibiotics
(G)	Shanghai Pharmaceutical Plant No. 2	Drugs
(G)	Shanghai Pharmaceutical Plant No. 3	Antibiotics
(G)	Shanghai Pharmaceutical Plant No. 4	Drugs

TOP SECRET CHESS RUFF (6)(1)

TCS-692023/72 Handle via
TALENT-KEYHOLE (b)(1) control systems jointly

SAO/ST-55-03-148-72

(b)(1)	 	
1		

MANUFACTURERS OF MEDICAL MATERIEL (U) (Continued)

LOCAT	rion	$\Lambda ND$	NAM	F.
(G)	COVI	ERNMI	ENT	

PRODUCTS

#### SHANGHAI (Continued)

- (G) Shanghai Pharmaceutical Plant No. 5
- (G) Shanghai Pharmaceutical Plant SINE
- (G) Shanghai Serum and Vaccine Institute
- (G) Ta-Chung Drug Factory
- (G) Tien-Ping Drug Factory

SHIH-CHIA-CHUANG 38°03' N., 114°29' E.

(G) Shih-chia-chuang Pharmaceutical Plant

SIAN 34°16' N., 108°54' E.

(G) Sian Pharmaceutical Plant

SOOCHOW 31°18' N., 120°37' E.

(G) Soochow Pharmaceutical Plant

Drugs

Drugs and antibiotics

Drugs, vaccines, serums, blood and blood products

Drugs

Drugs and antibiotics

Drugs, antibiotics

Drugs

Drugs

TCS-692023/72 Handle via TALENT-KEYHOLE-(b)(1) control systems jointly

84

TOP SECKET CHESS RUFF

SAO/ST-SS-03-148-72

MANUFACTURERS OF MEDICAL MATERIEL. (U) (Continued)

LOCATION AND NAME (G) GOVERNMENT

PRODUCTS

SWATOW 23°22' N., 116°40' E.

- (G) Cheng Ch'un Medicines Manufacturing Plant
- (G) Lien Hua Drug Store
- (G) Swatow Pharmaceutical Plant
- (G) Swatow Special District Pharmaceutical Corporation

T'AI-YÜAN 37°52' N., 112°33' E.

- (G) Red Flag Pharmaceutical Plant
- (G) T'ai-yüan Pharmaceutical Plant

TA-T'UNG 40°05' N., 113°18' E.

Ta-t'ung Pharmaceutical (G) Plant

T'ENG-CH'UNG 25°02' N., 98°28' E.

(G) T'eng-ch'ung Pharmaceutical Plant

Drugs, antibiotics. and biologicals

Drugs

Drugs

Drugs and antibiotics

Drugs and antibiotics

Drugs and antibiotics

Drugs

Drugs

TOP SECRET CHESS RUFF

TCS-692023/72 Handle via TALENT-KEYHOLE (b)(1)

control systems jointly

SAO/ST-SS-03-148-72

MANUFACTURERS OF MEDICAL MATERIEL (U) (Continued)

	LOCATION AND NAME (G) GOVERNMENT	PRODUCTS
TIENTSIN	39°08' N., 117°12' E.	
(G)	Ho-p'ing Pharmaceutical Plant	Vaccines
(G)	Lo-jen-t'ang Pharmaceutical Plant	Drugs
(G)	Fo-hai Pharmaceutical Plant	Vaccines
(G)	Tientsin Pharmaceutical Plant No. 1	Drugs
(G)	Tientsin Pharmaceutical Plant No. 2	Drugs, biologicals
(G)	Tientsin Pharmaceutical Plant No. 3	Drugs, biologicals
(G)	Wei ti shih Pharmaceutical Plant	Drugs, biologicals
(G)	Yu-i Pharmaceutical Plant	Drugs
TSINAN 3	6°40' N., 117°00' E.	
(G)	Ken-i-t'ang Pharmaceutical Plant	Drugs
(G)	Tsinan Light Chemical Plant	Drugs
TZU-PO 3	6°48' N., 118°03' E.	
(G)	Hsin-hua Drug Plant	Drugs

86

TCS-692023/72 Handle via TALENT-KEYHOLE-(b)(1)

control systems jointly

## TOP SECRET CHESS RUFF (6)(1)

SAO/ST-SS-03-148-72

MANUFACTURERS OF MEDICAL MATERIEL. (U) (Continued)

LOCATION AND NAME  (G) GOVERNMENT	PRODUCTS
	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `
WEI-FANG 36°43' N., 119°06' E.	
(G) Wei-fang Pharmaceutical Plant	Drugs, antibiotics
WU-CH'ANG 30°32' N., 114°18' E.	
(G) Wu-ch'ang Biological Products Institute	Drugs, biologicals
YAO-HSÜ 33°53' N., 118°00' E.	
(G) Yao-hsu Pharmaceutical Factory	Drugs, antibiotics, and biologicals
YIN-CH'UAN 38°28' N., 106°19' E.	
(G) Yin-ch wan Pharmaccutical Plant	Drugs
YING-K'OU 40°40' N., 122°17' E.	
(G) Ying-k'ou Pharmaceutical Plant	Drugs

(CONFIDENTIAL)

87

TOP SECRET CHESS RUFF (b)(1)

TCS-692023/72 Handle via TALENT-KEYHOLE (b)(1) control systems jointly

TOP SECRET CILESS RUFF (b)(1)
SAO/SI-SS-03-148-72

This page intentionally left blank.

88

TOP SECRET CHESS RUFF

(b)(1)

TCS-692023/72
Handle via
TALENT-KEYHOLE-COMINT
control systems jointly

## MEDICAL LABORATORIES (U)

2	ng a				
主	GROUP-1   from au   ind decla		OCATION AND NAME VERNMENT (M) MILITARY	TYPE	MISSION
E	itomatic	CANTON 2	23°07' N., E.		
TESS.	tion.	(G)	Canton Tuberculosis Control Institute	Public health; research	Conducts research on, and engages in TB control programs.
SRI	89	(G)	Canton Veterinary Research Institute	Research	Conducts veterinary research.
<b>F.F.</b> (b)(1)		(G)	Canton Academy of Medical Sciences	Public health; research	Provides research for attached hospitals and conducts epidemiological research on major public health problems.
		(C)	Kwantung Institute of Epidemiology	Research	Conducts research in medical zoology, entomology, and communicable diseases.
		(C)	South Central Micro- biology Institute	Public health; research	Provides microbiological support for epidemiological programs and conducts research programs in epidemiology.
Conf	IACE				

LOCATION AND NAME  (G) GOVERNMENT (M) MILITARY	ТҮРЕ	MISSION
CH'ANG-CH'UN 43°52' N., 125°21' E.		
(G) Ch'ang-ch'un Serum and Vaccine Institute	Production; research	Conducts research on the influenza virus and produces serums and vaccines.
(G) Ch'ang-ch'un Veterinary Research Institute	Research	Conducts veterinary research.
(C) Kirin Medical Institute Department of Microbiology	Research	Conducts microbiological research.
CH'ANG-SHA 28°12' N., 112°58' L.		
(G) Ch'ang-sha Veterinary Research Institute	Research	Conducts veterinary research.
CHUNGKING 29°34' N., 106°35' E.		
(G) Chungking Traditional Chinese Medicine Institute	Rosearch	Conducts research on traditional medicine.

TOP SECRET CHESS RUFF

TCS-692023/12
Handle via
TALENT-KEYHOLE (6)(1)
control systems jointly

LOCATION AN (G) GOVERNMENT (		TYPL	MISSION
FOOCHOW 26°05' N. 119°18' E.	•		
llygier	Military Region ne and Epidemic ntion Laboratory	Public health	Functions as the disease control center for hospital laboratories in the Foocher environs; establishes and controls hygienic measures within military establishments.
ILAT-K'OU 20°03' : 110°19' E.	X.,		
(G) Central Insti	Research	Public health; research	Conducts malaria research and other disease control programs.
HANKON 30°35' N. 114°16' E.	•		
• •	Institute of memistry	Research	Conducts research in hematology.
	diological acts Institute	Research; production	Conducts research and produces biologicals.

TCS-692023/72
Handle via
TALENT-KEYHOLE
Control systems jointly

MISSION TYPE LOCATION AND NAME (G) GOVERNMENT (M) MILITARY HANKOW (Continued) Functions as a disease control center for (M) Wohan Military Region Public health hospital laboratories; assists in Hygiene and Epidemic identifying and combating diseases with-Preventive Laboratory in the region, and establishes and controls hygienic measures within military establishments in the region. HARBIN '45°45' N., 126°39' E. Conducts veterinary research. (G) Harbin Veterinary Research Research Institute HO-FEI 31°51' N., 117°17' E. Provides clinical support for affiliated Public health; (G) Chinese Academy of hospitals; conducts epidemiological Medical Sciences, research research. Anhwei Branch

MEDICAL LABORATORIES

(U) (Continued)

# SAO/ST-SS-03-148-72

## MEDICAL LABORATORIES (U) (Continued)

			•
	CATION AND NAME ERNMENT (M) MILITARY	ТҮРЕ	MISSION
K'UN-MING 102°41'	25°04' N., E.		
(G)	Chinese Academy of Medical Sciences: Medical and Biologi- cal Institute	Research	Conducts research in virology.
(H)	K'un-ming Military Region Hygiene and Epidemic Prevention Laboratory	Public nealth	Functions as a disease control center for hospital laboratories; assists in identifying and combating diseases within the region, and establishes controls for hygienic measures with military establishments.
LAN-CHOU 103°41'	36°03' N., E.		
(G)	Lan-chou Biological Products Research Institute	Research	Conducts research on antibiotics
· · (C)	Northwestern Institute of Animal Husbandry and Veterinary Sciences	Research	Conducts veterinary research

344

TOP SECRET CHESS RUFF (800)

÷.

TCS-692023/72

Handle via(b)(1)

TALENT-KEYHOLE (b)(1)

control systems jointly

TYPE	NISSION
Research; production	Conducts research on and production of veterinary biologicals.
Research	Conducts veterinary research.
Research	Conducts research in prevention and treat- ment of organophorus agent poisoning.
Research	Conducts veterinary research.
	Research; production a Research Research

ICS-692023/72

Handle via
TALENT-KEYHOLE((6)(1)
control systems jointly

TOP SECRE

LOCATION AND NAME (G) COVERNMENT (M) MILITARY	TYPE	MISSION
NANKING 32°03' N., 118°47' E.		
(G) Central Research Institute	Research	Conducts research on parasitic diseases.
(G) Nanking Veterinary Research Institute	Research	Conducts veterinary research.
PAO-SILAN 25°07' N., 99°09' E.		
(C) Pao-shan Veterinary Research Institute	Rosearch	Conducts veterinary research.
PEKING 39°56' N., 116°24' E.		
(G) Academy of Medical Sciences:		
Institute of Epidemi- ology and Microbi- ology	Research	Conducts epidemiology and microbiology research.

	CATION AND NAME PERAMENT (M) MILITARY	TYPE	MISSION
PEKING (C	ontinued)		
(G)	Academy of Medical Sciences:	·	
	Institute of Genetics	Research	Conducts research on hereditary problems.
	Institute of Microbi- ology	Research	Conducts research on microbiological problems.
	Institute of Virology	Research	Conducts research in virology.
(M)	Aeronautical Medical Institute	Research	Conducts aeromedical research.
(6)	Chinese Traditional Medicine Research Institute	Research	Conducts research in surgery, internal medicine, Chinese traditional medicine, epidemiology.
(G)	National Control Institute of Pharma- ceutical and Bio- logical Products	Public health; research; testing and controls.	Conducts research in virology and tests and controls drugs and biologicals.
(C)	National Institute of Serums and Vaccine	Research	Conducts research on the vaccine against brucellosis.

TALENT-KEYHOLE-(15)(1)
control systems jointly

LOCATION AND NAME (G) COVERNMENT (M) MILITARY	ТҮРЕ	MISSION
PEKING (Continued)		
(G) Peking Central Biological Research Institute	Public health; research	Conducts research on trachoma and its epidemiology.
(M) Peking Military Research Institute	Research	Conducts military medical investigations of an unspecified nature.
(G) Peking Ophthalmolog- ical Research Institute	Public health; research	Conducts research in trachoma and in the elpdemiology of eye diseases.
(G) Peking Pharmaceutical Research Institute	Research	Conducts research on herbal medicines.
(C) Peking TB Research Institute	Public health; research	Conducts TB prevention and treatment programs and research.
(G) Peking Veterinary Research Institute	Research	Conducts veterinary research.

ICS-692023/72
Plandle via
IALENT-KEYHOLE (CD)
Control systems join

	CATION AND NAME ERNMENT (M) MILITARY	TYPE	MISSION
SHANCHAI 121°28'	31°14' N., E.		
(H)	Academy of Military Medical Sciences Laboratory (not otherwise identified)	Public health; research	Provides support for military medical epidemiological programs; conducts physiology and pharmaceutical investigations.
(G)	Chinese Academy of Medical Sciences:		
	East China Entomology Institute	Public health; research	Provides entomological support for communicable disease control programs and performs research on entomological problems.
•	Institute of Biochemistry	Research	Conducts research on synthesis of insulin.
	Nutrition Research Laboratory	Research	Conducts research on biochemistry, nutrition, parasitology, pharmacology, and physiology.
	Pharmacology Institute	Research	Conducts research in pharmacology.

FOR SECRET CHESS RUFF (6)(3)

98

ICS-692023/72
Handle via
TALENT-KEYHOLE (b)(
control systems jo















			MISSION
	LOCATION AND NAME (G) GOVERNMENT (M) MILITARY	TYPE	PILSSIUN
	SHANGHAI (Continued)		
	(G) First Shanghai Medical College	Research	Conducts trachoma research.
	(G) Shanghai Hygiene and Epidemic Station	Research	Conducts research in microbiology; subordinate to Shanghai Health Bureau
99	(G) Shanghai Veterinary Research Institute	Research	Conducts veterinary research.
[h)(1)	(G) Trachoma Prevention Center	Research	Conducts trachoma research.
NA N	SIAN 34°16' N., 108°54' E.		
	(G) Sian Veterinary Research Institute	Research	Conducts veterinary research.
ICS-69 Hain TALENT-KE			

ndle via
(EYHOLE (b)(1)
systems jointly

LOCATION AND NAME (G) GOVERNMENT (M) MILITARY	ТҮРЕ	MISSION
T'AI-YÜAN 37°52' N., 112°33' E.		
(G) Department of Bacteriology, Shansi Medical College	Research	Conducts research on Japanese B encephalitis and its epidemiology.
W-CH'ANG 30°32' N., 114°18 E.		
(G) Wu-ch'ang Veterinary Research Institute	Research	Conducts veterinary research.

ICS-692023/72
Handle via
TALENT-KEYHOLE (5)(1)
control systems join!!

















## TOP SECRET CHESS RUFF

SAO/ST-SS-03-148-72

### APPENDIX II.

SELECTED MEDICAL MATERIEL MANUFACTURERS AND MEDICAL LABORATORIES, NORTH VIETNAM (1971) (U)

Annexe	${f r}$	age
	Manufacturers of Medical Materiel (U)	103
	Medical Laboratories (U)	107

GROUP-I Excluded from automatic downgrading and declassification.

TCS-692023/72 Handle via
TALENT-KEYHOLE (b)(1) control systems jointly

	en e				
	TOP SE	CRET CHESS	RUFF	)(1)	
			. ·		
+ 1 - 1					
- -			<i>,</i>		
: :				-	
		•	·		
				***	
	•	This page intenti	onally left	blank.	
•				· . · ·	
	•		·		
•				•	
			02		TCS-692023/72  Handle via  TALENT-KEYHOLE-((b)(1)
•	TOP SI	CERET CHESS		v)(1)	TALENT-KEYHOLE-(b)(1)  control systems jointly

## ANNEX A. MANUFACTURERS OF MEDICAL MATERIEL (U)

alour-1	LOCATION AND NAME (M) MILITARY (G) GOVERNMENT	PRODUCTS	REMARKS
(G	20°58' N., 105°46' E ) Ha Dong Drug Production Enterprise ) Hospital No. 103	Drugs, antibiotics, and reagents Injectable solutions	
HAIPHON	G 20°52' N:; 106°41';E: ) Drug Production Enterprise:	Oriental drúgs	Subordinate element located in provin exact locations n available.
	21°02' N., 105°51' E. ). Central Antituberculosis Institute	BCG vaccine	

MANUFACTURERS OF MEDICAL MATERIEL (U) (Continued)

	. (	LOCATION AND NAME M) MILITARY (G) GOVERNMENT	PRODUCTS	REMARKS
i	IANOI (Co	ntinued)		
	(G)	Chemicopharmaceutical and Glass Institute	Drugs, laboratory equipment and supplies	
	(M)	Don Thuy Hospital	Injectable solutions	·
TOX.	(G)	Drug Production Enterprise I	Drugs, antibiotics, and reagents	Subordinate elements located in province exact locations not available.
•	(G)	Drug Production Enterprise [[	Drugs, antibiotics, and reagents	Subordinate elements located in province exact locations not available.
	(G)	Hygiene and Epidemological Institute	Biologicals, veteri- nary medicines	
	(G)	Pharmaceutical Chemical Plant	Produces chemical intermediates for the preparation of drugs	Largest pharmaceutica chemical plant in the country.

(CONFIDENTIAL)

TOP SECRET CHESS RUFF (b)(1) SAO/ST-SS-03-148-72

This page intentionally left blank.

106

TCS-692023/72 Handle via
TALENT-KEYHOLE (b)(1)

control systems

(b)(1)

SAO/SI-SS-03-148-77

## ANNEN B. MEDICAL LABORATORIES (U).

Excluded from automatic downgrading and declassificat

358

2							
SEC	i from a	GROUP-1		AND NAME ERNMENT	түре	NISSION	REMARKS
がだった	utomatic assifica		01 21°02' 05°51' E.	N.,			
<u>``</u>	Œ. "	,	(G) Cent	ral Antituber-	Clinical, diag-	To conduct research	Subordinate to Min-
<u>~</u>	<b>A</b> .	•		losis Institute		into causes and	istry of Public
Ţ	1				facturing,	treatment of tuber-	Bealth.
J.		0			research.	culosis. To conduct	
灵						a program of treat-	
						ment at the Tubercu-	
Ξ.						losis Hospital. 'lan-	
^,						ufactures BCG vaccine	
(b)(1)			(G) Cent	ral Malaria	Clinical, diag-	To organize and con-	Subordinate to Min-
٥				stitute	nostic, public	educt antimalaria	istry of Public
		'. · ·			health, re-	teams and campaigns,	Health. Also known
					search.	and to conduct an-	as the Malariology,
l	· · .					thelmintic research.	Parasitology, and as
							Entomology Institute
	, V <del>)</del> '						
				ral Pharma-	Diagnostic, man-	To conduct research	Subordinate to Min-
				logical	ufacturing, re-	and to manufacture.	istry of Public
0	Ā		I.n	stitute 🧎 👵	search.		ilealth.
control		=	***			insecticides, toxins,	
<u>0</u> ,	궃풑		¥.1			antibiotics, hor-	
tsys		3-692023		are displayed the		mones, and vitamins.	
systems	Handle vi	)23,					
Altuioi	(b)(1)	73.45 (1) 73.45 (1)					
8:3			\$4.6794.02B				
	77 240		V. 1. 2 2 1 1 1 1 2 2 2				

The state of the control of the cont	TION AND NAME COVERNMENT	ТҮРЕ	MISSION	REMARKS	
PLANOI (Con	ntinued) Nygiene and Epi- demiological Institute	Clinical, diag- nostic, manu- facturing, pub- lic health, re- search.	To conduct research in epidemic pre- vention, control, and treatment of communicable dis- eases. Manufactures vaccines and trains sanitation instructors. Con-	Subordinate to Min- istry of Public Health. Also known as Pasteur Institute, Bacteriological Institute and Pub- lic Sanitation Institute.	
(G)	International Disease Lab- oratory	Clinical, diag- nostic, public health.	ducts scientific and investigative work for the vet- erinary service.  To diagnose, treat, and plan control programs for con- tagious diseases.	Subordinate to Nin- istry of Public Health:	
CG ICS-692023/72 Handle via TALENT-KEYHOLE Control systems ju	Institute of Cancer	Clinical, diag- nostic, re- search.	To conduct cancer therapy and research on cause and treatment of cancer.	Subordinate to Min- istry of Public Health. Also known as the Radium	

TOP SECRET CHESS REFF ((b)(1) SAO/ST-SS-03-148-72 This page intentionally left blank. TCS-692023/72
Handle via
TALENT-XEYHOLE (D)(1)
control systems jointly

TOP SECRET CHESS RUFF (6)(1)

## TOP SECRET CHESS RUFF (D)(1)

SAO/ST-SS-03-148-72

### APPENDIX III.

SELECTED MEDICAL MATERIEL MANUFACTURERS AND

MEDICAL LABORATORIES, NORTH KOREA (1971) (U)

nnexes	Page
A. Manufacturers of Medical Materiel (U)	113
A. Manufacturers of Medical Materiel (0)	
R Medical Laboratories (II)	 115

GROUP-1
Excluded from automatic downgrading and declassification.

1 1 1

TCS-692023/72 Handle via TALENT-KEYHOLE (b)(1)

TOP SECRET CHESS RUFE

control systems jointly

TOP SECRET CHESS RUFF (b)(1) SAO/ST-SS-03-148-72

This page intentionally left blank.

TCS-692023/72

Handle via
TALENT-KEYHOLE
control systems jointly

## TOP SECRET CHESS RUFF (6)(1)

ANNEX. A.

MANUFACTURERS OF MEDICAL MATERIEL (U)

	LOCATION AND NAME		
(G)	GOVERNMENT (M) MILI	TΑ	RY

PRODUCTS

HAMHUNG 39°54' N., 127°32' E.

(G) Hamhung Pharmaceutical Factory

Pharmaceuticals

HUNGNAM-NI 39°51' N., 127°29' E.

(C) Hungnam Pharmaceutical Factory

Drugs, antibiotics, insecticides

NANAM 41°42' N., 129°41' F.

(G) Nanam Pharmaceutical Factory

Drugs, antibiotics; insecticides

PAENGNA-RI 40°04' N., 124°34' E.

(\*) Bacteriological Research Center 

Vaccines

P'YONGYANG 39°01' N., 125°45' E.

- (M) Central Preventive Military Medical Unit
- (G) Pharmaceutical Institute of the Academy of Medical Sciences
- (G) P'yongyang Pharmaceutical Factory

Biologicals, vaccines, sera

Biologicals

Drugs, antibiotics, insecticides

\*Data not available.

CROUP-1 113
Excluded from automatic downgrading and declassification.

TCS-692023/72 TALENT-KEYHOLE (b)(1) control systems jointly

TOP SECRET CHESS RUFF (D)(1)

			·		
	MANUFACTURERS	OF MEDICAL	. MATERIEL. (U	(Continued)	•
(G)	LOCATION AN	D NAME M) MILITARY		PRODUCTS	
		1	(b)(1)		
·	<del> </del>			(CONFL	MENTIAL)
				(CONFL	PENTIAL)
				(CONFL	PENTIAL)

114

TCS-692023/72
Handle via
TALENT-KEYHOLE ((b)(1)
control systems joint

TOP SECRET CHESS RUFF

SAO/ST-SS-0	3-148-72		сшж кт					1
		•		<u> </u>	 			1
								1
								1
	MISSION							
(p	M							
(U) (Continued								1
(Con					, <b>:</b>			
TORIE			(b)(1)			1		ė
LABOKATOŘIE	TYPE							
NEDICAL 1								
NED								8
	L WIE							
	LOCATION AND NAME				÷			
	TION A							
	1,00.7				•			1
					: .			1
					• .	TCS-692	023/72	
			116	(b)(1)		TCS-692 Handi TALENT-KEY control sys	HOLE (b)(1) tems jointly	
		SECRE	CHESS R					. 3

(b)(1)

¥	GROUP from	LOCATION AND NAME (G) GOVERNMENT	PRODUCTS	REMARKS
左	-1 au clas	(G) GOVERNMENT	1994	
=\ =\ =\	comatic ssift	JIRGALANTA (HOBDO) 48°01' N., 91°38' E.		
	or O	(C) Biological Plant (not	Veterinary biologicals to include	
S		otherwise identified)	production of vaccines against sheep pox and goat pox; detailed	
<b>7</b>	117		information is not available on	
	•		the specific types or quantities produced or stockpiled.	
	•		produced of scockpiled.	
ਜ	·	<u> </u>		
(b)(1).		SONGINO SUMA 48°54' N., 95°54' E.		
ŀ				
		(G) Biological Plant (not	Veterinary biologicals, anti-	In 1967, a section for
		otherwise identified)		the production of
			is not available on the specific types and quantities produced or	foot-and-mouth vac- cine was in the
			stockpiled	planning stage.
			· [2] 特殊關係在於國際第二十二	
	<b>5</b>			
				1

TCS-692023/72
Handle via
ENT-KEYHOLE (b)(1)

jointly

## TOP SECRET CHESS RUFF (b)(1)

SAO/ST-SS-03-148-72

	BIBLIOGRAPHY (U)
1.	00-U-3.055,679, 6 February 1958 (FOUO).
2.	(b)(1)
3.	
4.	Hsieh, A. L., Communist China's Military Doctrine and Strategy, Hemorandum, RM-3833 PR, (The Rand Corporation) October 1963 (U).
5.	(1)(4)
6.	(b)(1)
7.	(b)(1)
s.	DOD AO-133, DA PAM 360-769 (U).
9.	(b)(1)
10.	Department of State Publication 8499, East Asian and Pacific Series 173, December 1969 (B).
11.	(b)(1)
12.	JPRS 52264, 27 January 1971, Translation on Communist China, Sc. 132 (U).
13.	
14.	
15.	
16.	
17.	(b)(1)
18.	
19.	
.9).	

119

TCS-692023/72 Handle via
TALENT-KEYHOLE-(b)(1) control systems jointly

TOP SECRET CHESS RUFF (b)(1)

	TOP SECRET CHESS RUFF (b)(1)	
0/5	T-SS-03-148- <del>72</del>	
, .		. •
	(b)(1)	
,		
3.		
).		
).		
۱. ا		
2. [		
3.	Tseng Fan-chi. "A Microtechnique for Rapid Determination of Bacteria by Their Biochemical Reactions," People's Health, Vol 1 No. 12, 1959 (U).	•
	"Generation Time of <u>Bacillus Anthracis</u> and the Method for its Determination," <u>Acta Microbiologica Sinica</u> , Vol 10, No. 4, 1954	(v).
5 <b>.</b>	Li, Liang-shou and Ku, Hsiang-pao. "Study on "String-of-Pearls Test" of B. Anthracis," Acta Microbiologica Sinica, Vol 11, No. 1, 1965 (U).	·
5.	Chiang Shun-chiu, Wang Ching-hsi, Chang Chien-lln, Lu Hsiu-chib, and Tsui Chun-huai, "Experimental Study on the Use of Incomplete Antibodies for the Diagnosis of Brucellosis: I Preparation of Antiglobulin Serum and Study of the Method," Acta Microbiologica Sinica. Vol 11, No. 3, pp 433-439, 1965 (F).	
7.	Yun Chao-chuan and Niu Hui-chen. "The Identification of Brucella Acta Microbiologica Sinica. Vol 17, No. 12, pp 560-463, June 196 (U).	. '' .h
	120	S-692023/ <i>71</i> Handle via - KEYHOLE <sup>((b)(1)</sup>
		of systems jointly

## TOP SECRET CHESS RUFF

)(1)

SAO/ST-SS-03-148-72

3S. (b)(1)

- 39. Tsai Shang-ta, Ko Hsiano-lin, Jung Kuan, and Li Tzu-i. "Studies on the Insect Vectors of B Type Encephalitis in Canton," Acta Microbiologica Sinica. Vol. 5, No. 4, pp 369-378, November 1967 (U).
- 40. Op. cit. No. 86 (U).
- 41. Wang Tun-ch'ing, Wen Shih-chen, Huang Yu-no, and Yu En-shu.
  "Transovarial Transmission of Rickettsia Tsutsugarushi By Two
  Types of Trombicula Deliensis," Acta Parasitol. Sinich. Vol 2,
  No. 3, pp 213-217, 1965 (U).
- 42. Lu Pao-Fin, "Medical Insect Culture," Chung-kuo k'un ch'ung hsuch hui erh shih chow nien hsuch shu t'ao lun hui hui k'an pp 50-51, 1966 (I).
- 43. Chen Hung-shan. "Disinfection of the Air," Khuli tszachzhi No. 5, pp. 229-234, 1956 (U).
- 44. Liu Yuan-yuan and Wang Chih-lun, "Experimental Studies on the Rate and Duration of Aerial Disinfection With Triethylene Glycol and With Calcium Hypochlorite in Case of Air-Borne Influenza Virus," Acta Virologica Sinica, Vol 7, No. 4, pp 313-319, 1959 (F).
- 45. Liu Yuan-yuan and Li Pei-yun, "Experimental Studies on Air-Borne In: Luenza Infection and the Disinfection of Air," <u>People's Mealth</u>, Vol' 1, No. 12, pp 1100-1111, 1 December 1959 (U).
- 66. Ch'i Chao-shong, "The Model-71 Transportable Wheel-Propelled Spraying Cart and Improvements Thereupon," Chinese Agricultural Science, No. 7, pp 38-39, July 1961 (F).
- 47. Ting Hung-chi, "Investigation of pressure effect on atomizer droplets," Acta Plytophylacica Sinica, Vol 4, No. 3, pp 285-292, 1965 (E).

48. (b)(1)

49. Li Shen-te, "Fluorescent Antibodies and Their Use in Clinical Investigations," Chung-hua i hsuch tsa chih, Vol 48, No. 8, pp 540-544, 1962 (E).

121

TOP SECRET CHESS RUFF

(b)(1)

TCS-%92023/72 Handle via TALENT-KEYHOLE ((b)(1)

control systems jointly

SAO/ST-SS-03-148-72

- Li Shen-te, "A Modified Complement Fixation Test for Tick-Borne Encephalitis," <u>Acta Microbiologica Sinica</u>, Vol 10, No. 3, pp. 395-399, 1964 (U).
- 51. Chang Li-pi, Pang, C. F., and Cheng, P. Y. "Studies of Virus-Infected Cells by Means of Supravital Fluorochrome Staining," Acta Microbiologica Sinica, Vol. 10, No. 3, pp. 287-293, 1964 (U).
- 52. "Fluorescein, A New Drug for Rapid Diagnosis," <u>Pei-ching Wan Pao</u> (China), p 1, Col 5, 15 June 1964 (U).
- 53. "Experimental Manufacture of Fluorescein in China is Successful," Usin-min Wan-pao, Shanghai, L5 June 1965 (U).
- 54. Pai Ch'ang-lo, Chao Pin, and Chia Ming-ho. "A Brief Report on the Application of Fluorescent Antibodies to the Detection of <u>Pasteurella Pestis</u>," <u>Acta Microbiologica Sinica</u>, Vol. 10, No. 3, pp. 406-407, 1965 (U).
- 55. Han Shih-chieh and Pogodina, V. V. "Use of the Method of Fluorescent Antibodies to Study the Development of Infection in Immune Organism in the Tick-borne Encephalitis," Journal of Hygiene. Epidemiology, Microbiology, and Immunology, Vol 9, No. 3, pp 308-316, 1966 (U).
- 56. Ch'ang ju-hsu and Lui Chin-t'ang. "Studies on the Removal of Non-Specific Fluorescent Staining Factors in Fluorescent Antibody Technique," <u>Acta Microbiologica Sinica</u>. Vol 12, No. 1, pp 91-92, 1966 (U).

57. Yeh Chia-ch'i. "A New Method of Immunizing Domestic Animals," Science Pictorial. No. 4, p 128, April 1964 (0).

58.
59.
60.
61. (b)(1)
62.
63.

TCS-692023/72 Handle via TALENT-KEYHOLE (b)(1)

control systems jointly

122

TOP SECRET CHESS RUFF

## TOP SECRET CHESS RUFF

SAO/ST-SS-03-148-72

65. 66. 67. (b)(1) 68. 69. -70. 71.

72. FBIS Daily Report, 11 June 1971 (U).

73 (b)(1) 74

- Liu Ching-hua. "Study on the Types of Pasteurella, "Acta Veterinaria 75. et Zootechnica Sinica. Vol 7, No. 3, pp 187-200, 1964
- Huang, Chen-Hsieng, Chou, Ming-Hsien, Wang, Chin, and Tai, Ying. "The Correlation Between the Pathogenicity in Peripheral Infection, the Duration of Viremia and Thermostability of the Virus of Japanese B Encephalitis," Ref. Zhur Biol. No. 6, 1959 (C).
- Huang, Chen-hsiang and Tai, Ying, "Pathogenicity of Different Strains of Japanese B Encephalitis Virus Isolated From Human. Swine, and Mosquitoes, Acta Microbiologica Sinica. Vol VI. No. 1. Peking, February 1958 (U).
- Hsu, Chao-hsiang, Chou, Ming-hsien, and Ch'en, Li-te, "Experimental Studies on Active Immunization Against Japanese B Encephalitis." Acta Microbiologica Sinica. Vol. 10, No. 1, pp 9-16, 1964 (U).
- Mao, Chiang-sen and Buang, Chen-baiang, "Enhancement of Jap mese B Encephalitis Titer," Acta Microbiologica Sinica, Vol 12, No. 1, pp 24-28, 1966 (U).
- 80. Mao, Chiang-sen, Buang, Chen-hsiang, and Hang, Ch'ang-shou. "The Effect of Temperature and pH on the Production of Japanese B Encephalitis Virus and Interferon in Embryo Coll Cultures, Microbiologica Sinica, Vol 12, No. 2, pp 152-157, May 1966

Handle via TALENT-KEYHOLE-((b)(1)

TOP SECRET CHESS RUFF (6)(1)

TCS-692023/72

## TOP SECRET CHESS RUFF

SAO/ST-SS-03-148-72

- 97. Hsu Chao-hsiang, Chen Po-chuan, and Liu Yuan-yuan. "Isolation of Virus Strains of Different Subcutaneous Pathogenicity From Japanese B Encephalitis Virus (Peking Strain) by Means of Plaque-selection Method," Acta Microbiologica Sinica. Vol 11, No. 1, pp. 108-113. February 1965 (U).
- 93. Huang Chen-hsiang, Hsu Chao-hsiang, Tai Jung, and Chou Ming-hsien. "Influence of Sleep of Mice Induced by Small Dose of Luminal on the Development of Japanese B Encephalitis Virus Infection."

  Acta Microbiologica Sinica, February 1958 (U).
- 99. Liu Yuan-yuan, Usu Chao-hsiang, Chen Li-te, Chan Mei-yun, and Liu Hua-chen. "Studies On Infectious RNA of Japanese B Encephalitis Virus: I. Infectivity of Viral RNA Isolated From Infected Mouse Brains and Chick Embryos," Scientia Sinica. Vol XI, No. 7, 1962
- 100. Liu Yuan-yuan and Liu Hua-chen. "Studies on Infectious RNA of Japanese B Encephalitis Virus: II. Change of RNase Activity in Mouse Brains During Virus and RNA Infections." Scientia Sinica.
- 101. Liu Yuan-yuan and Liu Hua-chen. "Studies on Infectious RNA of Japanese B Encephalitis Virus: IV. The Effects of the Virus and its Infected RNA on Brain Tissue RNase Activity in the Nouse."

  Acta Microbiologica Sinica. Vol X, No. 1, pp 24-30, 1964 (U).
- 102: Liu Yuan-yuan, Chang Han-ching, Chang Li-pi, hang Chi-hsiang, and Kuan Hsueh-ching. "Purification of Type B Infectious Encephalitis Virus: I. The Effect of pH on Virus Infectivity, the Virus pH Release Curve-Virus Isoelectric Points: II. Virus Purification Using a Combination of Agglutination and Adsorption Agents."

  1PRS 33,002, 23 November 1965, #246 (Research Paper Read at the First National Symposium of Biochemistry) (U):
- 103. Liu Yuan-yuan and Hou Yun-te. "The Effect of Type B Infectious Encephalitis Virus Multiplication on Xanthine Oxidase Activity in Host Tissue," JPRS 33,002, 23 November 1965, #246 (Research Paper Read at the First National Symposium of Biochemistry) (U)
- 104: Op. cit. No. 7 (U).
- 105. Pang Chi-fang and Chang Li-pi. "Electron Microscopic Studies on Japanese B Encephalitis in Tissue Culture Cells." Acta Microbiologica Sinica: Vol 10, No. 3, pp 294-301, 1964 (U).

TCS-692023/72

Handle via

TALENT-KEYHOLE-((b)(1)

control systems jointly

125

POP SECRET CHESS RUFF

10.3		O
	ALTERIAL DE PRESENTATION DE LA COMPANIA DEL COMPANIA DEL COMPANIA DE LA COMPANIA DELA COMPANIA DELA COMPANIA DELA COMPANIA DEL	٠
		1
	SECRET CHESS RUFF	4

- 106. Wang Chin and Huang Chen-hstang. Dynamics of Multiplication of Japanese B Encophalitis Virus in the Extra Central Nervous Tissue of White Mice," Acta Microbiologica Sinica. Vol. 8, No. 1, pp. 85-92, February 1960 (U).
- 107 Wang Chin and Huang Chen-hslang. "Comparative Studies of the Peripheral Multiplication of the Peking and the Nakayama Strains of Japanese B Encephalitis Virus in White Nice. Acta Nicrobiologica Sinica. Vol 8. No. 1. pp 93-98. February 1960 (6).
- 108. Hsu Z. Z., Chow M. S. and Chen Li-Te. Experimental Study of Active Immunization Against Japanese B Encephalitis. II. The Relationship Between the Passage of Attack and the Protective Power of Immunized Mice. Acta Microbiologica Sinica. Vol 10. No. 1, pp 9-15. 1964 (U).
- 109. Lieu Y. Y. and Lieu H. C. "A Study on the Japanese B Encephalitis Virus Ribonucleic Acid (RNA): IV. The Effects of the Infection of the Virus and its RNA on the Enzymic Activity of the RNA in the Brain Tissues of Mice." Acta Microbiologica Sinica. Vol 10. No. 1, pp 24-29, 1964 (U):
- 110. Lu Msiu-chih, Chiang Shun-chiu, and Tsui Chun-huai. "Observations on the In Vitro Survival and Multiplication of Brucella In Monocytic Culture." Scientia. Vol. 17, No. 5, pp 227-228, 1966 (U).
- 111. Yun Chao-chuan, Kuo Chang-kai, and Chu Hui-chen. "Preliminary Study of Agar Diffusion on Brucella Reaction," Acta Microbiologica Sinica. Vol 11, No. 3, pp 459-461, 1965 (U).

112. (b)(1)

- 113. Wang Yung-chi, Lu Chin-han, Li Mei-jung, and Chang Yung-fu.
  "Encephalomyelitis Produced by Injection of Mouse Brain Tissue.
  Acta Microbiologica Sinica. Vol 9, No. 1, pp 1-8, February 1963
  (U).
- 114. Wang Yung-chi, Sun Mien, and Ku Pei-wei. "Interferon--A Productof Japanese B Encephalitis Virus Infected Chick Embryo Tissue
  Culture;" Acta Microbiologica Sinica. Vol 12, No. 1, pp 95-96.
  February 1966 (8).
- 115. Wang Yung-chi, Chou Ning-chen, Ku Pei-wei, Sun Mien, Ma Wen-hsin, Sun Sheng-hao, and Li Mei-jung. "Japanese B Encephalitis Vaccine Prepared From Monolayer Tissue Culture: I. Virus Cultivation and Vaccine Preparation," Vol.10, No. 1, pp 31-38, 1964 (U).

1.26

ICS-697023/72 Handle via

TALENT-KEYHOLE-(6)(1)

control system's jointly

TOP SECRET CHESS RUFF (6)(1)

# TOP SECKET CHESS RUFF (6)(1)

SAO/ST-SS-03-148-72

- 116. Han Hung-lin and Pan Jen-chiang. "The Activation of Clostridium Botulinum Type E Toxin by Trypsin," Acta Microbiologica Sinica. Vol 11, No. 3, pp 368-373, August 1965 (U).
- 117. Wei Wen-pin. An Ching-wu, and Ching Lo-huai. "Some Observations on the Production of Rickettsial Interferon from Mouse Lung."
  Acta Microbiologica Sinica. Vol 12, No. 1, pp 29-33, 1966 (F).
- 118. Wei Wen-pin, Chen Shou-ni, and An Chine-wu. "Tissue Culture of Rickettsia prowazeki: Part I. Mouse-embryo-lung Monolayer Tissue Cultures for the Cultivation of Rickettsia prowazeki," Acta Microbiologica Sinica. Vol 12, Ro. 1, pp 34-40, 1966 (U).
- 119. Rung Tien-shun and Kang Hsin-yuan. "Three Strains of Salmonella Typhosa Nontypable by 34 Types of Vi-Phages," Acta Microbiologica Sinica. Vol 12, No. 1, pp 100-101, February 1966 (U).
- 120. Chou Hui-min and Sun Chia-chien. "A Report on Isolation of a New Subtype (V:4,7) of Type 5 Shigella flexneri," Acta Microbiologica Sinica. Vol 12, No. 1, pp 99-100, February 1966 (U).
- 121. Yang Chung-chi. "Changes in the Amino Acids Composition of Culture Fluid of Pasteurella pestis EV Strain During Their Growth." <u>Acta Microbiologica Sinica.</u> Vol 8, No. 1, pp 59-64, February 1960 (U).
- 122. Pi Ai-hua "Problems Relating to the Pathogenic Mechanism of Typhoid," <u>Wuhan Medical Journal</u>. Vol 1, No. 5, pp. 401 and 404-405, October 1964. (JPRS 45,150, 24 April 1968) (U).
- 123. Kao Shang-yin. "Notes on the Second Symposium of Czechoslovak Virologists," Scientia. No. 24, p 762, 1958 (U).
- 124. Kao Shang-yin. "Comments on the Current Status and Future Development of Virology," Wuhan University Natural Science Journal-Special Number on Biology, No. 3, pp 6-12, April 1960 (C).
- 125. Kao Shang-yin. "Microbiology in China, and in Particular, Virological Research at the Institute of Microbiology in Wuhan," <u>Priroda</u> (Nature). Vol XI, No. 6, pp 108-112, Sofia, Bulgaria, November-December 1962 (U).
- 126. Kao Shang-yin. "Contributions of Tobacco Mosaic Virus Research to Virology," <u>Collected Papers on Microbiology</u>. pp 110-122, 1964 (U).

TOP SECRET CITESS RUFF (b)(1)

1CS-692023/72

Handle via

TALENT-KEYHOLE (b)(1)

control systems jointly

			•
TOP	SECRET	4HTESS	RUFF

127. Chang Li-jen and Kao Shang-yin. "Studies on the Structure of Viruses: I. An Electron Microscopic Study of the Morphology and Structure of 'Virus Bundle' of the Polyhedral Virus (Nuclear Type) of Armyworm Leucania Separata Wilker." Acta Biol Exp Sinica. Vol. 10, No. 4, pp. 295-304, 1965. (C).

(b)(1)

- 128. Yuan Kwang-lich, Yi Ying-nan, Kao Linu-yin, Lin Chin-shui, Yu En-shui, and Cheng Bi-de. "Study of the Natural Infection of Ticks Ixodes Species with Rickettsia Tsutsugamushi," Chinese Journal of People's Health, Vol 1, No. 8, pp 703-732, 1959. (From Meditsinskiy Referational No. 7, Part III, July 1960, Abstract No. 2588) (U).
- 129. Wang Tun-ching, Wen Shih-chen, Guang Yu-ro, and Yu En-shu.

  "Transovarial Transmission of <u>Rickettsia tsutsugamushi</u> by Two
  Types of <u>Trombicula delicasts</u>, Acta Parasitologica Sinica.

  Vol. 2, No. 3, pp. 213-217, 1965. (From Peferativnyy Zhurnal-Biologiya, ST, No. 3, 1966, Abstract No. 3K221) (U).
- 130. "Hosts and Insect Vectors of Loptospirosis in Foodhow," National Medical Journal of China. Vol A6, No. 1, pp 72-74, January 1960 (U).
- 131. Yu En-shu, Wu Hsi-i, and Li To-fen. "Relationship Bétween Two Types of Leptospira in Vitro and Vivo: 1. Motual Suppressive Effect of Different Types of Leptospira in Vitro, Acta Microbiologica Sinica. Vol 14, No. 1, pp 72-75, February 1965 (U).
- 132. Yu En-shu and Wu Hsi-i. "Relationship Between Two Types of Leptospira in Vitro and Vivo: II. A Study on the State of Growth of Two Types of Leptospira in Mixed Infections," Acta Microbiologica Sinica. Vol 11, No. 1, pp 76-79, February 1965 (U).
- 133. Yu En-shu, Li Te-fen, Wu Hsi-i, and Wu Yung-ying. "Leptospirosis Due to <u>Leptospira sorex." Chinese Journal of Internal Modicine.</u>
  Vol. 13, No. 2, pp. 135-136, February 1965. (U).
- 134. Lin Ta-linng and Cheng Chia-lin. "Broad -spectrum Resistant Dysenteric Bacilli in Foochow," Chinese Journal of Internal Medicine, Vol 13, No. 5, p 479, 1965 (F).

TOP SECRET CHESS REFF (b)(1)

## TOP SECRET CHEST RUFF (6)(1)

SAO/ST-SS-03-148-72

- 135. Hsu Chenu-yin. "Studies on Biological Behavior and Variation of Shigella flexaeri 4." Acta Microbiologica Sinica. Vol 12. No. 1. pp 110-171, February 1966 (U).
- 136: Chu Chung. Components of the Type--specific Antigens of Shigella flexneri 4," Acta Microbiologica Sinion. Vol 12, No. 1, pp 112-113, Fabruary 1966 (U).
- 137. Chen Hung-shan. "The Resistance of Shigella, Isolated from 1947 to 1953, to Medicinal Preparations." Acta Microbiologica Sinica. Vol. 3, No. 2, pp. 151-158, 1955. (From Referativnvy Zhurnal-Biol, No. 6, 25 March 1957, Abstract No. 21841.) (U).
- 138. Tien Kuo-tsai and Liu Chao. "Study on a Laboratory Induced Drugresistant Variant of ShigeIla." Acta Microbiologica Sinica. Vol 11, No. 3, pp 396-400, 1965 (U).
- 139. Lian: Yea-kai, "The Amino Acid Requirements of Various Types of Shigella, "Acta Microbiologica Sinica, Vol 11, No. 3, pp 396-400, 1965 (U).
- 140. Yeh Hsien-kur, Ni Shao-charg. Tang Shun-hsiang, and Yang Ku-yung.
  'Study on Increase of Positive Rates in Dysentery Bacillus Culture,'
  Chieh Fang chun i hsuch tsa chih. Vol 2, No. 3, pp 268-269, 1965
  (U):
- 141 Chang Shing-yi, Chou Lien-tse, Wang Ting-tse, and Cho Chi-ming. "Preparation of Infective RNA from Spring-Summer Encephalitis Virus and the Action of Protein-Splitting Enzymes on its Infectivity," Acta Microbiologica Sinion. Vol. 10, No. 3, pp. 317-324, 1964 (U).
- 142: Wang Yung-chi. "The Variation of Virus." Popular Science.
  No. 8, pp 250-251, August 1962 (9).
- 143. Chiao ini-shen: "Recent Progress in Industrial Microbiology," Wei sheng wu chian ti pao kao chi. pp 11-44, 1964 (U).
- 144. Chiang Ching-f and Chen Hung-shan. "A Method of Studying Antivirulent Drugs: 1. Conditions for the Culture of Cowpox and Fewl Plague Viruses in Chicken Embryos." Chuan kuo ti san tzu kang chun su haudi shu hui i lun wen chi - Hain kang chun su. No. 1. pp 172-478, 1965 (C).

29

ICS-692073/72

Handle via
TALENT-KEYHOLE ((b)(1)

control systems jointly

TOP SEERET CHESS RUFF (6)(1)

379

٠...

#### TOP SECRET CHESS RUFF

SAO/ST-SS-03-148-72-

145. Ma Yu-cheng. "Antibiotics and Biological Engineering." Collected Papers of Third All-China Symposium on Antibiotics Production Technology. Vol 2, pp 14-29, December 1965 (U).

(b)(1)

- 146. Lu Pao-lin. "Medical Insect Culture." Chung-kuo ku chung hsuch hui erh shih chou nien hsueh shu tao lun hui bui kan. pp 50-51.
- 147. Su Cheng-chin, Chang Ching-fang, Chu Nan-ying, and Li Chih-huai.
  "Latent Viruses Isolated from Tissue Cultures of Rhesus Monkey
  Kidney Cells." Acta Microbiologica Sinica. Vol 11, No. 1,
  pp 114-118, 1965 (U).
- 148. Tsao Chen-chin. "The Continuous Sterilization of Culture Medium and the Design of the Height of a Sterilizer," Chemical World. No. 5, pp 236-238, May 1966 (U):
- 149. Sehn Yung-hsing. "An Automatic Defoaming Method of Fermentation of Antibiotics," <u>Chemical World</u>. Vol 19, No. 11, pp 521-524, 1965 (U).

150. (b)(1)

- 151. Hisieh Chen-yang. "Improved Method of Lyophilization for Preservation of Hicroorganisms," Acta Microbiologica Sinica. Vol 7, No. 4, p 375, December 1959 (U).
- 152. Hsing Tsu-pei. "Observations on the Length of Survival of Lyophilized Rickettsia Orientalis," <u>Acta Microbiologica Sinica.</u> Vol. 11, No. 1, p 147, 1965 (U).
- 153. Li Tu-tang and Hsu Hung-li. "Studies of Some Factors Influencing the Recovery of Bacterialin Lyophilization Process (the Port of Vibrio)," <u>Acta Microbiologica Sinica</u>, Vol 10, No. 4, pp 508-513, 1964 (U).
- 154. "A Simple and Practical Way of Preserving Bacteria." Wuhan Medical Journal. Vol 2. No. 4, p 256, August 1965 (U).
- 155. Chu Cheng-ching and Tung Tsun. "Experience on Production of Strain Preservation by Refrigeration and Desiccation." Collected Papers of Third All-China Symposium on Antibiotics: Antibiotic Production Technology. Vol 2, pp 113-117, December 1965 (B).

130

TCS-692023/72 Handle via TALENT\_KEYHOLE (b)(1)

TOP SECRET CHESS RUFF

control systems jointly

- Ishiyama, T. "The Application of Kasugamycin As an Agricultural Pesticide, Chung Kuo Nung Ych Hua Hsueh Hui Chih, 4(3-4), 1966. A23-A30 ... (U).....
- Peng, S. -C., Tseng, C. -J., Tiu, C. -L., and Wang, T. -P. The Mycelfal Activities of the Rice Sheath Blight Fungus in Relation to the Disease Development," Acta Phytophylac. Sin. 4(4), 1965, 347-354 (U).
- Ch'en Li-jen, Ch'en Hui-Ch'in, and Sun Hui'hung. "Studies on 158 Spore Dispersal of Helminthosporium oryzae," Acta Phytophylac. Sin. 4(1), 1965; 7-14 (U)...
- Ean, Huai-chung, and Wu Shang-chung. "Field Control of Bacterial 159 Leaf Streak (Xanthomonas orvzicola) of Rice in Kwangtung, Acta Phytophylac Sin. 4(1), 1965, 1-6 (U).
- Anonymous: "Outbreak Rhythm and Control Technique of Paddy 160: Borer (Tryporyza incertellus Walker) in Huang, Hsin, Hsi and O Demonstration Regions in Hupeh Province. Acta Phythophylac. Sin. 5(1), 1966, 35-40 (U), 25-4
- Anonymous. "Forecasting the Third Generation Paddy Borer (Tryporyza incertellus Walker) and Chemical Control Techniques," Acta Phytophylac Sin 5(1), 1966, 41-49 (U).
- 162. Wu, Yu-san, Huang, Chen-t'ao, Feng, Shao-hsing, Jen, Yu-chen, and Hsuch, Li-hsin. "An Analysis of Physiological Races of Stem Rust of Wheat in 1964," Acta Phytophylac. Sin. 5(1), 1966. 59-61 (U).
- Anonymous. "Experiences in Controlling Stripe Rust of Wheat." 163. Agricultural Technology (Peking), 1965 (8), 27-29 (U).
- Anonymous. "Rust-Resistant Wheat Acreage Being Expanded in 164. China," Chin-jih Hsin-wen (Peking). 3 June 1965, 4 (U).
- Ti. Mui-sen. "On Several Rust-Resistant Wheat Varieties, 165. Agricultural Technology (Peking). 1965 (8), 12-13 (U).
- Liu. H. -W., Xia, Y. -T., and Chang, Y. -L. "Field Experiments on Application of Sulfanilic Acid for Controlling Stripe Rust of Wheat in Shensi Province." Acta Phytophylac. Sin. 4(4), 1965, 341-346 (U).

TCS-692023/72

Handle via TALENT-KEYHOLE

control systems jointly

TOP SECKET CHESS RUFE

•		
FEWARE	SECREP CHESS	(b)(1)
1 4 72"		- 夏名 第一 日小まい いっかっか
	- ドリドススムのマーデン 第二 マルル 音 をつくつくつ	19 4 · 1 · 1 · 1

Ί

167. Anonymous. "Calcium Sulfamate--a Chemical for Wheat Rust Prevention," <u>Hua hsuch kung veh.</u> 1966 (7), 1966, 32-33 (8).

- 168. Chang, H. -L.. "Liu, Su." "Two Kinds of Antibiotics Produced by Actinomyces abygroscopicus 508," Acta Microbiologica Sinica. 11(2), 1965, 153-160 (U).
- 169. Hua, C. -H., Chou, L. -C., and Hsieh, Y. -Y. "Isolation and Determination of Effective Elements of Nung-k'ang-101,"

  Collected Papers of the Third All-China Symposium on Antibiotics:
  Vol 4, December 1965, pp 37-40 (U).
- 170. Chen, C. -Y., Chen, H. -N., and Yang, C. -C. "Experiment With Nung-k'ang-101 for the Control of Wheat Rust," Collected Papers of the Third All-China Symposium on Antibiotics. Vol 4. December 1965, pp 44-49 (U).
- 171. Chen, C. -Y., Wang, C. -S., and Chen, H. -N. "Application of Nung-k'ang-101 for the Control of <u>Gibberella saubinella Discase</u> of Wheat," <u>Collected Papers of the Third All-China Symposium on Antibiotics</u>. Vol 4, December 1965, pp 50-54 (U).
- 172. Chiang, C. -H., and Hsieh, K. -C. "A Preliminary Report on the Selection of Internal-Absorption Antibiotics and Their Effect on Gibberella saubinella Disease of Wheat," Collected Papers of the Third All-China Symposium on Antibiotics. Vol 4, December 1965, pp 25-26 (U).
- 173. Anonymous. "A Study of Antifungous Antibiotics. III. Separation and Identification of the Actidione Produced by Actinomycete GF-455." Collected Papers of the Third All-China Symposium on Antibiotics. Vol I, June 1965, pp 91-95 (U).
- 174. Anonymous. "Determination of the Effect of Nung-k'ang-101 on Wheat Rust Control," Collected Papers of the Third All-China Symposium on Antibiotics. Vol 4, December 1965, pp 55-58 (E).
- 175. Li, M. -C., Chen, J. -L., Tiu, T. -I., and Lu, C. -H. "Studies on the Source of the Early Spring Generation of the Armyworm, Leucania separata Walker, in Kirin Province, I. Studies on the Hibernation and Problems of the Source," Acta Entomologica Sinica, 14(1), 1965, 21-30 (U).
- 176. Chen, J. -L., Tu, C. -H., Liu, T. -T., Li, M. -C., and Hsiang, I. -Y. "Studies on the Source of the Early Spring Generation of the Armyworm, Leucania separata Walker in the Kirin Province.

_	132		TCS-692023/72
OP STORET		I(D)(3)	Handle via TALENT-KEYHOLE control systems jointly
	382		

# TOP SECRET CHESS RUFF

SAO/ST-SS-03-148-72

- II. Studies on the Original Ground of the Immigrant," Acta Phytophylacien Sinica. 4(1), 1965, 49-58 (t).
- Ti, K. -P., Wang, H., Chao, S. -C., Tsao, S. -C., and Lin, C. -Y. "Field Studies on the Effect of Microclimate on the Population Density of the Armyworm." Acta Phytophylacica Sinica. 2(1). 1963, 58-62 (II).
- Liu, S. -Y., and Sun, I. -C. "Preliminary Studies on the Wheat 178. Stem Fly Meromyza saltatrix (Linn.) in the Central Part of Shensi, Acta Entomologica Sinica, 14(1), 1965, 32-44 (U).
- Ting, H. -S., and Yu, Y. -Y. "A Study of the Aphid Macrosiphum 179. granarium (Wheat Pest), "Entomological Information, 10(1), 1966. 10-13 (U).
- Liu. I. "Preliminary Report on Analysis of Soybean Mosaic 180. Virus Disease," Acta Phytopathologica Sinica. 6(2), 1963, 209-213 (U):
- Hsu, C. -F., Kuo, S. -K., and Han, Y. -M. "A Preliminary Study of the Resistance of Soybean Varieties to the Soybean Pod Borer (Leguminivor) glycinivorella (Mats.) Obrazts, Acta Phytophylacica Sinica. 4(2), 1965, 111-117 (U).
- Hsu. C. -F., Kuo, S. -K., and Han, Y. -M. "Study on the 182. Soybean Pod Borer (Leguminivor) glycinivorella (Mats.) Obrazts." Acta Entomologica Sinica. 14(5). 1965, 461-479 (U).
- Li, T. -P. "Preliminary Report on Viruses Causing Rape Mosaic 183. Disease in Chekiang," Chin wu pao hu hsuch pao. 3(2), 1964. 199 (U).
- Chang, C. -C., Wu, Y. -S., and Li, L. -H. "Studies on the Properties of Chinese Rape Mosaic Virus 15 (YMV sub 15) and Its Mucleic Acid (YMV sub 15-RNA)." Acta Biochemica et Biophysica Sinica, 5(2), 1965, 171-178 (U).
- Pet, M. -Y., Tien, P., Chang, Y. -S., Chien, Y. -J., and Tsao, 185. T. -C. "Partial Purification of Chinese Rape (Brassica Campestris L. Youcai) Mosaic Virus, YMV Sub 6, and Some of Its Acta Biochemica et Biophysica Sinica. 5(3), 1965, Properties. 303-310 (U).

TCS-692023/12 Handle via TALENT-KEYHOLE (b)(1) control systems jointly

TOP SECRET CHESS RUFF

### P SECKET CHESS RUFF (6)(1)

SAO/ST-SS-03-148-72


- Kuan, C. -H. "Preliminary Observations on the Flight of 186. Aphids on Cruciferous Crops," Acta Entomologica Sinica, 14(1), 1965, 99-102 (U).
- Liu, T. -S. "Symposium on Fusarium Wilt and Verticillium 187. Wilt of Cotton," K'o hsuch t'ung pao. 12, 1965, 1125-1126 (U).
- Fu, S. -F. "Control of Injurious Insects Infesting Cotton Balls along the Yangtze River," Collected Papers of the Twentieth Anniversary Scientific and Technical Symposium of the Entomological Society of China, Peking, 8-18 July 1964, 1966, 54-56 (U).
- 189. Ho. P., Shen, K. -P., and Tiu, Y. -H. "Response of Dendrolimus punctatus Walker to Chemosterilants," Acta Entomologica Sinica. 15(3), 1966, 239-241 (U).
- Chang, T. -P. "Insect Chemosterilants," Chung-kuo K'un ch'ung 190. hsuch hui erh shih chou nien hsuch shu t'ao lun hui k'an. 1966, 17-27 (U).
- Lin, Y. "Insecticidal Effects and Safe Usage of 'Suhua 203' 191. (containing sulfatepp)," Acta Phytophylacica Sinica. 4(2), 1965. 191-194 (U).
- Lin, L. "'Le-kuo' -- a Highly Effective Internal Absorption 192. Insecticide of Low Toxicity." K'o hsuehta chung. 5, 1964, 182-(U).
- Teng, C. "Studies on the Biology of Beauveria bassiana (Bals.) 193. Vuill. With Reference to Microbial Control of Insects," Acta Botanica Sinica, 10(3), 1962, 210-232 (0).
- Tsai, J. "Preliminary Test on the Application of a Bacterial 194. Insecticide, Bacillus thuringiensis, to Control the Pine Caterpillar, Dendrolium punctatus Walk.," Acta Entomologica Sinica. 13(6), 1964, 855-861 (U).
- Tseng, S., Yin, H. -Y., and Chao, Y. -C. "Studies on the 195. Entomogenous Fungus--Spicaria fumoso-rosea (Wize) Vassilijevsky." Acta Phytophylacica Sinica. 4(1), 1965, 59-68 (II).
- Liu, C. -L. "Problems Concerning Insect Resources," Chung-kuo 196. k'un ch'ung hauch hui erh shih chou nienhauch shu t'ao lun hui hui k'an. 1966, 63-66 (U).

105-697023/72 Handle via TALENT-KEYHOLE-(b)(1) control systems jointly

TOP SECRET CHESS RUFF (6)(1)

# TOP SECRET CHESS RUFF (b)(1)

SAO/ST-SS-03-148-72



135

TOP SECRET CHESS RUFF (b)(1)

TCS-692023/72 Handle via TALENT-KEYHOLE{(b)(1)

control systems jointly

TOP SECRET CHESS RUFF (b)(1) SAO/ST-SS-03-148-72		
	· · · · · · · · · · · · · · · · · · ·	, •
218. (See this reference in bibliography, ST-CS	3-03-148-72).	
(b)(1)		
225. 6 075 0167 65, 6 May 1965 (U).		
		٠.
(b)(1)		•
		•
		•

136

TOP SECRET CHESS RUFF (b)(1)

TCS-692023/72 Handle via TALENY-KEYHOLE (15)(1)

control systems jointly

			(b)(1)	to the first the second		
TO	P SECRET CH	IESS RUFF	(6)(1)			
				SAO/ST-SS-	03-148-72	•
				;		, e-i
						• • • •
	(b)(1)					
243. ST 68	3-18, 9 January 1969	9 (U).		×	4	-
						1
		/h\/4\				
		(b)(1)				
						, ,
						· · · · · ·
			***************************************			
		, t 13 7			TC3-69202 Handle TALENT-KEYHO control system	3/72 : via:
		137	(b)(1)		TALENT-KEYHO	LE (b)(1)
7	OP SECRET C	HESS RUF				
		30/				

	TOP SECRET CHESS RUFF 5-03-148-17	(b)(1)	
-			<b>-</b> ,
262.	(See this reference in bibliography,	ST-CS-03-148-72).	
	The Frederick News-Post, February 197		
			•
	(b)(1)		
		·	
275.	FSTC-HT-23-572-68, 6 March 1969 (U).		
	(b)(1)		
		N64.771	(13:1
	138	TCS-6920 Handle TAISBY VSVII	via

TALENT-KEYHOLE (b)(1)
control systems jointly

TOP SECRET CHESS RUFF (b)(1)

# TOP SECRET CHESS RUFF SAO/ST-SS-03-148-72 283. 284. (b)(1) 285. 286.

TCS-692023/7/1
Handle via (b)(1)
TALENT-KEYHOLE

control systems joint

TOP SECRET	CHESS RUF	ŀ	(b)(1)
SAD/ST-SS-DR 148 77			

This page intentionally left blank.

140

TOP SECRET CHESS RUFE (6)(1)

TALENT-KEYHOLE((b)(1)
control systems jointly

DOCUMENT COM	NTROL DATA - R	& D	<del></del>	
	ng annotation must be	entered when the	overall réport ly	classified)
Foreign Science and Technology Center		TOP SECRET-ALL SOURCE-NFD-CD		
Army Materiel Command Department of the Army	. '	Group I		
ACPONY TITLE		<del></del>	<del></del> :	· :
Biological Warfare CapabilityAsian Com	munist Countr	ies (l!)		
A PLECEPTIVE NOTES (Type of report and inclusive dates) Annual Study				
S AUTHORISI (First name, middle initial, labi name)			<del></del>	
(b)(6)				· .
PEPORT DATE	7#, TOTAL NO. O	501655	76: NO. OF RE	
May 1972	158		78. NO. OF HE	
IR. CONTHACT OH GHANT NO.	SA. ORIGINATOR	S REPORT NUM	RE #(5)	
6. PROJECT NO	SAO/ST-SS	-03-148-72		
e.FSTC T70031172	SD. OTHER REPO	RT NO(5) (Any o	ther numbers the	i may be assigned
<sub>d</sub> . T70-03-11	TCS 69202	3/72		
O. DISTRIBUTION STATEMENT				
This document has been reviewed and is no Center.	ot releasable	to the De	fense Docu	mentation
1. SUPPLEMENTARY NOTES	Foreign Science and Technology Center Army Materiel Command			
	, -	riel Comman		•

The purpose of this study is to consolidate all available information concerning the many facets of biological warfare activities in the Asian Communist Countries and to determine their biological warfare capability. (U)

Sources of information included information reports, intelligence publications, abstract publications, and available open scientific literature. The information relating to biological warfare was collated and analyzed. The study has been organized under the following topics: order of battle for BW; BW materiel (offensive and defensive); production facilities and capabilities; stockpiles and storage facilities; doctrine and procedures governing use of BW weapons; doctrine and procedures for defense against BW; BW research, development and testing; anticrop research. (U)

Sufficient historical material has been presented to provide a background for the investigation and analysis of current BW or related activity in these countries. (U)

141

UNCLASSIFIED

DELETED PAGE(S) NO DUPLICATION FEE FOR THIS PAGE.

Page(s) 392