

THE BLACK VAULT

This document was obtained from The Black Vault, an online database of declassified government documents. This particular record is housed in the MKULTRA/Mind Control Collection, a compilation of more than 20,000 pages declassified by the Central Intelligence Agency (CIA). The entire collection is free to download and online at:

http://mkultra.theblackvault.com

P/1. I. 64, 26

MEMORANDUM FOR: Director,

19 August 1952

SUBJECT:

Alcohol Antagonists

1. Attention is directed to your memorandum entitled "Alcohol Antagonists," dated 5 July 1952 and directed to Chief, Medical Staff. Comprehensive review of current medical literature has not revealed a single specific and reliable alcohol antagonist that fulfills your requirements.

- 2. Dexedrine sulfate, pervitin, and benzedrine are the most effective available drugs for this purpose in the order given. Specifically these drugs are not true alcohol antagonists but serve to mask the effects of alcohol in the human subject. Any of the above drugs in doses of 20 mgm taken an hour before and every four hours while ingesting alcoholic beverages would partially counteract the discernible effects of ethyl alcohol.
- 3. The only effective and applicable adsorbent is that found in large quantities of protein either in the form of animal protein or milk; e.g., a heavy protein meal reduces the absorption of alcohol from the digestive tract by 50 per cent. Mineral oil or olive oil in two ounce doses will effectively delay the absorption of alcohol but will not prevent it.
- 4. The B-complex vitamins definitely accelerate the metabolism of alcohol by the liver; however, the unavailability of oral preparations of these drugs in the massive doses necessary and the unpredictable time necessary for their action would minimize their value. The insulinglucose mixture is of doubtful value and would be ill-advised because the insulin must be given by injection.
- 5. In summary, the most effective available method of combatting the effects of alcohol would be the combination suggested below:
 - a. 5-6 tablets of concentrated B-complex vitamins on the day that the alcohol ingestion is to take place.
 - b. 20 mgm dexedrine about one hour before beginning the ingestion of alcoholic beverages and 20 mgm every four hours while partaking of such beverages.
 - c. The ingestion of a heavy protein meal chortly before partaking of alcoholic beverages. (Alternatives two glasses whole milk; one glass cream; large helping ice cream; two ounces olive oil; or two ounces mineral oil.)

- 6. At the present time there is little attention in medical research being directed toward counteracting the immediate effects of alcohol in order to maintain sobriety. This field may warrant further investigation by the appropriate division of the agency.
- 7. In this memorandum we have attempted to extract the salient factors continent to your problem. This office would be pleased to confer with your staff regarding more detailed information if so desired, and to assist you in the solution of any problems of a medical nature which might arise.

A

/SSD/AL/ND

AL/ID/

Distribution:

Orig and 1 - Addressee

1 - C/15

2 - AL/MD (file)

2 - RI

29 September 1952

MELORALIDUM	FOR:	

SUBJECT:

Alcohol Antagonists

REFERENCE:

Memo from , same subject, dated 12 September 1952.

1. Preliminary discussions have been held with. Chief, Chemical Division/OTS regarding the development of a research project; subject, Alcohol Antagonists and Accelerators.

- 2. Both OTS and the Medical Office feel that this problem is worthy of further investigation provided that there is an operational need for such substances. It should be noted that such a project will require considerable basic research and testing.
- 3. It is recommended that your office propers a more detailed requirement for submission to Chief, Chemical Division/OTS so that preliminary studies may be instituted. The Medical Office will be happy to assist OTS in the medical evaluation of this project as needed.

Assistant Deputy for /Medical Office

Distribution:

Orig and 1 - Addressee

1 - RI

2 - File

MEMPHANUAL FOR: Chief, Technical Support

SUBJECT:

Alcohol Antagonists and Accelerators, Justarch and Development Project.

l. Reference is made to the memorandum dated 12 Deptember 1972 from the residence of the redical Office, a copy of which was designated for TN, and to the memorandum dated 27 Deptember 1972 from the Medical Office to settler out cortain views resulting from discussions between of the Redical Office and third, Chemical Division, TN, concerning the above matter. It is the belief of this Staff that there is sufficient operational need for useable alcohol antagonists and accelerators to justify the institution of a research project to determine the feasibility of developing such substances. If the basic research indicates that development is feasible it is felt that it should be extended to develop adequate substances in this field.

- 2. This btaff, due to lack of technical familiarity with the subject, is somewhat handlenpood in proparing a detailed requirement for such a project.
- 3. A distinct operational need would be served by the -- development of substances having the following properties:
- s. Theohol Antagonists: a substance which can be kept readily available and which when taken internally would inhibit the full effects of alcohol consumption for reasonably predictable periods of time, describing upon desage. Such a substance, to be uscable, should of course have no ill effects and particularly should not affect in any way the reasoning, speech, location or alertness of the person taking its
- b. 'looked /ccelerators: an adorless, tasteless, colorless substance which would be readily administered in foreign drink and which would have be effect of accelerating the results of alcohol consumption, it possible resulting in a release of inhibitions and a nore rapid loss of control on the part of the imbiber. Note: The feasibility of such a substance is not known to this Staff but it is suggested that at least this be considered as a possibility in connection with the necessary research to be conducted on the various phases of Troject ANTIHERS.

<u> MONTON</u>

h. If judged foreible and oractical, it is requested that ONS, in coordination with the Jedical Office and with Tiply undertake a research and development areject to develop substances processing the responded mughly outlined above. It is believed that this project might woll be made a part of Project AFTICHORY.

Info contactor instant differ, 15501

abiot, 130